



List of dispatching tracks

Timetable 2027

Last updated: 1 June 2026

DB InfraGO AG

Headquarters

Index

1. Introduction

2. Legend of additional facilities

3. Dispatching tracks provided by DB InfraGO AG

1. Introduction

The following overview contains the dispatching tracks offered by the DB InfraGO AG. To the use of these tracks it can be necessary in individual cases to use other feeding switches or tracks. For reasons of clarity these are not a component of the following composition. For more information contact the Customer Management at the DB InfraGO AG Regional Units.

The kind of the binding shows the current binding from an account-technical view. There may be changes due to adaptations of the operational processes. As an infrastructure operator, DB InfraGO AG is permanently concerned with the maintenance and optimization of quality and circumference of her service facilities. Hence, the usage of service facilities may be limited for constructional reasons. In this case our contacts make alternative installations available to you.

Our contact persons are available for further information in the regional areas of DB InfraGO AG:
www.dbinfrago.com/contacts.

Important information:

To use the new "smart shore power supply" (ELS), you need a company-specific access option. In addition, the electricity supply contract is still mandatory. For this purpose, please contact DB Energie GmbH at the e-mail address elektranten.dbenergie@deutschebahn.com.

2. Legend of additional facilities

Abbreviation	Description
BPG	stationary brake testing
DKLS	system compressed air unit
DKLSS	compressed air unit, 230 V
ELEK	shore power supply
ELS	smart shore power supply
INRA	interior cleaning facility
WVS/WVD	weighbridge
WAFS	water filling facility
WCEA	toilet effluent disposal unit
ESTH	ancilla
DRSH	turntable
MEDI	media locker
OLI	oil transfer facility
ZV50	electric train preheating system 50 Hz
ZV16	electric train preheating system 16 2/3 Hz
BESA	sand filling system
BUEH	work and cleaning stage
TAM	containment sump / cushion system
TAW	containment sump
KOMB	combined module of waterfilling and disposal facility

The value in brackets indicates the number of peripheral facilities available on the track.

3. Dispatching tracks provided by DB InfraGO AG

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
centre	Aschaffenburg Hbf	202	dispatching track2 1	double sided	794	794	0	-
centre	Aschaffenburg Hbf	203	dispatching track8 1	double sided	775	775	0	-
centre	Bad Hönningen	4	dispatching track8 1	double sided	571	571	0	-
centre	Darmstadt Hbf	112	dispatching track8 2	single sided	123	123	0	-
centre	Darmstadt Hbf	202	dispatching track2 1	double sided	690	690	0	-
centre	Ehrang	201	dispatching track8 1	double sided	651	651	0	-
centre	Frankfurt (Main) Ost	122	dispatching track8 1	single sided	297	0	0	-
centre	Frankfurt-Höchst	227	dispatching track8 1	double sided	750	750	0	-
centre	Friedberg (Hess)	18	dispatching track8 1	double sided	626	626	0	-
centre	Fulda	29	dispatching track8 1	single sided	63	63	0	TA (1)
centre	Fulda	249	dispatching track2 1	double sided	736	736	0	-
centre	Fulda	350	dispatching track8 1	single sided	88	88	0	-
centre	Hanau Hbf	119	dispatching track8 2	single sided	198	198	0	ELEK (1); TA (1)
centre	Hanau Hbf	932	dispatching track8 1	double sided	547	547	0	DKLS (1)
centre	Kassel Rbf	103	dispatching track8 1	double sided	603	603	0	DKLS (1)
centre	Kassel Rbf	104	dispatching track8 1	double sided	660	660	0	DKLS (1)
centre	Linz (Rhein)	4	dispatching track8 1	double sided	523	523	0	-
centre	Mainz Hbf	058	dispatching track8 1	double sided	432	432	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
centre	Mainz-Bischofsheim	58	dispatching track8 1	double sided	60	60	0	TA (1)
centre	Mainz-Bischofsheim	72	dispatching track8 1	double sided	606	606	0	-
centre	Mainz-Bischofsheim	645	dispatching track2 1	double sided	602	602	0	-
centre	Mainz-Weisenau Gbf	504	dispatching track8 1	double sided	409	409	0	-
centre	Neuwied	052	dispatching track8 1	double sided	396	396	0	ELEK (2)
centre	Riedstadt-Goddelau	8	dispatching track8 1	double sided	736	736	0	-
east	Bad Kleinen	15	dispatching track8 1	double sided	543	543	0	ELS (1)
east	Bad Kleinen	17	dispatching track8 1	double sided	565	565	0	-
east	Beeskow	7	dispatching track8 2	single sided	209	0	0	-
east	Berlin Nordost	223	dispatching track2 1	double sided	640	640	0	-
east	Berlin-Ruhleben	622	dispatching track8 1	double sided	361	361	0	-
east	Cottbus Hbf	73	dispatching track8 2	single sided	85	85	0	-
east	Eberswalde Hbf	113	dispatching track8 3	double sided	339	92	0	-
east	Frankfurt (Oder) Oderbrücke	23	dispatching track8 2	single sided	136	0	0	-
east	Guben	14	dispatching track8 1	double sided	755	755	0	-
east	Königs Wusterhausen	7	dispatching track8 1	double sided	409	409	0	-
east	Luckenwalde	15	dispatching track8 1	double sided	629	629	0	-
east	Neubrandenburg	112	dispatching track8 1	double sided	495	495	0	-
east	Neustrelitz Hbf	11	dispatching track8 2	single sided	499	499	0	-
east	Pasewalk	14	dispatching track8 2	single sided	62	62	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
east	Rostock Seehafen	122	dispatcher track	double sided	577	577	0	-
east	Rostock Seehafen	131	dispatcher track	double sided	617	617	0	DKLS (2)
east	Rostock Seehafen	356	dispatcher track	double sided	884	150	0	-
east	Rostock Seehafen	360	dispatcher track	double sided	660	120	0	-
east	Rostock Seehafen	664	dispatching track8 2	double sided	552	0	0	-
east	Seddin Süd	531	dispatching track2 1	double sided	650	650	0	-
east	Seddin Süd	532	dispatching track2 1	double sided	650	650	0	-
east	Wismar	8E	dispatching track8 3	single sided	130	130	0	ELS (1)
east	Wittenberge	77	dispatching track8 3	single sided	417	417	0	ESTH (2)
north	Bad Bentheim	19	dispatching track8 2	single sided	141	141	0	-
north	Bassum	5	dispatching track8 1	double sided	693	693	0	-
north	Brake (Unterweser)	92	dispatching track2 1	double sided	674	674	0	-
north	Braunschweig Rbf	197	dispatching track8 1	double sided	489	489	0	-
north	Celle	21	dispatching track2 1	double sided	728	728	0	-
north	Emden	7	dispatching track2 1	double sided	551	551	0	-
north	Göttingen	17	dispatching track2 2	single sided	128	128	0	ELEK (1)
north	Göttingen	307	dispatching track8 1	double sided	670	670	0	-
north	Hamburg Unterelbe Seehafen	5	dispatching track2 1	double sided	489	489	0	-
north	Hamburg-Altona	480	dispatching track2 2	double sided	193	193	0	-
north	Helmstedt	006	dispatching track8 1	double sided	723	723	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
north	Kirchweyhe	24	dispatching track8 1	double sided	732	732	0	-
north	Kreiensen	55	dispatching track8 1	double sided	633	633	0	ELEK (4)
north	Lehrte	315	dispatching track8 1	double sided	490	490	0	-
north	Lingen (Ems)	4	dispatching track8 1	double sided	384	384	0	-
north	Meppen	13	dispatching track8 2	single sided	361	361	0	-
north	Niebüll	10	dispatching track8 2	single sided	194	0	0	ELEK (1)
north	Nordenham	4	dispatching track8 1	double sided	375	0	0	-
north	Nordenham	9	dispatching track8 1	single sided	188	188	0	-
north	Northeim (Han)	40	dispatching track8 1	single sided	337	337	0	ELEK (2)
north	Osnabrück Hbf	6	dispatching track8 2	double sided	47	47	0	-
north	Sande	6	dispatching track8 1	double sided	725	725	0	-
north	Uelzen	15	dispatching track8 2	single sided	102	102	0	-
south	Ansbach	7	dispatching track8 1	double sided	752	752	0	-
south	Augsburg Hbf	14R	dispatching track8 2	double sided	575	0	0	-
south	Augsburg Hbf	15	dispatching track2 1	double sided	580	580	0	-
south	Augsburg Hbf	825	dispatching track8 1	double sided	782	782	0	-
south	Bamberg	214	dispatching track8 2	single sided	104	104	0	ELEK (2)
south	Freilassing	25	dispatching track8 2	single sided	145	145	0	ELEK (1)
south	Fürth (Bay) Hbf	46	dispatching track8 2	double sided	182	182	0	-
south	Garching (Alz)	6	dispatching track8 2	single sided	418	0	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
south	Gemünden (Main)	104	dispatching track8 1	double sided	640	640	0	-
south	Gemünden (Main)	105	dispatching track8 1	double sided	640	640	0	-
south	Geroldshausen	6	dispatching track8 3	single sided	108	0	0	-
south	Hof Hbf	213	dispatching track8 1	double sided	702	702	0	-
south	Ingolstadt Hbf	77	dispatching track8 2	single sided	110	0	0	-
south	Ingolstadt Hbf	105	dispatching track8 2	single sided	35	35	0	-
south	Ingolstadt Nord	13	dispatching track2 1	double sided	555	555	0	-
south	Ingolstadt Nord	14	dispatching track2 1	double sided	546	546	0	DKLS (1)
south	Landshut (Bay) Hbf	412	dispatching track8 1	double sided	699	699	0	-
south	Landshut (Bay) Hbf	413	dispatching track8 1	double sided	746	746	0	-
south	Lauda	41	dispatching track8 2	single sided	101	101	0	-
south	München Nord Rbf	568	dispatching track8 2	double sided	60	60	0	-
south	München Ost Pbf	541	dispatching track8 2	double sided	101	101	0	-
south	München Ost Rbf	Stump	dispatching track8 2	single sided	25	25	0	-
south	Nürnberg Hbf	65	dispatching track8 2	single sided	102	102	0	-
south	Nürnberg Rbf	59	dispatching track8 3	single sided	45	20	0	-
south	Nürnberg-Dutzendteich	308	dispatching track8 1	double sided	670	670	0	-
south	Osterhofen (Niederbay)	31	dispatching track8 2	single sided	229	0	0	-
south	Passau Hbf	105	dispatching track8 3	double sided	20	20	0	-
south	Passau Hbf	140	dispatching track8 2	single sided	50	50	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
south	Passau Hbf	141	dispatching track8 2	single sided	50	50	0	-
south	Passau Hbf	316	dispatcher track	double sided	492	492	0	-
south	Passau Hbf	317	dispatcher track	double sided	492	492	0	-
south	Passau Hbf	318	dispatcher track	double sided	561	561	0	-
south	Passau Hbf	322	dispatcher track	double sided	788	788	0	-
south	Regensburg Hbf	104	dispatching track8 2	single sided	58	58	0	ELEK (1)
south	Regensburg Hbf	312	dispatching track8 1	double sided	580	580	0	-
south	Regensburg Hbf	313	dispatching track8 1	double sided	556	556	0	-
south	Regensburg Hbf	316	dispatching track8 1	double sided	715	715	0	-
south	Schalding	604	dispatching track8 1	double sided	648	648	0	-
south	Schweinfurt Hbf	255	dispatching track8 2	single sided	28	28	0	-
south	Würzburg Hbf	455	dispatching track8 2	single sided	48	48	0	-
southeast	Altenburg	7	dispatching track8 1	double sided	627	627	0	ELS (2)
southeast	Bitterfeld	6759	dispatching track8 2	single sided	98	0	0	-
southeast	Bitterfeld	6872	dispatching track8 2	single sided	100	100	0	-
southeast	Böhlen (b Leipzig)	6	dispatching track8 2	single sided	147	147	0	-
southeast	Brandenburg Hbf	1105	dispatching track8 2	double sided	524	524	0	-
southeast	Coswig (Anh) Gbf	5	dispatching track8 2	single sided	96	96	0	-
southeast	Dornreichenbach	6	dispatching track8 1	double sided	695	695	0	-
southeast	Dresden-Friedrichstadt	208	dispatching track8 1	double sided	548	548	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
southeast	Eilenburg	19	dispatching track8 2	single sided	66	66	0	-
southeast	Eisenach	87	dispatching track8 3	single sided	158	158	0	WAFS (3)
southeast	Freiberg (Sachs)	23	dispatching track8 3	single sided	600	0	0	-
southeast	Güsen (Kr Genthin)	2506	dispatching track8 1	double sided	683	683	0	-
southeast	Halle (Saale) Hbf	136	dispatching track8 2	single sided	297	297	0	-
southeast	Halle (Saale) Hbf	150	dispatching track8 2	single sided	63	63	0	-
southeast	Leipzig Hbf	513	dispatching track8 2	single sided	93	93	0	-
southeast	Leipzig-Engelsdorf	6	dispatching track8 1	double sided	456	456	0	-
southeast	Leipzig-Engelsdorf	86	dispatching track8 1	double sided	534	534	0	-
southeast	Leipzig-Engelsdorf	124	dispatching track8 1	double sided	568	568	0	-
southeast	Magdeburg Hbf	45	dispatching track8 2	single sided	198	198	0	ELEK (5)
southeast	Magdeburg-Rothensee	B11	dispatching track8 1	double sided	245	245	0	-
southeast	Magdeburg-Rothensee	E2	dispatching track8 2	single sided	536	536	0	-
southeast	Magdeburg-Rothensee	E7	dispatching track8 1	double sided	565	565	0	-
southeast	Merseburg Gbf	27	dispatching track8 2	single sided	100	100	0	-
southeast	Nordhausen	22N	dispatching track8 2	single sided	90	90	0	-
southeast	Pirna	145	dispatching track2 1	double sided	522	522	0	-
southeast	Schwarzkollm	5	dispatching track8 1	double sided	715	715	0	-
southeast	Senftenberg	39	dispatching track8 1	double sided	300	180	0	DKLS (1)
southeast	Senftenberg	106	dispatching track8 1	double sided	641	641	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
southeast	Stendal Hauptbahnhof	523	dispatching track8 3	single sided	168	0	0	ELEK (7)
southeast	Stendal Hauptbahnhof	532	dispatching track8 3	single sided	195	0	0	-
southeast	Stendal Hauptbahnhof	612	dispatching track8 3	single sided	121	0	0	-
southeast	Zeitz	2	dispatching track8 1	double sided	244	0	0	ELEK (1)
southwest	Aalen Hbf	210	dispatching track8 1	single sided	150	0	0	-
southwest	Aalen Hbf	231	dispatching track8 1	double sided	148	148	0	-
southwest	Aulendorf	255	dispatching track8 3	single sided	83	0	0	ELEK (2)
southwest	Aulendorf	256	dispatching track8 3	single sided	104	0	0	ELEK (5)
southwest	Basel Bad Rbf	201	dispatcher track	double sided	576	576	0	-
southwest	Basel Bad Rbf	202	dispatcher track	double sided	620	620	0	DKLS (1)
southwest	Basel Bad Rbf	205	dispatcher track	double sided	630	630	0	DKLS (1)
southwest	Basel Bad Rbf	206	dispatcher track	double sided	634	634	0	DKLS (1)
southwest	Basel Bad Rbf	207	dispatcher track	double sided	579	579	0	-
southwest	Basel Bad Rbf	209	dispatcher track	double sided	425	425	0	-
southwest	Bietigheim-Bissingen	54	dispatching track8 1	double sided	365	0	0	-
southwest	Bietigheim-Bissingen	55	dispatching track8 1	double sided	387	0	0	-
southwest	Efringen-Kirchen	101	dispatching track8 1	double sided	418	418	0	-
southwest	Geislingen (Steige)	30	dispatching track8 2	single sided	40	40	0	-
southwest	Karlsruhe Gbf	209	dispatching track2 1	double sided	686	686	0	-
southwest	Karlsruhe Hbf	447	dispatching track8 2	single sided	70	70	0	-
southwest	Karlsruhe Hbf	489	dispatching track8 2	single sided	56	56	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
southwest	Karlsruhe West	103	dispatching track8 1	double sided	378	378	0	ELEK (1)
southwest	Karlsruhe West	104	dispatching track2 1	double sided	567	567	0	-
southwest	Karlsruhe West	107	dispatching track2 1	double sided	594	594	0	-
southwest	Karlsruhe West	109	dispatching track8 2	single sided	337	337	0	-
southwest	Karlsruhe West	128	dispatching track8 2	single sided	79	79	0	-
southwest	Kornwestheim Rbf	066	dispatching track8 2	single sided	65	65	0	-
southwest	Mannheim Hbf	G 102	dispatching track8 2	single sided	53	53	0	-
southwest	Mannheim Industriehafen	203	dispatching track8 1	double sided	490	490	0	-
southwest	Mannheim Rbf	M 513	dispatching track8 2	single sided	45	45	0	ELEK (1)
southwest	Mannheim Rbf	P 54	dispatching track8 2	double sided	88	88	0	-
southwest	Mannheim-Waldhof	19	dispatching track8 1	double sided	458	458	0	-
southwest	Mannheim-Waldhof	24a	dispatching track8 2	single sided	172	172	0	-
southwest	Mengen	5	dispatching track8 1	double sided	380	0	0	-
southwest	Offenburg Gbf	602	dispatching track8 1	double sided	813	813	0	-
southwest	Offenburg Gbf	612	dispatching track8 1	double sided	530	530	0	-
southwest	Plochingen	16	dispatching track8 2	single sided	197	197	0	-
southwest	Plochingen	309	dispatching track2 1	double sided	513	513	0	-
southwest	Rottweil	57	dispatching track8 3	single sided	336	336	0	-
southwest	Saarbrücken Rbf	125	dispatching track8 3	double sided	709	709	0	-
southwest	Saarbrücken Rbf	215	dispatching track8 2	single sided	122	122	0	ELEK (1)

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
southwest	Stuttgart Hbf	612	dispatching track8 2	double sided	219	219	0	WAFS (3); DKLS (2)
southwest	Stuttgart Hbf	652	dispatching track8 2	double sided	156	156	0	-
southwest	Stuttgart-Untertürkheim	526x	dispatching track8 1	double sided	425	425	0	-
southwest	Sulzbach (Saar)	3	dispatching track8 1	double sided	583	583	0	-
southwest	Titisee	5	dispatching track8 3	single sided	214	0	0	-
southwest	Tübingen Gbf	104	dispatching track8 1	double sided	569	569	0	-
southwest	Villingen (Schwarzw)	41b	dispatching track8 3	single sided	30	0	0	-
southwest	Villingen (Schwarzw)	62	dispatching track8 3	single sided	169	169	0	-
west	Aachen West	13	dispatcher track	double sided	751	751	0	-
west	Aachen West	14	dispatcher track	double sided	723	723	0	-
west	Aachen West	21	dispatcher track	double sided	579	579	0	-
west	Aachen West	22	dispatcher track	double sided	703	703	0	-
west	Aachen West	24	dispatcher track	double sided	963	963	0	-
west	Aachen West	44	dispatcher track	double sided	498	498	0	-
west	Aachen West	45	dispatcher track	double sided	447	447	0	-
west	Aachen West	46	dispatcher track	double sided	501	501	0	-
west	Baal	4	dispatching track8 1	double sided	634	634	0	-
west	Dortmund-Mengede	7	dispatching track2 1	double sided	520	520	0	-
west	Dortmund-Mengede	8	dispatching track2 1	double sided	563	563	0	-
west	Dortmund-Mengede	10	dispatching track8 1	double sided	492	492	0	-
west	Duisburg-Ruhrort Hafen	162	dispatcher track	single sided	520	0	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
west	Duisburg-Ruhrort Hafen	228	dispatcher track	single sided	525	525	0	-
west	Duisburg-Ruhrort Hafen	229	dispatcher track	double sided	500	500	0	-
west	Duisburg-Ruhrort Hafen	230	dispatcher track	double sided	500	500	0	-
west	Duisburg-Ruhrort Hafen	238	dispatcher track	double sided	480	480	0	-
west	Duisburg-Ruhrort Hafen	247	dispatcher track	double sided	630	0	0	-
west	Emmerich	6	dispatcher track	double sided	646	646	0	-
west	Emmerich	7	dispatcher track	double sided	643	643	0	-
west	Emmerich	8	dispatcher track	double sided	638	638	0	-
west	Hilden	6	dispatching track ⁸ ₁	double sided	621	621	0	-
west	Köln Eifelort	10	dispatcher track	double sided	676	676	0	-
west	Köln Eifelort	11	dispatcher track	double sided	418	418	0	-
west	Köln Eifelort	12	dispatcher track	double sided	370	370	0	-
west	Köln Eifelort	16	dispatcher track	double sided	484	484	0	-
west	Köln Eifelort	18	dispatcher track	double sided	443	443	0	-
west	Köln Eifelort	77	dispatcher track	double sided	682	239	0	-
west	Köln Eifelort	165	dispatcher track	double sided	490	490	0	DKLS (1)
west	Köln Eifelort	167	dispatcher track	double sided	587	587	0	DKLS (1)
west	Köln Eifelort	204	dispatcher track	double sided	547	547	0	-
west	Köln-Kalk Nord	6	dispatcher track	double sided	475	475	0	-
west	Köln-Kalk Nord	10	dispatcher track	double sided	751	751	0	-
west	Köln-Kalk Nord	14	dispatcher track	double sided	587	587	0	-
west	Köln-Kalk Nord	76	dispatcher track	single sided	155	0	0	-
west	Köln-Kalk Nord	85	dispatcher track	double sided	544	544	0	DKLS (1)

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
west	Köln-Kalk Nord	102	dispatcher track	double sided	595	595	0	-
west	Köln-Kalk Nord	174	dispatcher track	double sided	720	720	0	-
west	Köln-Kalk Nord	189	dispatcher track	double sided	650	650	0	-
west	Köln-Kalk Nord	191	dispatcher track	double sided	602	602	0	-
west	Köln-Kalk Nord	192	dispatcher track	double sided	680	680	0	-
west	Köln-Kalk Nord	193	dispatcher track	double sided	632	632	0	DKLS (1)
west	Köln-Kalk Nord	200	dispatcher track	double sided	530	530	0	-
west	Köln-Kalk Nord	228	dispatcher track	single sided	20	0	0	-
west	Köln-Kalk Nord	229	dispatcher track	single sided	40	0	0	-
west	Oberhausen West	43	dispatcher track	double sided	573	573	0	DKLS (2)
west	Oberhausen West	44	dispatcher track	double sided	575	575	0	DKLS (1)
west	Oberhausen West	45	dispatcher track	double sided	582	582	0	DKLS (1)
west	Oberhausen West	47	dispatcher track	double sided	705	705	0	-
west	Oberhausen West	48	dispatcher track	single sided	637	637	0	-
west	Oberhausen West	50	dispatcher track	double sided	526	526	0	-
west	Oberhausen West	51	dispatcher track	double sided	495	495	0	-
west	Oberhausen West	52	dispatcher track	double sided	577	577	0	-
west	Oberhausen West	57	dispatcher track	double sided	447	447	0	-
west	Oberhausen West	59	dispatcher track	double sided	493	493	0	-
west	Oberhausen West	62	dispatcher track	double sided	685	685	0	-
west	Oberhausen West	64	dispatcher track	double sided	693	693	0	-
west	Oberhausen West	66	dispatcher track	single sided	591	591	0	-
west	Remscheid-Lüttringhausen	3	dispatching track ⁸ 3	double sided	423	0	0	-

region	operating location	track no.	type of track	type of connection	usable length of track [m]	length of catenary [m]	usable length of loading sill [m]	peripheral facilities (Number)
west	Rheinhausen	13	dispatcher track	double sided	721	721	0	-
west	Rheinhausen	14	dispatcher track	double sided	635	635	0	-
west	Siegen-Geisweid	503+	dispatching track8 1	double sided	490	490	0	-
west	Siegen-Geisweid	504+	dispatching track8 1	double sided	456	456	0	-
west	Wesel	7	dispatching track8 1	double sided	525	525	0	-
west	Wickede (Ruhr)	203	dispatching track8 1	double sided	496	0	0	-

Imprint

DB InfraGO AG

Product- and Pricemanagement

Adam-Riese-Straße 11-13

D-60327 Frankfurt am Main

Subject to change

No responsibility accepted for the
correctness of any item of information

Last updated: 1 June 2026

www.dbinfrago.com/anlagenprodukte