



Loading points

Timetable 2027

Last updated: 1 June 2026

DB InfraGO AG

Headquarters

Index

1. Introduction

2. Legend of additional facilities

3. List of loading points

1. Introduction

Rail freight transport is growing at an encouraging rate. Driven by the effects of global flows of goods, the demand for rail freight transport is rising. Yet the destinations of shipments are not always accessible by rail. In such cases, transshipment from rail to road, or vice versa, offers a suitable alternative. Alongside intermodal terminals, loading points are of particular significance in this regard. DB InfraGO AG therefore offers its customers a Germany-wide network of loading points.

It currently operates around 400 loading points. The loading points operated by DB InfraGO AG enable access parties to transship their goods from road to rail and vice versa. The configuration of the loading point can consist of various components depending on the local circumstances. Loading points are variously configured:

- End-loading platform (goods transshipped at the same level),
- Side-loading platform (goods transshipped at the same level),
- Loading lane/loading track

Loading points are augmented, where necessary, by additional facilities (e.g. power connection), lighting or access roads. How these components combine to form a loading point is presented in the detailed infrastructure description on the Network portal (search for Service Facility – Product Category Loading/Unloading) and in this brochure.

This brochure provides you with a summary, broken down by region, of the loading points we offer. For each loading point, there is an overview of the infrastructure and the current charges. In addition, there are sketches of each locality along with special environmental aspects affecting each loading point. The same information is contained on the Network portal (Service Facility – Detailed Infrastructure Description of Product Category Loading/Unloading).

The sketches are schematic representations and contain only an excerpt of the actual loading point. The sketches do not relieve you of your duty to obtain specific local knowledge of the service facility/loading point.

The prices given on the following pages are annual net prices with no deductions. The price per track includes the points connection, track length and overhead line (where applicable). The price does not include additional facilities (e.g. electricity supply) or incidental/consumption costs.

Detailed information on the use of loading points as well as a binding price for your specific needs can be found on the Network portal when you register your needs.

Environmental legislation for loading points

A loading point is a facility used for the loading/unloading of rail and road vehicles as well as for the transshipment of cargo between the two means of transport. The access party or rail operator must observe all the relevant statutory and administrative public-law provisions as well as all official regulations and requirements concerning the use of the particular facility.

Which environmental requirements apply in each individual case depends on the type and extent of the intended use as well as on the location and configuration of the particular loading point. For your information, the sketches in the descriptions of the loading points also contain information on environmental legislation. This relates to the location of the loading point in a water conservation area and/or to the distance of the loading point from residential areas as well as to any official requirements applicable in the individual case.

The following contains general information on environmental requirements in relation to the use of loading points operated by DB InfraGO AG. This in some cases gives further details of the environmental regulations of the terms of use for service facilities of DB InfraGO AG (Sections 3.3.4.8 and Section 7.3.1.5.2 INB).

Information on possible formal approval requirements

Depending on quantity and material parameters, goods for transshipment are of varying relevance for the environment. Uses with a particular potential for harmful environmental impacts may require a formal approval (see 4th German Federal Pollution Control Ordinance).

Loading points operated by DB InfraGO AG are generally approved for:

- a) the loading/unloading of bulk materials (4th German Federal Pollution Control Ordinance, No. 9.11)
- b) the transshipment of the following wastes (see also 4th German Federal Pollution Control Ordinance, No. 8.15),
 - non-hazardous wastes
 - hazardous wastes in closed containers or packages
 - hazardous wastes on the so-called positive list (see drop-down menu when registering your needs).

The approval does not cover the transshipment of liquid hazardous wastes.

Where a loading point does not have approval under pollution control legislation, this is identified with the following text in the graphical

representation in the description of the facility: "This loading point is not approved under the 4th German Federal Pollution Control Ordinance. More particularly, this loading point is not authorised for the transshipment of wastes within the meaning of No. 8.15 of the 4th German Federal Pollution Control Ordinance or for the loading/unloading of bulk materials within the meaning of No. 9.11.1 of the 4th German Federal Pollution Control Ordinance."

Where a loading point has a different or additional approval, this is also shown in the graphical representation in the description of the facility. Oil transfer stations identified as such in the list of service facilities have the approval (if required) for the transshipment of waste oil.

If intending to use the loading point for a use that requires approval, yet the required approval is not available, the access party can contact DB InfraGO AG, which will check whether and how the statutory requirements for the intended use can be met.

Information on substantive-legal environmental requirements

Irrespective of formal approval requirements, the operation and use of the loading point must also comply with the environmental regulations under public law and with any existing official requirements (substantive legality). Note the following:

Noise protection

The transshipment of goods at loading points can result in noise emissions. The generation of noise can be expected with almost all solid materials, especially timber, rocks, scrap and sleepers. Noise is also generated by the machines and transport equipment used at the facility (e.g. excavator, wheel loader, truck, etc.).

The use and operation of the facility must not result in any harmful environmental impacts. In this respect, loading points operated by DB InfraGO AG are subject to the German Federal Pollution Control Act (BImSchG) in combination with the Technical Instructions on Noise Control (TA-Lärm). These requirements must be met. Based on these regulations, there may be restrictions on when and for how long a loading point can be used, in particular if there is a residential area close to the loading point. With respect to certain loading points, the Federal Railway Authority has imposed requirements and bans on night-time transshipment operations. These must be complied with. In such cases, transshipment is not allowed between 10 pm and 6 am; the ban does not apply if it can be proved that the noise emissions from the transshipment operations are below 45 dbA. For loading points subject to such bans on noise protection grounds, the restrictions are shown in the graphical representation and in the detailed infrastructure description. The specific requirements can be requested from the competent regional Sales team.

If a noise-intensive use is envisaged, get advice ahead of time from your Sales team member or choose a loading point at a greater distance from residential areas on our Network portal.

If no alternative is available, there are additional ways to mitigate noise (e.g. reducing the drop height, transshipping the goods only by day, temporary noise protection measures).

Air pollution control

With regard to the possible generation of dust, it is necessary to comply with the German Federal Pollution Control Act (BImSchG) in combination

with the Technical Instructions on Air Pollution Control (TA Luft) and, where applicable, the 39th German Federal Pollution Control Ordinance. Especially where dust-producing goods are openly transshipped in close proximity to a residential area, dust-reducing measures may be necessary in order to meet the requirements of the Technical Instructions on Air Pollution Control. Dust-producing goods means all substances and materials capable of producing dust when in a dry state (such as sand, grain, gravel, soil and crushed stone).

If you plan to use the loading point for the transshipment of dust-producing goods, get advice from your Sales team member or choose a loading point at a greater distance from residential areas (e.g. including gardens) on our Network portal.

If no alternative is available, there are additional ways to mitigate the production of dust (e.g. sprinkling, reducing the drop height, regular cleaning of surfaces).

Water pollution control

Goods transshipped at loading points can pose a water pollution hazard. A water pollution hazard is posed by any substances, materials and mixtures, i.e. including wastes, that have the potential to cause permanent or significant detrimental changes to the water quality and which, according to the Ordinance on Installations for the Handling of Substances Hazardous to Water (AwSV), are classified as water-polluting or are generally considered to be water-polluting.

Where a loading point is used for the transshipment of water-polluting substances or materials, it is necessary to comply with the Water Resources Act (WHG) and AwSV. Users must behave in such a way that there is no risk of detrimental changes to water quality and the general rules of good practice are complied with (Section 62 WHG) during operations. Further details are provided by the extensive regulations set out in AwSV, e.g. in the event of an operational disruption (Section 24 AwSV).

The loading points operated by DB InfraGO AG do not normally meet the standards for new installations for the transshipment of liquid water-polluting substances according to the Ordinance on the Handling of Substances Hazardous to Water (AwSV). Therefore, the transshipment of liquid water-polluting substances is not allowed at the loading points operated by DB InfraGO AG (INB Section 3.3.4.8). The ban on the transshipment of water-polluting liquid substances does not include the waste oil transfer stations operated by DB InfraGO AG. If you plan to transship liquid water-polluting wastes, it will be necessary to obtain a formal approval from the Federal Railway Authority. This cannot be done until the loading point has been upgraded to meet the requirements set out in AwSV. According to Section 7.3.1.4.6 INB, the investment necessary for this purpose must be requested by the access party as a customer-requested investment.

Summary of transshipment bans and usage restrictions at loading points:

Presented below are the main transshipment bans and usage restrictions:

- Due to lack of the necessary approval, loading points must not be used for the transshipment of hazardous liquid wastes. This does not apply to oil transfer stations that are identified as such in the list of service facilities.
- Loading points may not normally be used for waste storage where an approval is required under the 4th German Federal Pollution Control Ordinance Section 8.12.
- Loading points in close proximity to residential areas may be subject to a night-time transshipment ban; loading points subject to such a ban are identified in this graphical overview and in the detailed infrastructure description when you register your needs on the APN.

The transshipment of liquid water-polluting substances is not allowed at loading sites operated by DB InfraGO AG. This does not apply to oil transfer stations that are identified as such in the list of service facilities.

Registering your Needs and Using Loading Points

Register your needs for the use of a loading point on the Network portal (APN). When registering for the product category Loading/Unloading, you will see under each service facility the same information on the loading point as in this brochure.

When registering, you will be asked for the cargo type, transshipment method and, where applicable, waste code number as per the Ordinance on the List of Wastes. Where hazardous wastes are openly transshipped, select the code number for the Ordinance on the List of Wastes from the drop-down menu on the APN.

Before using a loading point, get information on the locality and operational conditions at the loading point (Section 7.3.1.2.6 INB). Make a record of any contamination, damage, etc. and inform the regional Sales team (Section 7.3.1.2.1.2 c INB). After using the loading point, either clean up any contamination yourself or get DB Track Services to do it (Section 7.3.1.2.1.2 c INB). Please note the described official instructions that apply to the loading point. If you have any questions on environmental legislation in connection with our loading points and their use for transshipment, our environmental protection officers will be pleased to help you with their expertise.

Examples of the graphical representation of a loading point with formal and substantive information on use of the loading point

Anlagennutzung
Verkehrszeiten
Zusatzausstattung

Detaillierung der Anlagennutzung

▼ **Funktion & Kategorie**
Alternativer Nutzungszweck (*)

Be-,Entladung

Bemerkung, Baureihe Tfz., Wunschgleis, Anteilige Nutzung

Umschlaggut


Umschlagverfahren

Abfallschlüsselnummer

Verladung über: L

- Wasserschutzgebiet: nein**
Wohnbebauung: 40 m

"Fuer diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV. Insbesondere das Umschlagen von Abfaellen im Sinne von Nr. 8.15 der 4. BImSchV (Anhang 1) sowie das Be- und Entladen von Schuettguetern im Sinne von Nr. 9.11.1 der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."




Fuer diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV.
 Insbesondere das Umschlagen von Abfaellen im Sinne von Nr. 8.15 der 4. BImSchV
 (Anhang 1) sowie das Be- und Entladen von Schuettguetern im Sinne von Nr.
 9.11.1 der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."

Wasserschutzgebiet: nein
 Wohnbebauung: 80 m

Bescheid Eisenbahn-Bundesamt Bonn vom 11.01.2019
 3354-33hug/083-1111#004
 Eine Nutzung der Ladestelle zum Umschlag von
 Abfaellen und staubenden Schuettguetern ist in der Zeit
 von 22.00 bis 06.00 Uhr untersagt

Wasserschutzgebiet: nein
 Wohnbebauung: 40 m



Information on the cleaning up of loading lanes – Section 7.3.1.2.1.2 c INB

The operational readiness of a loading lane is dependent mainly on how it is used. For example, contamination caused by transshipment operations from road to rail or vice versa can affect the operational and traffic safety of the loading lane and loading track. This is then bound to have an impact on the next use/user if the technical or operational availability of loading lane or loading track has been impaired by previous loading activities.

Special attention must be paid to the loading of timber, since such loading operations routinely lead to heavy contamination of loading lane and loading track. To guarantee the safety and operational readiness of loading lane and loading track, a clean-up is required

starting from a certain level of contamination. Depending on the surface of the particular loading lane, starting from an average, extensive layer of waste of the below-stated depths, a clean-up must either be carried out by the user (rail operator, access party) themselves or contracted out to DB Track Services. The depth of waste can be determined by DB Fahrwegdienste GmbH (DB Track Services) or by Facility Management at DB InfraGO AG, especially in the case of frequent or long-term use. Upon the below-stated average depths of waste being reached, DB InfraGO AG will request the user either to contract out the clean-up or to carry it out themselves:

Surface	Clean-up required from depth of waste
Asphalt, concrete or similar	3 cm
Cobbles	5 cm
Unpaved gravel, wet mix aggregate or similar	6 cm

To help tenants meet their obligations under Sections 7.3.1.2.1.2 c and 7.3.1.4.1.4 of the terms of use for service facilities so that the loading lane/loading track is handed over in a tidy state after use, DB Fahrwegdienst GmbH offers users the following services for the clean-up of loading lanes:

Service:

- Basic clean-up: Average 2-4 days per loading lane, but can be more due to the level of contamination
- Standard clean-up: Average 1-2 days per loading lane
- Operationally safe clean-up of loading track (closure)
- Provision of safety supervisor
- Clean-up of loading lane
- Separation of wastes depending on extent (high, medium, none)
- Taking-away and proper disposal of wastes
- Weighing and disposal certificates

Costs (all prices plus VAT):

1. Basic flat rate (safety supervisor, wheel loader, truck, staff)	1940 to 2800 €/day*
2. Disposal costs	€/m ³ or €/t**
2.1 Bark waste with high earth and stone content as well as other wastes	€/m ³ or €/t**
2.2. Bark waste with low earth and stone content	€/m ³ or €/t**
2.3. Bark waste with timber	€/m ³ or €/t**

* The guide prices differ due to regional/local differences in conditions.

** Billed based on weighing certificate.

The following contacts are available at DB Fahrwegdienste GmbH:

First name, surname	Region	E-mail	Telephone
Nikolai Pille	North	Nikolai.Pille@deutschebahn.com	+495112863546
Sascha Krautz	East	Sascha.Krautz@deutschebahn.com	+493029725923
Steve Lindner	Southeast	Steve.Lindner@deutschebahn.com	+493419686083
Thorsten Kohlmann	West	Thorsten.Kohlmann@deutschebahn.com	+4920330173853
Rudolf Meuth	Central	Rudolf.Meuth@deutschebahn.com	+49926514064
Pavel Trestianu	Southwest	Pavel.Trestianu@deutschebahn.com	+4916097400444
Johannes Wenninger	South	Johannes.Wenninger@deutschebahn.com	+4989130823813

Where the clean-up is carried out by DB Fahrwegdienste GmbH, the services will be billed by DB Fahrwegdienste. Where, prior to clean-up, the loading lane was used by two or more tenants (rail operators, access parties), the costs will be apportioned to the tenants in the ratio of their respective periods of use and billed proportionately by DB Fahrwegdienste GmbH.

Where there is no or insufficient clean-up of the loading lane/loading platform by the tenant, DB InfraGO AG will, as per Sections 7.3.1.2.1.2 c and 7.3.1.4.1.4 of the terms of use for service facilities, contract out the clean-up of the loading lane and disposal of the wastes, as offered above, at the tenant's expense.

2. Legend of additional facilities

Abbreviation	Description
BPG	stationary brake testing
DKLS	system compressed air unit
DKLSS	compressed air unit, 230 V
ELEK	shore power supply
ELS	smart shore power supply
INRA	interior cleaning facility
WVS/WVD	weighbridge
WAFS	water filling facility
WCEA	toilet effluent disposal unit
ESTH	ancilla
DRSH	turntable
MEDI	media locker
OLI	oil transfer facility
ZV50	electric train preheating system 50 Hz
ZV16	electric train preheating system 16 2/3 Hz
BESA	sand filling system
BUEH	work and cleaning stage
TAM	containment sump / cushion system
TAW	containment sump
KOMB	combined module of waterfilling and disposal facility

The value in brackets indicates the number of peripheral facilities available on the track.

3. List of loading points

Region: east, operating location: Angermünde - WA, loading point Nr. 1 of 1, track no. 151, 152.....	33
Region: east, operating location: Beeskow - BBES, loading point Nr. 1 of 1, track no. 10, 8	34
Region: east, operating location: Bergen auf Rügen - WBG, loading point Nr. 1 of 1, track no. 10	35
Region: east, operating location: Berlin Nordost - BNO, loading point Nr. 1 of 1, track no. 243, 244.....	36
Region: east, operating location: Berlin-Grünau - BGA, loading point Nr. 1 of 1, track no. 107L	37
Region: east, operating location: Birkenwerder (b Berlin) - BBI, loading point Nr. 1 of 1, track no. 19.....	38
Region: east, operating location: Brahlstorf - WBRH, loading point Nr. 1 of 1, track no. 5705, 5707	39
Region: east, operating location: Brück (Mark) - BBRK, loading point Nr. 1 of 1, track no. 5	40
Region: east, operating location: Bützow - WB, loading point Nr. 1 of 1, track no. 53, 55.....	41
Region: east, operating location: Eberswalde Hbf - WE, loading point Nr. 1 of 3, track no. 124.....	42
Region: east, operating location: Eberswalde Hbf - WE, loading point Nr. 2 of 3, track no. 131	43
Region: east, operating location: Eberswalde Hbf - WE, loading point Nr. 3 of 3, track no. 236.....	44
Region: east, operating location: Forst (Lausitz) - BFO, loading point Nr. 1 of 1, track no. 19	45
Region: east, operating location: Frankfurt (Oder) Pbf - BFP, loading point Nr. 1 of 1, track no. 197E	46
Region: east, operating location: Fürstenwalde (Spree) - BFUW, loading point Nr. 1 of 2, track no. 19, 20	47
Region: east, operating location: Fürstenwalde (Spree) - BFUW, loading point Nr. 2 of 2, track no. 21, 22	48
Region: east, operating location: Glöwen - WGF, loading point Nr. 1 of 1, track no. 8, 8a.....	49
Region: east, operating location: Gransee - WGRA, loading point Nr. 1 of 1, track no. 5	50

Region: east, operating location: Hennigsdorf (b Berlin) - BHND, loading point Nr. 1 of 1, track no. 14	51
Region: east, operating location: Kleeth - WKLE, loading point Nr. 1 of 1, track no. 5.....	52
Region: east, operating location: Laage (Meckl) - WLA, loading point Nr. 1 of 1, track no. 16	53
Region: east, operating location: Nauen - BNAU, loading point Nr. 1 of 1, track no. 54.....	54
Region: east, operating location: Neubrandenburg - WN, loading point Nr. 1 of 1, track no. 218	55
Region: east, operating location: Oranienburg - BOR, loading point Nr. 1 of 1, track no. 39, 43	56
Region: east, operating location: Parchim - WPM, loading point Nr. 1 of 1, track no. 13	57
Region: east, operating location: Potsdam-Rehbrücke - BRC, loading point Nr. 1 of 1, track no. 975	58
Region: east, operating location: Prenzlau - WPL, loading point Nr. 1 of 1, track no. 25	59
Region: east, operating location: Pritzler - WPRZ, loading point Nr. 1 of 1, track no. 7	60
Region: east, operating location: Rostock Seehafen - WRS, loading point Nr. 1 of 1, track no. 148	61
Region: east, operating location: Schwedt (Oder) - WSC, loading point Nr. 1 of 1, track no. 9.....	62
Region: east, operating location: Seddin Süd - BSS, loading point Nr. 1 of 1, track no. 589.....	63
Region: east, operating location: Stralsund Hbf - WSR, loading point Nr. 1 of 1, track no. 16.....	64
Region: east, operating location: Templin - WT, loading point Nr. 1 of 1, track no. 14, 15	65
Region: east, operating location: Torgelow - WTO, loading point Nr. 1 of 1, track no. 7, 8	66
Region: east, operating location: Velgast - WV, loading point Nr. 1 of 1, track no. 9	67
Region: east, operating location: Waren (Müritz) - WWR, loading point Nr. 1 of 1, track no. 32, 33	68
Region: east, operating location: Wittstock (Dosse) - WWK, loading point Nr. 1 of 1, track no. 26, 27.....	69

Region: north, operating location: Alfeld (Leine) - HALF, loading point Nr. 1 of 1, track no. 15.....	70
Region: north, operating location: Bad Fallingbostel - HFAL, loading point Nr. 1 of 1, track no. 5.....	71
Region: north, operating location: Bad Segeberg - ASB, loading point Nr. 1 of 1, track no. 6.....	72
Region: north, operating location: Braunschweig Rbf - HBSR, loading point Nr. 1 of 1, track no. 386, 387, 389, 390	73
Region: north, operating location: Braunschweig Rbf - HBSR, loading point Nr. 2 of 2, track no. 384A.....	74
Region: north, operating location: Bremen-Sebaldsbrück - HBSB, loading point Nr. 1 of 1, track no. 4, 5, 6	75
Region: north, operating location: Brunsbüttel - ABK, loading point Nr. 1 of 1, track no. 9.....	76
Region: north, operating location: Dollbergen - HDOG, loading point Nr. 1 of 1, track no. 706	77
Region: north, operating location: Fallersleben - HF, loading point Nr. 1 of 1, track no. 350	78
Region: north, operating location: Hameln - HHM, loading point Nr. 1 of 1, track no. 114, 115, 116.....	79
Region: north, operating location: Hannover-Linden - HLI, loading point Nr. 1 of 1, track no. 265.....	80
Region: north, operating location: Hildesheim Hbf - HHI, loading point Nr. 1 of 1, track no. 51.....	81
Region: north, operating location: Holzminden - HHZM, loading point Nr. 1 of 1, track no. 17, 17A.....	82
Region: north, operating location: Jübek - AJ, loading point Nr. 1 of 1, track no. 704.....	83
Region: north, operating location: Kreiensen - HK, loading point Nr. 1 of 1, track no. 92	84
Region: north, operating location: Maschen Rbf - AM, loading point Nr. 1 of 1, track no. 1810, 1811.....	85
Region: north, operating location: Münchhof (Harz) - HMHZ, loading point Nr. 1 of 1, track no. 11	86
Region: north, operating location: Niebüll - ANB, loading point Nr. 1 of 1, track no. 15, 17	87
Region: north, operating location: Northeim (Han) - HN, loading point Nr. 1 of 1, track no. 200	88

Region: north, operating location: Oker - HOK, loading point Nr. 1 of 2, track no. 13, 15	89
Region: north, operating location: Oker - HOK, loading point Nr. 2 of 2, track no. 15	90
Region: north, operating location: Oldenburg (Holst) - AOL, loading point Nr. 1 of 1, track no. 3, 4	91
Region: north, operating location: Oldenburg (Oldb) Hbf - HOLD, loading point Nr. 1 of 1, track no. 85.....	92
Region: north, operating location: Osnabrück Hbf - HO, loading point Nr. 1 of 1, track no. 425	93
Region: north, operating location: Springe - HSPR, loading point Nr. 1 of 1, track no. 104.....	94
Region: north, operating location: Stade - AST, loading point Nr. 1 of 2, track no. 13	95
Region: north, operating location: Stade - AST, loading point Nr. 2 of 2, track no. 30	96
Region: north, operating location: Wunstorf - HWUN, loading point Nr. 1 of 1, track no. 25, 26.....	97
Region: west, operating location: Brackwede - EBWE, loading point Nr. 1 of 1, track no. 34A.....	98
Region: west, operating location: Dülmen - EDUL, loading point Nr. 1 of 2, track no. 7	99
Region: west, operating location: Dülmen - EDUL, loading point Nr. 2 of 2, track no. 25	100
Region: west, operating location: Erndtebrück - EEK, loading point Nr. 1 of 1, track no. 13	101
Region: west, operating location: Euskirchen - KEU, loading point Nr. 1 of 1, track no. 20, 21, 22, 23	102
Region: west, operating location: Gütersloh Hbf - EGLO, loading point Nr. 1 of 1, track no. 215, 217.....	103
Region: west, operating location: Hagen Gbf - EHGG, loading point Nr. 1 of 2, track no. 146.....	104
Region: west, operating location: Hagen Gbf - EHGG, loading point Nr. 2 of 2, track no. 127, 137	105
Region: west, operating location: Hagen-Vorhalle - EHGv, loading point Nr. 1 of 1, track no. 1023	106
Region: west, operating location: Herford - EHFD, loading point Nr. 1 of 1, track no. 53, 59.....	107

Region: west, operating location: Iserlohn-Letmathe - ELE, loading point Nr. 1 of 2, track no. 115, 116	108
Region: west, operating location: Iserlohn-Letmathe - ELE, loading point Nr. 2 of 2, track no. 115.....	109
Region: west, operating location: Köln Eifeltor - KKE, loading point Nr. 1 of 1, track no. 154, 155	110
Region: west, operating location: Lennestadt-Grevenbrück - EGVB, loading point Nr. 1 of 1, track no. 6	111
Region: west, operating location: Paderborn Hbf - EPD, loading point Nr. 1 of 1, track no. 574	112
Region: west, operating location: Remscheid-Lüttringhausen - KRLU, loading point Nr. 1 of 1, track no. 5	113
Region: west, operating location: Schwerte (Ruhr) - ESRT, loading point Nr. 1 of 1, track no. 85	114
Region: west, operating location: Sennelager - ESEL, loading point Nr. 2 of 2, track no. 14, 15, 16.....	115
Region: west, operating location: Unna - EUN, loading point Nr. 1 of 1, track no. 10.....	116
Region: west, operating location: Wanne-Eickel Hbf - EWAN, loading point Nr. 1 of 1, track no. 35A	117
Region: southeast, operating location: Arnstadt Hbf - UA, loading point Nr. 1 of 1, track no. 22, 23	118
Region: southeast, operating location: Bad Salzungen - USZ, loading point Nr. 1 of 1, track no. 21	119
Region: southeast, operating location: Bautzen - DBZ, loading point Nr. 1 of 3, track no. 46.....	120
Region: southeast, operating location: Bautzen - DBZ, loading point Nr. 2 of 3, track no. 40.....	121
Region: southeast, operating location: Bautzen - DBZ, loading point Nr. 3 of 3, track no. 31.....	122
Region: southeast, operating location: Bischofswerda - DBW, loading point Nr. 1 of 1, track no. 15	123
Region: southeast, operating location: Blankenburg (Harz) - LBK, loading point Nr. 1 of 2, track no. 6.....	124
Region: southeast, operating location: Blankenburg (Harz) - LBK, loading point Nr. 2 of 2, track no. 18, 19.....	125
Region: southeast, operating location: Brandenburg Hbf - LB, loading point Nr. 1 of 1, track no. 33, 34.....	126

Region: southeast, operating location: Dessau Hbf - LD, loading point Nr. 1 of 3, track no. 63.....	127
Region: southeast, operating location: Dessau Hbf - LD, loading point Nr. 2 of 3, track no. 64.....	128
Region: southeast, operating location: Dessau Hbf - LD, loading point Nr. 3 of 3, track no. 65.....	129
Region: southeast, operating location: Dresden-Friedrichstadt - DF, loading point Nr. 1 of 3, track no. 478, 479..	130
Region: southeast, operating location: Dresden-Friedrichstadt - DF, loading point Nr. 2 of 3, track no. 476, 477..	131
Region: southeast, operating location: Dresden-Friedrichstadt - DF, loading point Nr. 3 of 3, track no. 470	132
Region: southeast, operating location: Eilenburg - LEG, loading point Nr. 1 of 1, track no. 34.....	133
Region: southeast, operating location: Eisenach - UEI, loading point Nr. 1 of 1, track no. 055, 056	134
Region: southeast, operating location: Erfurt Gbf - UE G, loading point Nr. 1 of 2, track no. 165, 167	135
Region: southeast, operating location: Falkenberg (Elster) - LF, loading point Nr. 1 of 1, track no. 42N, 70A.....	136
Region: southeast, operating location: Fermerswalde - LFMW, loading point Nr. 1 of 1, track no. 5.....	137
Region: southeast, operating location: Freiberg (Sachs) - DFR, loading point Nr. 1 of 3, track no. 27	138
Region: southeast, operating location: Freiberg (Sachs) - DFR, loading point Nr. 2 of 3, track no. 37	139
Region: southeast, operating location: Freital-Hainsberg - DHG, loading point Nr. 1 of 1, track no. 34	140
Region: southeast, operating location: Gardelegen - LGA, loading point Nr. 1 of 1, track no. 1807	141
Region: southeast, operating location: Gera Hbf - UG, loading point Nr. 1 of 2, track no. 75, 78.....	142
Region: southeast, operating location: Grünstädtel - DGS, loading point Nr. 1 of 1, track no. 1	143
Region: southeast, operating location: Haldensleben - LHL, loading point Nr. 1 of 1, track no. 10	144
Region: southeast, operating location: Heimbaldshausen - FHBH, loading point Nr. 1 of 1, track no. 7	145

Region: southeast, operating location: Horka Gbf - BHG, loading point Nr. 1 of 1, track no. 1	146
Region: southeast, operating location: Hosena - BHC, loading point Nr. 1 of 1, track no. 12	147
Region: southeast, operating location: Immelborn - UIM, loading point Nr. 1 of 1, track no. 5	148
Region: southeast, operating location: Könnern - LKO, loading point Nr. 1 of 2, track no. 8	149
Region: southeast, operating location: Leinefelde - UL, loading point Nr. 1 of 1, track no. 217	150
Region: southeast, operating location: Leipzig-Engelsdorf - LE, loading point Nr. 1 of 1, track no. 132, 133	151
Region: southeast, operating location: Löbau (Sachs) - DL, loading point Nr. 1 of 1, track no. 56	152
Region: southeast, operating location: Lobenstein (Thür) - ULB, loading point Nr. 1 of 1, track no. 11	153
Region: southeast, operating location: Marienberg (Sachs) - DMG, loading point Nr. 2 of 2, track no. 6, 7	154
Region: southeast, operating location: Merseburg Gbf - LMG G, loading point Nr. 1 of 2, track no. 740, 741	155
Region: southeast, operating location: Neumark (Sachs) - DNM, loading point Nr. 1 of 1, track no. 9	156
Region: southeast, operating location: Niemberg - LNM, loading point Nr. 1 of 1, track no. 4	157
Region: southeast, operating location: Niesky - BNY, loading point Nr. 1 of 1, track no. 23	158
Region: southeast, operating location: Nordhausen - UN, loading point Nr. 1 of 3, track no. 28N	159
Region: southeast, operating location: Nordhausen - UN, loading point Nr. 2 of 3, track no. 29N	160
Region: southeast, operating location: Nordhausen - UN, loading point Nr. 3 of 3, track no. 30N, 31N	161
Region: southeast, operating location: Oelsnitz (Vogtl) - DOV, loading point Nr. 1 of 2, track no. 9	162
Region: southeast, operating location: Oelsnitz (Vogtl) - DOV, loading point Nr. 2 of 2, track no. 6	163
Region: southeast, operating location: Oschatz - DOT, loading point Nr. 1 of 1, track no. 9	164

Region: southeast, operating location: Plauen (Vogtl) ob Bf - DP, loading point Nr. 1 of 2, track no. 28, 29.....	165
Region: southeast, operating location: Plauen (Vogtl) ob Bf - DP, loading point Nr. 2 of 2, track no. 28.....	166
Region: southeast, operating location: Plauen (Vogtl) unt Bf - DPU, loading point Nr. 1 of 1, track no. 6T1	167
Region: southeast, operating location: Pockau-Lengefeld - DPF, loading point Nr. 1 of 1, track no. 5	168
Region: southeast, operating location: Radeberg - DRAG, loading point Nr. 1 of 1, track no. 14, 15	169
Region: southeast, operating location: Ruhland - BRU, loading point Nr. 1 of 1, track no. 43	170
Region: southeast, operating location: Saalfeld (Saale) - US, loading point Nr. 1 of 3, track no. 75, 76.....	171
Region: southeast, operating location: Saalfeld (Saale) - US, loading point Nr. 2 of 3, track no. 42.....	172
Region: southeast, operating location: Saalfeld (Saale) - US, loading point Nr. 3 of 3, track no. 72A, 73.....	173
Region: southeast, operating location: Schkeuditz Luftfrachtumschlagbahnhof - LSD L, loading point Nr. 1 of 1, track no. 24	174
Region: southeast, operating location: Schmalkalden - USM, loading point Nr. 1 of 1, track no. 6s.....	175
Region: southeast, operating location: Schönhauser Damm - LSM, loading point Nr. 1 of 1, track no. 1109, 1110	176
Region: southeast, operating location: Senftenberg - BSN, loading point Nr. 1 of 2, track no. 156, 157	177
Region: southeast, operating location: Senftenberg - BSN, loading point Nr. 2 of 2, track no. 158.....	178
Region: southeast, operating location: Sondershausen - USH, loading point Nr. 1 of 1, track no. 15, 16, 17	179
Region: southeast, operating location: Staßfurt - LSF, loading point Nr. 1 of 1, track no. 9.....	180
Region: southeast, operating location: Stendal Hauptbahnhof - LS, loading point Nr. 1 of 1, track no. 333	181
Region: southeast, operating location: Straßgräbchen-Bernsdorf (Oberlausitz) - DSTR, loading point Nr. 1 of 1, track no. 8	182

Region: southeast, operating location: Teuchern - UTEU, loading point Nr. 1 of 1, track no. 12.....	183
Region: southeast, operating location: Themar - UTH, loading point Nr. 1 of 2, track no. 7.....	184
Region: southeast, operating location: Torgau - LTG, loading point Nr. 1 of 2, track no. 10.....	185
Region: southeast, operating location: Torgau - LTG, loading point Nr. 2 of 2, track no. 7, 8.....	186
Region: southeast, operating location: Walldorf (Werra) - UWD, loading point Nr. 1 of 2, track no. 5.....	187
Region: southeast, operating location: Walldorf (Werra) - UWD, loading point Nr. 2 of 2, track no. 5.....	188
Region: southeast, operating location: Zeitz - LZ, loading point Nr. 1 of 1, track no. 81.....	189
Region: southeast, operating location: Zwickau (Sachs) Hbf - DZW, loading point Nr. 1 of 4, track no. N26, N27.....	190
Region: southeast, operating location: Zwickau (Sachs) Hbf - DZW, loading point Nr. 2 of 4, track no. 134.....	191
Region: southeast, operating location: Zwickau (Sachs) Hbf - DZW, loading point Nr. 3 of 4, track no. 137, 140.....	192
Region: southeast, operating location: Zwickau (Sachs) Hbf - DZW, loading point Nr. 4 of 4, track no. 151.....	193
Region: centre, operating location: Andernach - KAND, loading point Nr. 1 of 2, track no. 23.....	194
Region: centre, operating location: Andernach - KAND, loading point Nr. 2 of 2, track no. 16.....	195
Region: centre, operating location: Aschaffenburg Hbf - NAH, loading point Nr. 1 of 1, track no. 15L.....	196
Region: centre, operating location: Battenberg - FBTG, loading point Nr. 1 of 1, track no. 4.....	197
Region: centre, operating location: Darmstadt Hbf - FD, loading point Nr. 1 of 2, track no. 308, 309, 311.....	198
Region: centre, operating location: Darmstadt Hbf - FD, loading point Nr. 2 of 2, track no. 303, 304, 305, 306, 307.....	199
Region: centre, operating location: Dillenburg - FDIL, loading point Nr. 1 of 2, track no. 26.....	200
Region: centre, operating location: Ehrang - SEG, loading point Nr. 1 of 3, track no. 59, 61.....	201

Region: centre, operating location: Ehrang - SEG, loading point Nr. 2 of 3, track no. 63.....	202
Region: centre, operating location: Ehrang - SEG, loading point Nr. 3 of 3, track no. 60	203
Region: centre, operating location: Frankenberg (Eder) - FFRK, loading point Nr. 1 of 1, track no. 12.....	204
Region: centre, operating location: Frankfurt (Main) Ost - FFO, loading point Nr. 1 of 1, track no. 257	205
Region: centre, operating location: Frankfurt-Höchst - FHOE, loading point Nr. 1 of 2, track no. 241	206
Region: centre, operating location: Frankfurt-Höchst - FHOE, loading point Nr. 2 of 2, track no. 250.....	207
Region: centre, operating location: Friedberg (Hess) - FFG, loading point Nr. 1 of 2, track no. 85.....	208
Region: centre, operating location: Friedberg (Hess) - FFG, loading point Nr. 2 of 2, track no. 101.....	209
Region: centre, operating location: Fulda - FFU, loading point Nr. 1 of 2, track no. 227.....	210
Region: centre, operating location: Fulda - FFU, loading point Nr. 2 of 2, track no. 226, 227	211
Region: centre, operating location: Gießen - FG, loading point Nr. 2 of 2, track no. 81	212
Region: centre, operating location: Goldhausen - FGDH, loading point Nr. 1 of 1, track no. 5	213
Region: centre, operating location: Groß-Gerau-Dornberg - FDG, loading point Nr. 1 of 1, track no. 37, 8, 9, 9 A.	214
Region: centre, operating location: Hanau Hbf - FH, loading point Nr. 1 of 1, track no. 302	215
Region: centre, operating location: Kassel-Bettenhausen - FKBH, loading point Nr. 1 of 1, track no. 15, 16.....	216
Region: centre, operating location: Limburg (Lahn) - FL, loading point Nr. 2 of 2, track no. 029	217
Region: centre, operating location: Löhnberg - FLOE, loading point Nr. 1 of 1, track no. 4	218
Region: centre, operating location: Meudt (Westerw) - FMEU, loading point Nr. 1 of 1, track no. 4.....	219
Region: centre, operating location: Miltenberg - NM, loading point Nr. 1 of 1, track no. 10	220

Region: centre, operating location: Montabaur (Regio) - FMTN, loading point Nr. 1 of 1, track no. 112.....	221
Region: centre, operating location: Neuwied - KNE, loading point Nr. 1 of 1, track no. 011, 086	222
Region: centre, operating location: Niederjossa - FNIJ, loading point Nr. 1 of 2, track no. 5	223
Region: centre, operating location: Niederjossa - FNIJ, loading point Nr. 2 of 2, track no. 5	224
Region: centre, operating location: Obernburg-Elsfeld - NOE, loading point Nr. 1 of 1, track no. 4	225
Region: centre, operating location: Siershahn - KSIH, loading point Nr. 1 of 2, track no. 17.....	226
Region: centre, operating location: Siershahn - KSIH, loading point Nr. 2 of 2, track no. 20.....	227
Region: centre, operating location: Sontra - FSON, loading point Nr. 1 of 1, track no. 805	228
Region: centre, operating location: Steinefrenz - FSFZ, loading point Nr. 1 of 2, track no. 8	229
Region: centre, operating location: Steinefrenz - FSFZ, loading point Nr. 2 of 2, track no. 8	230
Region: centre, operating location: Treysa - FTS, loading point Nr. 1 of 1, track no. 30.....	231
Region: centre, operating location: Wabern (Bz Kassel) - FWAB, loading point Nr. 1 of 2, track no. 20.....	232
Region: centre, operating location: Wabern (Bz Kassel) - FWAB, loading point Nr. 2 of 2, track no. 32.....	233
Region: centre, operating location: Wallmerod (Westerw) - FWMD, loading point Nr. 1 of 1, track no. 3	234
Region: centre, operating location: Wiesbaden Ost - FWO, loading point Nr. 1 of 1, track no. 570.....	235
Region: southwest, operating location: Aalen Hbf - TA, loading point Nr. 1 of 1, track no. 211	236
Region: southwest, operating location: Albbruck - RAL, loading point Nr. 1 of 1, track no. 7.....	237
Region: southwest, operating location: Bad Friedrichshall Hbf - TBF, loading point Nr. 1 of 2, track no. 116.....	238
Region: southwest, operating location: Bad Friedrichshall Hbf - TBF, loading point Nr. 2 of 2, track no. 15.....	239

Region: southwest, operating location: Biberach (RiB) - TBI, loading point Nr. 1 of 1, track no. 105	240
Region: southwest, operating location: Breisach - RBRS, loading point Nr. 1 of 1, track no. 7	241
Region: southwest, operating location: Bruchsal - RBR, loading point Nr. 1 of 1, track no. 64, 65	242
Region: southwest, operating location: Crailsheim - TC, loading point Nr. 1 of 2, track no. 27, 28	243
Region: southwest, operating location: Crailsheim - TC, loading point Nr. 2 of 2, track no. 25.....	244
Region: southwest, operating location: Donaueschingen - RDO, loading point Nr. 1 of 1, track no. 16	245
Region: southwest, operating location: Ehingen (Donau) - TEH, loading point Nr. 1 of 1, track no. 9	246
Region: southwest, operating location: Einsiedlerhof - SEF, loading point Nr. 1 of 1, track no. 18 L.....	247
Region: southwest, operating location: Fichtenberg - TFI, loading point Nr. 1 of 1, track no. 4.....	248
Region: southwest, operating location: Gaildorf West - TGAW, loading point Nr. 1 of 1, track no. 506.....	249
Region: southwest, operating location: Giengen (Brenz) - TGB, loading point Nr. 1 of 2, track no. 687.....	250
Region: southwest, operating location: Giengen (Brenz) - TGB, loading point Nr. 2 of 2, track no. 686.....	251
Region: southwest, operating location: Hausach - RHA, loading point Nr. 1 of 1, track no. 13, 14	252
Region: southwest, operating location: Heilbronn Gbf - TH G, loading point Nr. 1 of 1, track no. 441	253
Region: southwest, operating location: Heilbronn Hbf - TH, loading point Nr. 1 of 1, track no. 514	254
Region: southwest, operating location: Immendingen - RIM, loading point Nr. 1 of 1, track no. 12.....	255
Region: southwest, operating location: Karlsruhe Gbf - RKR, loading point Nr. 1 of 1, track no. 682, 683.....	256
Region: southwest, operating location: Kehl - RKL, loading point Nr. 1 of 1, track no. 60, 73.....	257
Region: southwest, operating location: Kornwestheim Rbf - TK, loading point Nr. 1 of 3, track no. 40	258

Region: southwest, operating location: Kornwestheim Rbf - TK, loading point Nr. 2 of 3, track no. 041	259
Region: southwest, operating location: Kornwestheim Rbf - TK, loading point Nr. 3 of 3, track no. 049	260
Region: southwest, operating location: Lahr (Schwarzw) - RLSW, loading point Nr. 1 of 1, track no. 615.....	261
Region: southwest, operating location: Landau (Pfalz) Hbf - RLA, loading point Nr. 1 of 1, track no. 104	262
Region: southwest, operating location: Lauchringen - RLAU, loading point Nr. 1 of 1, track no. 9 A.....	263
Region: southwest, operating location: Lörrach Hbf - RLR, loading point Nr. 1 of 1, track no. 11.....	264
Region: southwest, operating location: Mengen - TMG, loading point Nr. 1 of 1, track no. 15.....	265
Region: southwest, operating location: Merzig (Saar) - SMZG, loading point Nr. 1 of 1, track no. 30A	266
Region: southwest, operating location: Murg (Baden) - RMRG, loading point Nr. 1 of 1, track no. 5.....	267
Region: southwest, operating location: Nagold - TNA, loading point Nr. 1 of 1, track no. 9.....	268
Region: southwest, operating location: Neuenburg (Baden) - RNBG, loading point Nr. 1 of 1, track no. 12, 3	269
Region: southwest, operating location: Neunkirchen (Saar) Hbf - SNK, loading point Nr. 1 of 1, track no. 86.....	270
Region: southwest, operating location: Neustadt (Weinstr) Hbf - RN, loading point Nr. 1 of 1, track no. 47.....	271
Region: southwest, operating location: Niederbiegen - TNB, loading point Nr. 1 of 1, track no. 6, 7	272
Region: southwest, operating location: Offenburg Gbf - ROG, loading point Nr. 1 of 1, track no. 67.....	273
Region: southwest, operating location: Pforzheim Hbf - TPH, loading point Nr. 1 of 1, track no. 252	274
Region: southwest, operating location: Plochingen - TP, loading point Nr. 1 of 1, track no. 726.....	275
Region: southwest, operating location: Rastatt - RRA, loading point Nr. 1 of 1, track no. 15, 17	276
Region: southwest, operating location: Rheinfelden (Baden) - RRH, loading point Nr. 1 of 1, track no. 8 a.....	277

Region: southwest, operating location: Rottweil - TR, loading point Nr. 1 of 1, track no. 152.....	278
Region: southwest, operating location: Singen (Hohentwiel) - RSI, loading point Nr. 1 of 3, track no. 80	279
Region: southwest, operating location: Singen (Hohentwiel) - RSI, loading point Nr. 2 of 3, track no. 94	280
Region: southwest, operating location: Singen (Hohentwiel) - RSI, loading point Nr. 3 of 3, track no. 82	281
Region: southwest, operating location: Speyer Hbf - RSP, loading point Nr. 1 of 1, track no. 9.....	282
Region: southwest, operating location: Speyer Hbf - RSP, loading point Nr. 2 of 2, track no. 9a.....	283
Region: southwest, operating location: Storzingen - TSGZ, loading point Nr. 1 of 2, track no. 5, 6	284
Region: southwest, operating location: Storzingen - TSGZ, loading point Nr. 2 of 2, track no. 4, 5	285
Region: southwest, operating location: Tübingen Hbf - TT, loading point Nr. 1 of 1, track no. 106.....	286
Region: southwest, operating location: Villingen (Schwarzw) - RVL, loading point Nr. 1 of 2, track no. 13, 14	287
Region: southwest, operating location: Villingen (Schwarzw) - RVL, loading point Nr. 2 of 2, track no. 13a, 14A ...	288
Region: southwest, operating location: Welschingen-Neuhausen - RWEL, loading point Nr. 1 of 1, track no. 45...	289
Region: southwest, operating location: Worms Hbf - FWOR, loading point Nr. 1 of 1, track no. 19	290
Region: south, operating location: Ansbach - NAN, loading point Nr. 1 of 2, track no. 18	291
Region: south, operating location: Ansbach - NAN, loading point Nr. 2 of 2, track no. 19, 58.....	292
Region: south, operating location: Asch-Leeder - MASL, loading point Nr. 1 of 1, track no. 1	293
Region: south, operating location: Augsburg-Oberhausen - MAOB, loading point Nr. 1 of 1, track no. 31, 32	294
Region: south, operating location: Bad Neustadt (Saale) - NBNE, loading point Nr. 1 of 1, track no. 211, 220, 222	295
Region: south, operating location: Bad Reichenhall - MBRL, loading point Nr. 1 of 1, track no. 17	296

Region: south, operating location: Bamberg - NBA, loading point Nr. 1 of 1, track no. 077, 078	297
Region: south, operating location: Bamberg - NBA, loading point Nr. 2 of 2, track no. 078	298
Region: south, operating location: Bayreuth Hbf - NBY, loading point Nr. 1 of 2, track no. 071, 072.....	299
Region: south, operating location: Bayreuth Hbf - NBY, loading point Nr. 2 of 2, track no. 075, 076.....	300
Region: south, operating location: Bobingen - MBOB, loading point Nr. 1 of 1, track no. 13	301
Region: south, operating location: Bodenwöhr Nord - NBOE, loading point Nr. 1 of 2, track no. 306	302
Region: south, operating location: Bodenwöhr Nord - NBOE, loading point Nr. 2 of 2, track no. 306	303
Region: south, operating location: Buchloe - MBU, loading point Nr. 1 of 2, track no. 402	304
Region: south, operating location: Buchloe - MBU, loading point Nr. 2 of 2, track no. 402	305
Region: south, operating location: Burgsinn - NBN, loading point Nr. 1 of 1, track no. 606	306
Region: south, operating location: Denklingen (Schwab) - MDKL, loading point Nr. 1 of 1, track no. 1.....	307
Region: south, operating location: Dillingen (Donau) - MDIL, loading point Nr. 1 of 1, track no. 15, 16.....	308
Region: south, operating location: Donauwörth - MDT, loading point Nr. 1 of 2, track no. 015b, Kopfr, Ladeg	309
Region: south, operating location: Donauwörth - MDT, loading point Nr. 2 of 2, track no. 26d	310
Region: south, operating location: Ebelsbach-Eltmann - NEE, loading point Nr. 1 of 1, track no. 107	311
Region: south, operating location: Erlangen - NER, loading point Nr. 1 of 1, track no. 2727	312
Region: south, operating location: Feucht - NFT, loading point Nr. 1 of 1, track no. 109.....	313
Region: south, operating location: Furth im Wald - NFW, loading point Nr. 1 of 1, track no. 29, 30.....	314
Region: south, operating location: Gunzenhausen - NGUN, loading point Nr. 1 of 1, track no. 21, 22	315

Region: south, operating location: Hammelburg - NHG, loading point Nr. 1 of 2, track no. 7	316
Region: south, operating location: Hammelburg - NHG, loading point Nr. 2 of 2, track no. 7	317
Region: south, operating location: Hof Hbf - NHO, loading point Nr. 1 of 3, track no. 173	318
Region: south, operating location: Hof Hbf - NHO, loading point Nr. 2 of 3, track no. 177	319
Region: south, operating location: Hof Hbf - NHO, loading point Nr. 3 of 3, track no. 174, 175.....	320
Region: south, operating location: Ingolstadt Hbf - MIH, loading point Nr. 1 of 3, track no. 38, 39.....	321
Region: south, operating location: Ingolstadt Hbf - MIH, loading point Nr. 2 of 3, track no. 38	322
Region: south, operating location: Ingolstadt Hbf - MIH, loading point Nr. 3 of 3, track no. 34, 35.....	323
Region: south, operating location: Kempten (Allgäu) Hbf - MKP, loading point Nr. 1 of 2, track no. Kopf	324
Region: south, operating location: Kempten (Allgäu) Hbf - MKP, loading point Nr. 2 of 2, track no. Seite	325
Region: south, operating location: Kronach - NK, loading point Nr. 1 of 2, track no. 6.....	326
Region: south, operating location: Kronach - NK, loading point Nr. 2 of 2, track no. 133, 153	327
Region: south, operating location: Landshut (Bay) Hbf - MLA, loading point Nr. 1 of 2, track no. 17, 18, 19, 20	328
Region: south, operating location: Landshut (Bay) Hbf - MLA, loading point Nr. 2 of 2, track no. 14	329
Region: south, operating location: Lichtenfels - NLF, loading point Nr. 1 of 2, track no. 125.....	330
Region: south, operating location: Lichtenfels - NLF, loading point Nr. 2 of 2, track no. 121	331
Region: south, operating location: Lohr Bahnhof - NLO, loading point Nr. 1 of 2, track no. 98	332
Region: south, operating location: Lohr Bahnhof - NLO, loading point Nr. 2 of 2, track no. 95	333
Region: south, operating location: Ludwigsstadt - NLUS, loading point Nr. 1 of 1, track no. 8.....	334

Region: south, operating location: Marktredwitz - NMR, loading point Nr. 1 of 2, track no. 134.....	335
Region: south, operating location: Marktredwitz - NMR, loading point Nr. 2 of 2, track no. 135.....	336
Region: south, operating location: Memmingen - MM, loading point Nr. 1 of 1, track no. 48.....	337
Region: south, operating location: Mittenwald - MMW, loading point Nr. 1 of 1, track no. 12.....	338
Region: south, operating location: Moosburg - MMB, loading point Nr. 1 of 1, track no. 18.....	339
Region: south, operating location: Mühldorf (Oberbay) - MMF, loading point Nr. 1 of 2, track no. 411.....	340
Region: south, operating location: Mühldorf (Oberbay) - MMF, loading point Nr. 2 of 2, track no. 413.....	341
Region: south, operating location: München-Milbertshofen - MMBH, loading point Nr. 1 of 1, track no. 19.....	342
Region: south, operating location: München-Mittersending - MMT, loading point Nr. 1 of 1, track no. 5.....	343
Region: south, operating location: München-Riem - MRI, loading point Nr. 1 of 1, track no. 14.....	344
Region: south, operating location: Nabburg - NNAB, loading point Nr. 1 of 2, track no. 7a.....	345
Region: south, operating location: Nabburg - NNAB, loading point Nr. 2 of 2, track no. 7b.....	346
Region: south, operating location: Neuenmarkt-Wirsberg - NNE, loading point Nr. 1 of 1, track no. 43.....	347
Region: south, operating location: Neumarkt (Oberpf) - NNT, loading point Nr. 1 of 1, track no. 13, 14.....	348
Region: south, operating location: Neustadt (Aisch) Bahnhof - NNA, loading point Nr. 1 of 1, track no. 029.....	349
Region: south, operating location: Neustadt (Donau) - MND, loading point Nr. 1 of 2, track no. 7o.....	350
Region: south, operating location: Neustadt (Donau) - MND, loading point Nr. 2 of 2, track no. 12.....	351
Region: south, operating location: Nürnberg Rbf - NNR, loading point Nr. 1 of 4, track no. 10, 11.....	352
Region: south, operating location: Nürnberg Rbf - NNR, loading point Nr. 2 of 4, track no. 11, 14.....	353

Region: south, operating location: Parkstein-Hütten - NPUE, loading point Nr. 1 of 1, track no. 4.....	354
Region: south, operating location: Parsberg - NPB, loading point Nr. 1 of 2, track no. 15.....	355
Region: south, operating location: Parsberg - NPB, loading point Nr. 2 of 2, track no. 12, 13, 14.....	356
Region: south, operating location: Passau Hbf - NPA, loading point Nr. 1 of 1, track no. 521, 523, 524.....	357
Region: south, operating location: Plattling - NPL, loading point Nr. 1 of 1, track no. 426	358
Region: south, operating location: Regen - NREG, loading point Nr. 1 of 1, track no. 43	359
Region: south, operating location: Schirnding - NSG, loading point Nr. 1 of 1, track no. 029.....	360
Region: south, operating location: Schongau - MSGU, loading point Nr. 1 of 1, track no. 13, 14	361
Region: south, operating location: Schwandorf - NSCH, loading point Nr. 1 of 2, track no. 53.....	362
Region: south, operating location: Schwandorf - NSCH, loading point Nr. 2 of 2, track no. 31.....	363
Region: south, operating location: Schwarzenfeld (Oberpf) - NSDO, loading point Nr. 1 of 1, track no. 6.....	364
Region: south, operating location: Simbach (Inn) - MSBI, loading point Nr. 1 of 1, track no. 14 La, 15.....	365
Region: south, operating location: Straubing - NST, loading point Nr. 2 of 2, track no. 36, 38	366
Region: south, operating location: Treuchtlingen - MTL, loading point Nr. 1 of 1, track no. 59.....	367
Region: south, operating location: Vilseck - NVK, loading point Nr. 1 of 1, track no. 8.....	368
Region: south, operating location: Waldershof - NWDH, loading point Nr. 1 of 1, track no. 4/4a	369
Region: south, operating location: Weiden (Oberpf) - NWDO, loading point Nr. 1 of 2, track no. 34, 36	370
Region: south, operating location: Weiden (Oberpf) - NWDO, loading point Nr. 2 of 2, track no. 39.....	371
Region: south, operating location: Wolfratshausen - MWO, loading point Nr. 1 of 1, track no. 42.....	372

Region: south, operating location: Wolzsch Markt - MWBM, loading point Nr. 1 of 1, track no. 3.....373
Region: south, operating location: Würzburg Rbf - NWR, loading point Nr. 1 of 1, track no. 220374

Angermünde

region east


**Templinerstrasse
16278 Angermünde
Brandenburg**

Contact
APS.OST@deutschebahn.com

Access road
A11, B198, ca. 17 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
151	167	0	single	2,16	2,38	loading track 3	KS	74	
152	93	0	single	2,16	2,38	loading track 3	KS	49	

Beeskow

region east

15848 Beeskow
Brandenburg

Contact

APS.OST@deutschebahn.com

Access road

A12, L41, ca. 23 km


Total area of loading point [m²]

no information

Loading lane Nr.: 1 of 1

Number of loading tracks: 2

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	220	0	single	3,24	3,56	loading track 2	L	100	
8	241	0	single	3,24	3,56	loading track 2	L	150	

Bergen auf Rügen

region east



18528 Bergen auf Rügen
Mecklenburg-Vorpommern

Contact

APS.OST@deutschebahn.com

Access road

A20, B96, ca. 56 km

Total area of loading point [m²]


no information

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1

Wasserschutzgebiet: nein



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	385	0	double sided	4,28	4,71	loading track 1	S	385	

Berlin Nordost

region east


Ladestelle 13053
13053 Berlin Nordost
Berlin

Contact
 APS.OST@deutschebahn.com

Access road
 A114, B109, ca. 8 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
244	292	0	double sided	2,16	2,38	loading track 3 - ou -	K	140	
243	290	0	double sided	3,24	3,56	construction logistics, short-term loading track 2	K	177	

Berlin-Grünau

region east



12527 Berlin-Grünau
Berlin

Contact

APS.OST@deutschebahn.com


Access road

A113, B96a, ca. 5 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
107L	265	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	150	

Birkenwerder (b Berlin)

region east




Unter den Ulmen
16547 Birkenwerder (b.Berlin)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road

Total area of loading point [m²]
6300

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	350	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	290	

Neuhauser Str.4 B
19273 Brahlstorf
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com


Access road

Total area of loading point [m²]
2250

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1

Nachtschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
EBA-Bescheid vom 06.02.2019
3354-33hug/058-1111#004

Der offene Umschlag fester wassergefährdender Stoffe ist nicht erlaubt
EBA-Bescheid vom 15.02.2023
5274-576ww/003-1114#026



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5705	150	0	double sided	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	90	
5707	80	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	40	

Brück (Mark)

region east



Bahnhofstr.
14822 Brück (Mark)
Brandenburg

Contact

APS.OST@deutschebahn.com


Access road

A9, B246, ca. 10 km

Total area of loading point [m²]

2950

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	401	0	single	2,16	2,38	loading track 3	L	255	

Bützow

region east




Bahnhofstrasse 46
18246 Bützow
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A20, L11, ca. 15 km

Total area of loading point [m²]
12390

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
55	152	0	single	3,24	3,56	loading track 2	L	129	
53	111	0	single	3,24	3,56	loading track 2	L	70	

Eberswalde Hbf

region east



16225 Eberswalde Hbf
Brandenburg

Contact

APS.OST@deutschebahn.com

Access road

A11, B167, ca. 10 km


Total area of loading point [m²]

no information

Loading lane Nr.: 1 of 3

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
124	285	0	single	3,24	3,56	loading track 2		198	

Eberswalde Hbf

region east



16225 Eberswalde Hbf
Brandenburg

Contact

APS.OST@deutschebahn.com


Access road

A11, B167, ca. 10 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
131	587	0	single	4,28	4,71	loading track 1	S	405	

Eberswalde Hbf

region east



16225 Eberswalde Hbf
Brandenburg

Contact

APS.OST@deutschebahn.com

Access road

A11, B167, ca. 10 km


Total area of loading point [m²]

no information

Loading lane Nr.: 3 of 3

Number of loading tracks: 1

Loading point Nr.: 3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
236	415	0	double sided	4,28	4,71	loading track 1	K	295	

Forst (Lausitz)

region east



Sorauer Straße
3149 Forst (Lausitz)
Brandenburg

Contact

APS.OST@deutschebahn.com

Access road

A15, B122, ca. 5 km


Total area of loading point [m²]

no information

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	284	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	180	ELEK (1)

Frankfurt (Oder) Pbf

region east


Bahnhofstr.
15230 Frankfurt (Oder)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A 12, ca. 4 km

Total area of loading point [m²]
3,5

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
197E	270	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	190	

Fürstenwalde (Spree)

region east




Bahnhofstr.
15517 Fürstenwalde (Spree)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A12, L35, ca. 4 km

Total area of loading point [m²]
6650

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	259	0	single	4,28	4,71	loading track 1	L	216	
20	290	0	single	4,28	4,71	loading track 1	L	216	

Fürstenwalde (Spree)

region east




Bahnhofstr.
15517 Fürstenwalde (Spree)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A12, L35, ca. 4 km

Total area of loading point [m²]
4100

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
22	310	0	single	4,28	4,71	loading track 1 - ou -	L	240	
21	315	0	single	4,28	4,71	construction logistics, short-term loading track 1	L	240	

Glöwen

region east




19339 Glöwen
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A24, B 107, ca. 47 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8a	60	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	50	
8	560	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	450	

Gransee

region east




Am Güterbahnhof
16775 Gransee
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A24, B167, ca. 15 km

Total area of loading point [m²]
2160

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 11.03.2019 3354-33hug/174-1111#004. Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	204	0	single	3,24	3,56	loading track 2	L	170	

Hennigsdorf (b Berlin)

region east

**16761 Hennigsdorf (b Berlin)
Brandenburg**

Contact

APS.OST@deutschebahn.com

Access road

A111, L171, ca. 4 km


Total area of loading point [m²]

1250

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	326	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short- term	S	182	

Kleeth

region east




17091 Kleeth
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A20, L273, ca. 25 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	439	0	double sided	4,28	4,71	loading track 1	L	200	

Laage (Meckl)

region east


18299 Laage (Meckl)
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A19, B103, ca. 13 km; Zufahrt über B108

Total area of loading point [m²]
4500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	260	0	single	3,24	3,56	loading track 2	L, KS	125	

Nauen

region east

zum Güterbahnhof
14641 Nauen
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A10, B26, ca. 10 km


Total area of loading point [m²]
3125

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 100 m

Nachtschlagverbot
Mo-Sa 22:00-06:00 Uhr
und sonntags ganztägig
(EBA-Bescheid vom 22.07.2024
5232-52og/301-1111#004

Gem. nachträglicher Anordnung nach §17 BImSchG)



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
54	457	0	single	2,16	3,56	loading track 2 - ou - construction logistics, short-term	L	165	ELEK (2)

Neubrandenburg

region east




Johannesstrasse
17034 Neubrandenburg
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A20, B197, ca. 11 km

Total area of loading point [m²]
2800

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
218	396	16	double sided	4,28	4,71	loading track 1	L	330	

Oranienburg

region east




Bahnhofstr.
16515 Oranienburg
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A111, B96n, ca. 9 km

Total area of loading point [m²]
7500

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
43	250	0	single	3,24	3,56	loading track 2 - ou -	L	171	
39	290	0	single	3,24	3,56	construction logistics, short-term loading track 2	L	200	


Ludwigsluster Chaussee 29
19370 Parchim
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A24, B191, ca. 15 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	450	0	double sided	3,24	3,56	loading track 2	L	140	

Potsdam-Rehbrücke

region east




Arthur-Scheunert-Allee
14558 Nuthetal, OT Bergholz-Rehbrücke
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A115, L79, ca. 5 km

Total area of loading point [m²]
24000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
975	510	150	double sided	4,28	4,71	loading track 1	L	350	

Prenzlau

region east


Brüssower Strasse
17291 Prenzlau
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A20, L26, ca. 10 km

Total area of loading point [m²]
8380

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
25	808	0	single	4,28	4,71	loading track 1	L	608	

Pritzier

region east


Am Bahnhof 5
19230 Pritzier
Mecklenburg-Vorpommern

Contact
 APS.OST@deutschebahn.com

Access road
 A24, L4, B321, km 21,4

Total area of loading point [m²]
 1200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	190	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	171	

Rostock Seehafen

region east




Petersdorfer Straße 38
18147 Rostock
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A19, L22, ca. 2 km

Total area of loading point [m²]
200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
148	115	39	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	65	

Schwedt (Oder)

region east

**16303 Schwedt (Oder)
Brandenburg**

Contact

APS.OST@deutschebahn.com


Access road

A11, A20, B166, ca. 31 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	253	0	single	3,24	3,56	loading track 2	L	130	

Seddin Süd

region east

**14554 Seddin Süd
Brandenburg**

Contact

APS.OST@deutschebahn.com


Access road

A24, L13, ca. 19 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
589	120	0	single	2,16	2,38	loading track 3	L	63	

Stralsund Hbf

region east

18437 Stralsund
Mecklenburg-Vorpommern

Contact

APS.OST@deutschebahn.com

Access road

E22, L213, ca. 3 km

Total area of loading point [m²]


no information

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1

Wasserschutzbereich: nein
Wohnbebauung: 100 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	323	0	single	4,28	4,71	loading track 1	KS	323	ELEK (2)

Templin

region east



**Bahnhofstr.
17268 Templin
Brandenburg**


Contact
APS.OST@deutschebahn.com

Access road
A11, B198, L23, L216, ca. 35

Total area of loading point [m²]
2610

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 40 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	233	0	single	3,24	3,56	loading track 2	L	200	ELEK (1)
14	248	0	single	3,24	3,56	loading track 2	L	200	

Torgelow

region east




Bahnhofstr.
17358 Torgelow
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A19, B192, ca. 38 km

Total area of loading point [m²]
2700

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	279	0	single	3,24	3,56	loading track 2	K	187	
8	252	0	single	3,24	3,56	loading track 2	S	151	

Velgast

region east


Straße der Einheit
18469 Velgast
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A20, L192, L212, ca. 28 km

Total area of loading point [m²]
1200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	372	0	single	3,24	3,56	loading track 2	L	205	

Waren (Müritz)

region east




Bahnhofstrasse
17192 Waren (Müritz)
Mecklenburg-Vorpommern

Contact
 APS.OST@deutschebahn.com

Access road
 A19, B192, ca. 25 km

Total area of loading point [m²]
 3600

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
32	261	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	80	
33	272	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	80	

Wittstock (Dosse)

region east



Jabeler Chaussee
16909 Wittstock (Dosse)
Brandenburg


Contact
APS.OST@deutschebahn.com

Access road
A19, L14, ca. 3 km

Total area of loading point [m²]
7537

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 85 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
27	400	0	single	3,24	3,56	loading track 2	L	400	
26	370	0	single	3,24	3,56	loading track 2	L	325	

Alfeld (Leine)

region north


Am Bahnhof
31061 Alfeld (Leine)
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, K62, ca. 23 km

Total area of loading point [m²]
5932

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	272	0	single	2,16	2,38	loading track 3	L	60	

Bad Fallingbostel

region north




Vogteistraße
29683 Fallingbostel
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B209, ca. 3 km

Total area of loading point [m²]
5221

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	567	0	double sided	4,28	4,71	loading track 1	L	352	

Bad Segeberg

region north



Rosenstraße
23795 Bad Segeberg
Schleswig-Holstein


Contact
APS.N@deutschebahn.com

Access road
A21, B432, ca. 4 km

Total area of loading point [m²]
536

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Nachtschlagverbot Mo-Sa 22:00-06:00 Uhr
und sonntags ganztägig
EBA-Bescheid vom 18.01.2018
3354-33hug/033-1111#004



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	187	0	single	3,24	3,56	loading track 2	L	118	


Am Hauptgüterbahnhof
38126 Braunschweig Rbf
Niedersachsen

Contact
 APS.N@deutschebahn.com

Access road
 A7, B1, ca. 23 km

Total area of loading point [m²]
 12893

Loading lane Nr.:	1 of 1
Number of loading tracks:	4
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
389	256	0	single	4,28	4,71	loading track 1	L	254	
386	450	0	single	4,28	4,71	loading track 1	L	254	
387	227	0	single	4,28	4,71	loading track 1	L	224	
390	400	0	single	4,28	4,71	loading track 1	L	254	

Braunschweig Rbf

region north



Am Hauptgüterbahnhof
38126 Braunschweig Rbf
Niedersachsen

Contact
 APS.N@deutschebahn.com

Access road
 A7, B1, ca. 23 km

Total area of loading point [m²]
 120

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
384A	175	0	single	2,16	2,38	loading track 3	L	60	

Bremen-Sebaldsbrück

region north



Zum Sebaldsbrücker Bahnhof
28309 Bremen-Sebaldsbrück
Bremen

Contact

APS.N@deutschebahn.com


Access road

A27, B57, ca. 4 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	3
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	76	0	single	2,16	2,38	loading track 3	K	3	ELEK (1)
5	86	0	single	2,16	2,38	loading track 3	K	3	ELEK (2)
4	194	0	single	2,16	2,38	loading track 3	S	50	

Brunsbüttel

region north




Dithmarscher Ring
25541 Brunsbüttel
Schleswig-Holstein

Contact
APS.N@deutschebahn.com

Access road
A23, B5, ca. 28 km

Total area of loading point [m²]
1516

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	252	0	single	3,24	3,56	loading track 2	L	178	

Dollbergen

region north




Eddesser Landstrasse
31311 Dollbergen
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A2, L413, ca. 8 km

Total area of loading point [m²]
1235

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
706	263	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	225	

Fallersleben

region north


Industriestrasse
38442 Fallersleben
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A39, L321, ca. 2 km

Total area of loading point [m²]
890

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
350	191	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	180	

Hameln

region north

Am Güterbahnhof
31785 Hameln
Niedersachsen

Contact
APS.N@deutschebahn.com


Access road
A2, B83, ca. 24 km

Total area of loading point [m²]
747

Loading lane Nr.:	1 of 1
Number of loading tracks:	3
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 80 m

**Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr
und sonntags ganztägig**
EBA-Bescheid vom 11.01.2019
3354-33hug/181-1111#004



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
116	40	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	KS	25	
115	45	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	KS	27	
114	45	0	single	2,16	2,38	loading track 3 - ou - securing regular operation loading track 3 - ou - construction logistics, long- term	K	3	

Hannover-Linden

region north


Fischerhof
30449 Hannover-Linden
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A2, B6, ca. 9 km

Total area of loading point [m²]
886

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
265	28	0	single	2,16	2,38	loading track 3	KS	27	

Hildesheim Hbf

region north



**Bischoff-Janssen-Str.
31134 Hildesheim Hbf
Niedersachsen**

Contact

APS.N@deutschebahn.com


Access road

A7, B1, ca. 4 km

Total area of loading point [m²]

2935

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
51	307	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	164	ELEK (1)

Holzminden

region north

Sparenbergstrasse
37603 Holzminden
Niedersachsen

Contact

APS.N@deutschebahn.com

Access road

A7, B241, ca. 47 km


Total area of loading point [m²]

no information

Loading lane Nr.: 1 of 1

Number of loading tracks: 2

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
17	121	0	single	2,16	2,38	loading track 3	S	81	
17A	11	0	single	1,58	2,38	loading track 3	K	3	

Jübek

region north




Große Straße
24855 Jübek
Schleswig-Holstein

Contact
APS.N@deutschebahn.com

Access road
A7, B201, ca. 11 km

Total area of loading point [m²]
4025

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
704	500	0	single	4,28	4,71	loading track 1	L	308	

Kreiensen

region north




Billerbecker Strasse
37547 Kreiensen
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B445, ca. 12 km

Total area of loading point [m²]
1248

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
92	256	0	single	3,24	3,56	loading track 2	L	168	

Maschen Rbf

region north


Hörstener Straße
21220 Maschen Rbf
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A39, ca. 3 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1811	210	0	double sided	2,16	2,38	loading track 3	S	25	
1810	52	0	single	2,16	2,38	loading track 3 - ou - emergency planning	K	3	

Münchehof (Harz)

region north

Am Sweenhof
38723 Münchehof (Harz)
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, K62, ca. 5 km

Total area of loading point [m²]
2550

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Bescheid Eisenbahn-Bundesamt Bonn vom
19.03.2019 3354-33hug/293-1111#004
Eine Nutzung der Ladestelle zum Umschlag
von Abfaellen und staubenden
Schuettguetern ist in der Zeit von 22.00 bis
06.00 Uhr untersagt



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
11	213	0	single	3,24	3,56	loading track 2	L	143	

Niebüll

region north


Bahnhofsstraße
25899 Niebüll
Schleswig-Holstein

Contact
APS.N@deutschebahn.com

Access road
A7, B199, ca. 38 km

Total area of loading point [m²]
2500

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
17	190	0	single	3,24	3,56	loading track 2	L	157	ELEK (5)
15	257	0	single	3,24	3,56	loading track 2	L	157	ELEK (4)

Norheim (Han)

region north




Güterbahnhofstrasse
37154 Norheim (Han)
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B3, ca. 4 km

Total area of loading point [m²]
1000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
200	249	0	single	3,24	3,56	loading track 2	L	100	

Oker

region north

Stadtstieg
38640 Oker
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A395, B6, ca. 14 km

Total area of loading point [m²]
3100

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	230	0	single	3,24	3,56	loading track 2	L	146	
15	239	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	100	

Oker

region north

Stadtstieg
38640 Oker
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A395, B6, ca. 14 km

Total area of loading point [m²]
3100

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	239	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	100	

Oldenburg (Holst)

region north




Bruchweg
23758 Oldenburg (Holst)
Schleswig-Holstein

Contact
APS.N@deutschebahn.com

Access road
A28, L866, ca. 5 km

Total area of loading point [m²]
2137

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
3	122	0	single	3,24	3,56	loading track 2	L	122	
4	122	0	single	3,24	3,56	loading track 2	L	122	

Oldenburg (Oldb) Hbf

region north



Güterstrasse 17
26122 Oldenburg (Oldb) Hbf
Niedersachsen


Contact
APS.N@deutschebahn.com

Access road
A28, L866, ca. 5 km

Total area of loading point [m²]
1080

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 150 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
85	216	0	single	4,28	4,71	loading track 1	L	216	OLI (1)

Osnabrück Hbf

region north


Frankenstraße
49082 Osnabrück
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A33, K53, ca. 3 km

Total area of loading point [m²]
1200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
425	180	0	single	2,16	2,38	loading track 3	L	140	OLI (1)

Springe

region north


Bahnhofstrasse
31832 Springe
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A2, B442, ca. 20 km

Total area of loading point [m²]
3713

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
104	404	0	single	3,24	3,56	loading track 2	L	197	

Stade

region north


Am Bahnhof
21680 Stade
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B431, ca. 45 km

Total area of loading point [m²]
2870

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	187	0	single	3,24	3,56	loading track 2	L	127	

Stade

region north




Am Bahnhof
21680 Stade
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B431, ca. 45 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
30	51	0	single	2,16	2,38	loading track 3	K	3	

Wunstorf

region north


Bahnhofstrasse
31515 Wunstorf
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A2, L392, ca. 6 km

Total area of loading point [m²]
580

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
26	215	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	S	132	ELEK (2)
25	198	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	KS	132	

Brackwede

region west




Stellwerksstrasse
33647 Brackwede
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A2, B68, ca. 7,5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
34A	177	0	single	2,16	2,38	loading track 3	S	177	

Dülmen

region west



Lüdinghauser Straße
48249 Dülmen
Nordrhein-Westfalen

Contact

APS.W@deutschebahn.com


Access road

A43, B474, ca. 4 km

Total area of loading point [m²]

1600

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	265	0	double sided	3,24	3,56	loading track 2	S	200	

Dülmen

region west



Lüdinghauser Straße
48249 Dülmen
Nordrhein-Westfalen

Contact

APS.W@deutschebahn.com


Access road

A43, B474, ca. 4 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
25	55	0	single	2,16	2,38	loading track 3	S	55	

Erndtebrück

region west




Bahnhofstrasse
57339 Erndtebrück
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A45, B62, ca. 35 km

Total area of loading point [m²]
3450

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	98	0	single	2,16	2,38	loading track 3	L	53	

Euskirchen

region west



Johannesbergstrasse
53879 Euskirchen
Nordrhein-Westfalen

Contact

APS.W@deutschebahn.com


Access road

A1, B51, ca. 5 km

Total area of loading point [m²]

2950

Loading lane Nr.:	1 of 1
Number of loading tracks:	4
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
21	111	0	single	3,24	3,56	loading track 2	L	100	ELEK (1)
22	127	0	single	3,24	3,56	loading track 2	S	112	ELEK (1)
23	238	0	single	3,24	3,56	loading track 2	S	119	ELEK (1)
20	339	0	double sided	3,24	3,56	loading track 2	S	119	

Gütersloh Hbf

region west




Langer Weg
33332 Gütersloh Hbf
Nordrhein-Westfalen

Contact
 APS.W@deutschebahn.com

Access road
 A2, L575, ca. 5 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
215	213	0	single	2,16	2,38	loading track 3	K	5	
217	93	0	single	2,16	2,38	loading track 3	S	65	

Hagen Gbf

region west




Brinkstrasse
58097 Hagen Gbf
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A46, L702, ca. 4 km

Total area of loading point [m²]
3840

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
146	177	0	single	3,24	3,56	loading track 2	L	123	

Hagen Gbf

region west



Brinkstrasse
58097 Hagen Gbf
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A46, L702, ca. 4 km

Total area of loading point [m²]
1260

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
127	288	0	double sided	3,24	3,56	loading track 2	S	200	
137	249	0	double sided	3,24	3,56	loading track 2	S	200	

Hagen-Vorhalle

region west



Brueninghausstrasse
58089 Hagen-Vorhalle
Nordrhein-Westfalen

Contact

APS.W@deutschebahn.com


Access road

A1, B226, ca. 1,5 km

Total area of loading point [m²]

2000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1023	158	0	single	3,24	3,56	loading track 2	L	134	

Herford

region west




Sophienstrasse
32052 Herford
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A2, L778, ca. 5 km

Total area of loading point [m²]
5062

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
59	364	0	single	4,28	4,71	loading track 1 - ou - construction logistics, long-term	S	151	
53	410	0	single	4,28	4,71	loading track 1 - ou - construction logistics, long-term	S	226	

Iserlohn-Letmathe

region west



Bahnhofstrasse
58642 Letmathe
Nordrhein-Westfalen


Contact
APS.W@deutschebahn.com

Access road
A46, ca. 2 km

Total area of loading point [m²]
2100

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 25 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
116	110	0	single	3,24	3,56	loading track 2	L	150	
115	190	0	single	3,24	3,56	loading track 2	L	166	

Iserlohn-Letmathe

region west



58642 Letmathe
Nordrhein-Westfalen

Contact

APS.W@deutschebahn.com

Access road

A46, ca. 2 km


Total area of loading point [m²]

no information

Loading lane Nr.: 2 of 2

Number of loading tracks: 1

Loading point Nr.: 2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
115	190	0	single	3,24	3,56	loading track 2	L	166	


Bernkasteler Strasse
50969 Köln Eifeltor
Nordrhein-Westfalen

Contact
 APS.W@deutschebahn.com

Access road
 A4, ca. 1 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
154	107	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	3	
155	431	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term		82	

Lennestadt-Grevenbrück

region west



Koelner Strasse (B56)
57368 Grevenbrück (Westf)
Nordrhein-Westfalen

Contact

APS.W@deutschebahn.com


Access road

A45, B55, ca. 24 km

Total area of loading point [m²]

711

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	90	0	single	2,16	2,38	loading track 3		100	

Paderborn Hbf

region west



Kapellenstrasse
33102 Paderborn Hbf
Nordrhein-Westfalen

Contact

APS.W@deutschebahn.com

Access road

A33, B1, ca. 3 km


Total area of loading point [m²]

760

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
574	250	46	single	4,28	4,71	loading track 1	S	277	WVS (1)

Remscheid-Lüttringhausen

region west



Grunenplatz Strasse 1A
42899 Remscheid-Lüttringhausen
Nordrhein-Westfalen

Contact
 APS.W@deutschebahn.com

Access road
 A1, B51, ca. 1 km

Total area of loading point [m²]
 3200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	234	0	single	3,24	3,56	loading track 2		0	

Schwerte (Ruhr)

region west




Am Kornhaus
58239 Schwerte (Ruhr)
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A1, B236, ca. 2 km

Total area of loading point [m²]
6500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
85	367	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	S	160	

Sennelager

region west


Bahnhofstrasse
33104 Sennelager
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A33, L756, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	3
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	80	0	single	2,16	2,38	loading track 3	S	80	
14	120	0	single	2,16	2,38	loading track 3	S	45	
15	60	0	single	2,16	2,38	loading track 3	K	5	

Hellweg
59423 Unna
Nordrhein-Westfalen

Contact
 APS.W@deutschebahn.com

Access road
 A1, A44 ca. 3km


Total area of loading point [m²]
 no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Nachtschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig

(EBA-Bescheid vom 22.07.2024
 5232-52og/152-1111#004
 Gem. nachträglicher Anordnung
 nach §17 BImSchG)

Wasserschutzgebiet: nein
 Wohnbebauung: 90 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	206	206	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term		0	

Wanne-Eickel Hbf

region west



Ulmenstrasse
44649 Wanne-Eickel Hbf
Nordrhein-Westfalen


Contact
APS.W@deutschebahn.com

Access road
A42, B226, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 500 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
35A	140	0	single	2,16	2,38	loading track 3	S	140	

Arnstadt Hbf

region southeast




Reinstedter Straße
99310 Arnstadt Hbf
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A71, ca. 6 km

Total area of loading point [m²]
1680

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
23	380	0	single	3,24	3,56	loading track 2	L	170	
22	231	0	single	3,24	3,56	loading track 2	L	170	

Bad Salzungen

region southeast




Sandweg
36433 Bad Salzungen
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A4, B19, ca. 29 km

Total area of loading point [m²]
4410

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
21	680	0	single	4,28	4,71	loading track 1	L	350	

Bautzen

region southeast



Liselotte-Herrmann-Straße 13
2625 Bautzen
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, B96, ca 3 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
46	310	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	180	

Bautzen

region southeast



Liselotte-Herrmann-Straße 13
2625 Bautzen
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, B96, ca 3 km

Total area of loading point [m²]
2150

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
40	205	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	110	

Bautzen

region southeast




Liselotte-Herrmann-Straße 13
2625 Bautzen
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, B96, ca. 3 km

Total area of loading point [m²]
1520

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
31	190	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	130	

Bischofswerda

region southeast




Neustädter Straße
1877 Bischofswerda
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, S102, ca. 8 km

Total area of loading point [m²]
800

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	315	0	single	4,28	4,71	loading track 1	L	230	

Blankenburg (Harz)

region southeast



Alte Halberstädter Strasse
38886 Blankenburg (Harz)
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A395, B6, ca. 34 km

Total area of loading point [m²]
5124

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	380	0	single	4,28	4,71	loading track 1	L	265	

Blankenburg (Harz)

region southeast



Alte Halberstädter Strasse
38886 Blankenburg (Harz)
Sachsen-Anhalt

Contact

APS.SO@deutschebahn.com


Access road

A395, B6, ca. 34 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	153	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	S	150	
18	130	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	K	40	

Brandenburg Hbf

region southeast




Am Güterbahnhof
14776 Brandenburg
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A2, B1

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
34	260	0	single	3,24	3,56	loading track 2	L	200	
33	180	0	single	3,24	3,56	loading track 2	L	180	

Dessau Hbf

region southeast



6844 Dessau Hbf
Sachsen-Anhalt

Contact

APS.SO@deutschebahn.com

Access road

A9, B185, ca. 7 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
63	75	0	single	2,16	2,38	loading track 3	L	68	

Dessau Hbf

region southeast



6844 Dessau Hbf
Sachsen-Anhalt

Contact

APS.SO@deutschebahn.com

Access road

A9, B185, ca. 7 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2

Wasserschutzgebiet: nein



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
64	76	0	single	2,16	2,38	loading track 3	L	85	

Dessau Hbf

region southeast



6844 Dessau Hbf
Sachsen-Anhalt

Contact

APS.SO@deutschebahn.com

Access road

A9, B185, ca. 7 km

Total area of loading point [m²]

no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3

Wasserschutzgebiet: nein



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
65	121	0	single	2,16	2,38	loading track 3	L, KS	80	

Dresden-Friedrichstadt

region southeast



1067 Dresden-Friedrichstadt
Sachsen

Contact

APS.SO@deutschebahn.com


Access road

A4, S73, ca. 4 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
479	175	0	double sided	3,24	3,56	loading track 2	L	127	
478	200	0	single	3,24	3,56	loading track 2	L	127	


1067 Dresden-Friedrichstadt
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, S73, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 3
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
476	200	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	160	
477	250	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	160	

Dresden-Friedrichstadt

region southeast

**1067 Dresden-Friedrichstadt
Sachsen**

Contact

APS.SO@deutschebahn.com

Access road

A4, S73, ca. 4 km

Total area of loading point [m²]

no information

Loading lane Nr.: 3 of 3

Number of loading tracks: 1

Loading point Nr.: 3

Wasserschutzgebiet: nein



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
470	305	0	single	3,24	3,56	loading track 2 - ou - emergency planning	L	198	

Eilenburg

region southeast

4838 Eilenburg
Sachsen

Contact

APS.SO@deutschebahn.com


Access road

A14, B87, ca. 17 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
34	386	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	260	

Eisenach

region southeast




Bahnhofstrasse
99817 Eisenach
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A4, B19, ca. 3 km

Total area of loading point [m²]
3300

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
056	222	0	single	3,24	3,56	loading track 2	L	163	
055	246	0	single	3,24	3,56	loading track 2	L	163	

Erfurt Gbf

region southeast



99085 Erfurt Gbf
Thüringen

Contact

APS.SO@deutschebahn.com


Access road

A71, B7, ca. 8 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
167	299	0	single	4,28	4,71	loading track 1 - ou -	S	176	
165	300	0	single	4,28	4,71	securing regular operation loading track 1	L	300	

Falkenberg (Elster)

region southeast

**4895 Falkenberg (Elster)
Brandenburg**

Contact

APS.SO@deutschebahn.com

Access road

A94, AÖ22, ca. 33 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
42N	444	0	single	4,28	4,71	loading track 1 - ou -	L	283	
70A	210	0	single	2,16	2,38	securing regular operation loading track 3 - ou - construction logistics, long-term	L	180	

Fermerswalde

region southeast




Am Fermerswalder Bahnhof
4916 Fermerswalde
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A13, B87, ca. 57 km

Total area of loading point [m²]
1500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	460	0	single	4,28	4,71	loading track 1	L	300	

Freiberg (Sachs)

region southeast



9599 Freiberg (Sachs)
Sachsen

Contact

APS.SO@deutschebahn.com


Access road

A4, B101, ca. 17 km

Total area of loading point [m²]

5360

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
27	400	0	single	4,28	4,71	loading track 1	L	375	

Freiberg (Sachs)

region southeast

**9599 Freiberg (Sachs)
Sachsen**

Contact

APS.SO@deutschebahn.com


Access road

A4, B101, ca. 17 km

Total area of loading point [m²]

4100

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
37	380	0	single	4,28	4,71	loading track 1	L	310	

Freital-Hainsberg

region southeast

**1705 Freital-Hainsberg
Sachsen**

Contact

APS.SO@deutschebahn.com

Access road

A17, B170, ca. 10 km


Total area of loading point [m²]

no information

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
34	540	0	single	2,16	2,38	loading track 3	L	130	

Gardelegen

region southeast




Bahnhofstraße
39638 Gardelegen
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A14, B71, ca. 44 km

Total area of loading point [m²]
6000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1807	302	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	195	

Gera Hbf

region southeast



7545 Gera Hbf
Thüringen

Contact

APS.SO@deutschebahn.com


Access road

A4, B7, ca. 5 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
75	170	0	single	3,24	3,56	loading track 2	L	165	
78	308	0	single	3,24	3,56	loading track 2	L	165	

Grünstädtel

region southeast




Alte Bahnhofstraße
8340 Grünstädtel
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, B93, B101, ca 31 km

Total area of loading point [m²]
990

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1	240	0	single	3,24	3,56	loading track 2	L	156	

Haldensleben

region southeast



39340 Haldensleben
Sachsen-Anhalt

Contact

APS.SO@deutschebahn.com


Access road

A14, B71, ca. 15 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	260	0	double sided	3,24	3,56	loading track 2	L	158	

Heimboldshausen

region southeast



36269 Heimboldshausen
Hessen

Contact

APS.SO@deutschebahn.com

Access road

A4, B62, ca. 10 km

Total area of loading point [m²]

2238


Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1

Bescheid Eisenbahn-Bundesamt Bonn vom 15.01.2019 3354-33hug/190-1111#004

Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	190	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	122	

Horka Gbf

region southeast


Am Güterbahnhof
2923 Horka
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4 (ca. 13km), B115

Total area of loading point [m²]
1302

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1	320	50	single	3,24	3,56	loading track 2	L	170	

Hosena

region southeast


Bahnhofstraße
1996 Hosena
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A13, B169, ca. 14 km

Total area of loading point [m²]
1680

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	240	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	153	

Immelborn

region southeast



36433 Immelborn
Thüringen

Contact

APS.SO@deutschebahn.com

Access road

A81, B311, ca. 5 km


Total area of loading point [m²]

no information

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	189	0	double sided	3,24	3,56	loading track 2	S	160	

Könnern

region southeast




Bahnhofstraße
6420 Könnern
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A14, B71, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid vom Eisenbahn-Bundesamt Bonn vom 6.11.2019
3354-33hug/215-1111#004
Der Umschlag von Abfällen und staubenden Schüttgütern ist in der Zeit zwischen 22-6 Uhr untersagt.

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	190	0	single	3,24	3,56	loading track 2	L	180	

Leinefelde

region southeast




Breitenhölzerstrasse
37327 Leinefelde
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A38, B80, ca. 4 km

Total area of loading point [m²]
5000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Nachtschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig

EBA-Bescheid vom 01.04.2019 3354-33hug/261-1111#004

Gem. nachträglicher Anordnung nach §17 BImSchG

Wasserschutzgebiet: nein
Wohnbebauung: 20 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
217	465	0	single	4,28	4,71	loading track 1	L, KS	353	

Leipzig-Engelsdorf

region southeast




Güterbahnhofstrasse
4319 Engelsdorf (b Leipzig)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A14, B6, ca. 4 km

Total area of loading point [m²]
600

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
132	95	0	single	2,16	2,38	loading track 3	L	20	
133	190	0	single	2,16	2,38	loading track 3	L	0	

Löbau (Sachs)

region southeast




Güterstraße
2708 Löbau (Sachs)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, S55, ca. 18 km

Total area of loading point [m²]
900

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
56	250	0	single	4,28	4,71	loading track 1	S	250	

Lobenstein (Thür)

region southeast




Poststraße
7356 Lobenstein (Thür)
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A9, B90, ca. 14 km

Total area of loading point [m²]
300

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
11	191	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	169	

Marienberg (Sachs)

region southeast



9496 Marienberg (Sachs)
Sachsen

Contact

APS.SO@deutschebahn.com

Access road

A72, B173, ca. 37 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Bescheid EBA 5232-52og/280-1111#004 vom 4.5.2023: Be- und Entladung von staubenden Schuettguetern zwischen 22:00 Uhr und 06:00 Uhr untersagt; Umschlag von Abfaellen verboten

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	100	0	single	2,16	2,38	loading track 3	L	6	
6	80	0	single	2,16	2,38	loading track 3	L	3	

Merseburg Gbf

region southeast




Nulandtstraße
6217 Merseburg
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A38, B91, ca. 10 km

Total area of loading point [m²]
3000

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
740	320	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	L	310	ELEK (2)
741	320	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	L	300	ELEK (2)

Neumark (Sachs)

region southeast


Am Bahnhof
8496 Neumark (Sachs)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, S293, ca. 11 km

Total area of loading point [m²]
200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Nachtschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
EBA-Bescheid vom 15.01.2019 3354-33hug/305-1111#004

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	255	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	170	

Niemberg

region southeast


**Bahnhofstr.
6188 Niemberg
Sachsen-Anhalt**

Contact
APS.SO@deutschebahn.com

Access road

Total area of loading point [m²]
2464

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	408	0	single	4,28	4,71	loading track 1 - ou - construction logistics, long-term	L	341	

Niesky

region southeast

**Am Bahnhof
2906 Niesky
Sachsen**

Contact

APS.SO@deutschebahn.com


Access road

A4, S122, ca. 13 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
23	70	0	single	2,16	2,38	loading track 3	L	56	

Nordhausen

region southeast



Bahnhofsplatz
99734 Nordhausen
Thüringen


Contact
APS.SO@deutschebahn.com

Access road
A38, B243, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: ja
Wohnbebauung: 100 m



Nachtumschlagverbot
Mo-Sa 22:00-06:00 Uhr
und sonntags gantätig
EBA-Bescheid vom 11.11.2019
Az.: 3333-33hug/317-1111#004
Gem. nachtraeglicher Anordnung nach §17
BlmSchG

Wasserschutzgebiet: ja
Wohnbebauung: 90 m

Wasserschutzgebiet: ja
Wohnbebauung: 80 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
28N	58	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L, KS	59	

Nordhausen

region southeast



Bahnhofsplatz
99734 Nordhausen
Thüringen


Contact
APS.SO@deutschebahn.com

Access road
A38, B243, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2

Wasserschutzgebiet: ja
Wohnbebauung: 100 m



Wasserschutzgebiet: ja
Wohnbebauung: 90 m

Nachtumschlagverbot
Mo-Sa 22:00-06:00 Uhr
und sonntags gantätig
EBA-Bescheid vom 11.11.2019
Az.: 3333-33hug/317-1111#004
Gem. nachtraeglicher Anordnung nach §17
BlmSchG

Wasserschutzgebiet: ja
Wohnbebauung: 80 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
29N	52	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	59	

Nordhausen

region southeast



Bahnhofplatz
99734 Nordhausen
Thüringen


Contact
APS.SO@deutschebahn.com

Access road
A38, B243, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	2
Loading point Nr.:	3

Wasserschutzgebiet: ja
Wohnbebauung: 100 m



Wasserschutzgebiet: ja
Wohnbebauung: 90 m

Nachtumschlagverbot
Mo-Sa 22:00-06:00 Uhr
und sonntags gantztägig
EBA-Bescheid vom 11.11.2019
Az.: 3333-33hug/317-1111#004
Gem. nachtraeglicher Anordnung nach §17
BImSchG

Wasserschutzgebiet: ja
Wohnbebauung: 80 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
30N	45	0	single	2,16	2,38	loading track 3 - ou -	KS	45	
31N	46	0	single	2,16	2,38	construction logistics, short-term	L	46	
						loading track 3 - ou -			
						construction logistics, short-term			

Oelsnitz (Vogtl)

region southeast



8606 Oelsnitz (Vogtl)
Sachsen

Contact

APS.SO@deutschebahn.com


Access road

A72, B92, ca. 5 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	220	0	single	3,24	3,56	loading track 2	L	95	

Oelsnitz (Vogtl)

region southeast



8606 Oelsnitz (Vogtl)
Sachsen

Contact

APS.SO@deutschebahn.com


Access road

A72, B92, ca. 5 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	275	0	single	2,16	2,38	loading track 3	L	90	

Oschatz

region southeast

4758 Oschatz
Sachsen

Contact

APS.SO@deutschebahn.com


Access road

A14, B169, ca. 19 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	152	0	single	3,24	3,56	loading track 2	L	152	

Plauen (Vogtl) ob Bf

region southeast




Pausaerstraße
8525 Plauen (Vogtl) ob Bf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, K173, ca. 6 km

Total area of loading point [m²]
2400

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
29	330	0	single	4,28	4,71	loading track 1	L	253	
28	390	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	253	

Plauen (Vogtl) ob Bf

region southeast




Pausaerstraße
8525 Plauen (Vogtl) ob Bf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, K173, ca. 6 km

Total area of loading point [m²]
4000

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
28	390	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	253	

Plauen (Vogtl) unt Bf

region southeast




Am Unteren Bahnhof
8527 Plauen (Vogtl) unt Bf
Sachsen

Contact
 APS.SO@deutschebahn.com

Access road
 A72, B92, ca. 6,5 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6T1	220	0	single	3,24	2,38	loading track 3	S	70	

Pockau-Lengefeld

region southeast



Güterbahnhofstraße
9509 Pockau-Lengefeld
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, B169, B174 ca. 40 km

Total area of loading point [m²]
960

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	250	0	single	3,24	3,56	loading track 2	L	160	ELEK (1)

Radeberg

region southeast



Güterbahnhofstraße
1454 Radeberg
Sachsen


Contact
 APS.SO@deutschebahn.com

Access road

A13, K6211, ca. 15 km

Total area of loading point [m²]
 1200

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	230	0	single	3,24	3,56	loading track 2 - ou -	L	200	
14	260	0	single	3,24	3,56	construction logistics, short-term loading track 2	L	200	

Ruhland

region southeast




1945 Ruhland
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A13, B169, ca. 2 km

Total area of loading point [m²]
1600

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
43	245	0	single	3,24	3,56	loading track 2	L	155	

Saalfeld (Saale)

region southeast



7318 Saalfeld (Saale)
Thüringen

Contact
APS.SO@deutschebahn.com


Access road

A4, L1060, ca. 42 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
75	355	0	single	4,28	4,71	loading track 1	L	230	ELEK (4)
76	329	0	single	4,28	4,71	loading track 1	L	230	ELEK (4)

Saalfeld (Saale)

region southeast

**7318 Saalfeld (Saale)
Thüringen**

Contact
APS.SO@deutschebahn.com


Access road

A4, L1060, ca. 42 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Wasserschutzgebiet: nein

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
42	138	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	L	103	

Saalfeld (Saale)

region southeast




7318 Saalfeld (Saale)
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A4, L1060, ca. 42 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	2
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
73	394	0	single	4,28	4,71	loading track 1	L	300	
72A	169	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	K	145	

Schkeuditz Luftfrachtumschlagbahnhof

region southeast




Gesnerstraße
4159 Schkeuditz
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A9, A14, B6

Total area of loading point [m²]
13500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
24	531	52	double sided	4,28	4,71	loading track 1	L	520	

Schmalkalden

region southeast


Auerweg
98574 Schmalkalden
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A71, B62, L1118, ca. 26 km

Total area of loading point [m²]
1400

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6s	226	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	L	140	

Schönhauser Damm

region southeast




Am Bahnhof
36524 Schönhauser Damm
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A2, L52, ca. 52 km

Total area of loading point [m²]
1100

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1110	227	0	single	2,16	2,38	loading track 3	K, S	45	
1109	225	0	single	2,16	2,38	loading track 3	L, KS	215	

Senftenberg

region southeast




1968 Senftenberg
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A13, L551, ca. 11 km

Total area of loading point [m²]
2468

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
156	245	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term loading track 2	L	196	
157	214	0	single	3,24	3,56		S	196	

Senftenberg

region southeast

**1968 Senftenberg
Brandenburg**

Contact

APS.SO@deutschebahn.com

Access road

A13, L551, ca. 11 km


Total area of loading point [m²]

no information

Loading lane Nr.: 2 of 2

Number of loading tracks: 1

Loading point Nr.: 2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
158	37	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long- term	KS	30	

Sondershausen

region southeast


Am Petersschacht
99706 Sondershausen
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A38, B4. ca. 16 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	3
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	135	0	single	2,16	2,38	loading track 3	KS	30	
15	135	0	single	2,16	2,38	loading track 3	K	3	
17	120	0	single	2,16	2,38	loading track 3	K	3	

Staßfurt

region southeast




Gollnowstraße
39418 Staßfurt
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A14, L73, ca. 8 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	200	0	single	2,16	2,38	loading track 3	L	50	

Stendal Hauptbahnhof

region southeast



39576 Stendal
Sachsen-Anhalt

Contact

APS.SO@deutschebahn.com

Access road

A2, B189, ca. 54 km


Total area of loading point [m²]

no information

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
333	300	0	single	3,24	3,56	loading track 2	L	105	

Straßgräbchen-Bernsdorf (Oberlausitz)

region southeast




Dresdner Straße
2994 Straßgräbchen-Bernsdorf
(Oberlausitz)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, B97, ca. 32 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	375	0	double sided	3,24	3,56	loading track 2	L	195	ELEK (1)

Teuchern

region southeast

**6682 Teuchern
Sachsen-Anhalt**

Contact

APS.SO@deutschebahn.com

Access road

A9, B91, ca. 7 km


Total area of loading point [m²]

no information

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	197	0	single	3,24	3,56	loading track 2	L	95	

Themar

region southeast


Feldsteinstraße
98660 Themar
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A71, B89, ca. 14 km

Total area of loading point [m²]
2016

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	409	0	single	4,28	4,71	loading track 1	L	380	ELEK (2)

Torgau

region southeast




Gueterbahnhofstraße
4860 Torgau
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A14, S38, ca. 41 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	147	0	single	2,16	2,38	loading track 3	KS	85	

Torgau

region southeast



Gueterbahnhofstraße
4860 Torgau
Sachsen


Contact
APS.SO@deutschebahn.com

Access road
A14, S38, ca. 41 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2

Nachtschlagverbot Mo-Sa
22:00-06:00 Uhr
und sonntags gantägig
(EBA-Bescheid vom 13.12.2019
3333-33hug/156-1111#004)



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	164	0	single	3,24	3,56	loading track 2	L	110	
7	195	0	single	3,24	3,56	loading track 2	L	200	

Walldorf (Werra)

region southeast

98639 Walldorf (Werra)
Thüringen

Contact

APS.SO@deutschebahn.com


Access road

A5, B486, ca. 7 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	339	0	single	4,28	4,71	loading track 1	L	234	

Walldorf (Werra)

region southeast

98639 Walldorf (Werra)
Thüringen

Contact

APS.SO@deutschebahn.com


Access road

A5, B486, ca. 7 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	339	0	single	4,28	4,71	loading track 1	L	234	

Zeitz

region southeast

6712 Zeitz
Sachsen-Anhalt

Contact

APS.SO@deutschebahn.com

Access road


A9, B91, ca. 6 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
81	295	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	L	250	

Zwickau (Sachs) Hbf

region southeast



Gueterbahnhofstraße
8056 Zwickau (Sachs) Hbf
Sachsen

Contact

APS.SO@deutschebahn.com


Access road

A72, S283, ca. 9 km

Total area of loading point [m²]

2700

Loading lane Nr.:	1 of 4
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
N26	121	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	K	3	
N27	88	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	3	

Zwickau (Sachs) Hbf

region southeast



Gueterbahnhofstraße
8056 Zwickau (Sachs) Hbf
Sachsen

Contact

APS.SO@deutschebahn.com


Access road

A72, S283, ca. 9 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 4
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
134	390	0	single	4,28	4,71	loading track 1	L	260	

Zwickau (Sachs) Hbf

region southeast




Gueterbahnhofstraße
8056 Zwickau (Sachs) Hbf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, S283, ca. 9 km

Total area of loading point [m²]
2200

Loading lane Nr.:	3 of 4
Number of loading tracks:	2
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
140	174	0	single	3,24	3,56	loading track 2	L	111	ELEK (1)
137	413	0	single	4,28	4,71	loading track 1	L	300	ELEK (2)

Zwickau (Sachs) Hbf

region southeast

Gueterbahnhofstraße
8056 Zwickau (Sachs) Hbf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, S283, ca. 9 km

Total area of loading point [m²]
no information

Loading lane Nr.:	4 of 4
Number of loading tracks:	1
Loading point Nr.:	4

Wasserschutzgebiet: nein



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
151	279	0	single	4,28	4,71	loading track 1 - ou - construction logistics, long-term	S	280	ELEK (2)

Andernach

region centre

Bahnhofstraße
56626 Andernach
Rheinland-Pfalz


Contact
APS.MI@deutschebahn.com

Access road
A61, L121, ca. 22 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1

"Für diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV. Insbesondere das Umschlagen von Abfällen im Sinne von Nr. 8.15 der 4. BImSchV (Anhang 1) sowie das Be- und Entladen von Schuttgutern im Sinne von Nr. 9.11.1 der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
23	27	0	single	2,16	2,38	loading track 3	K	6	

Andernach

region centre



Bahnhofstraße
56626 Andernach
Rheinland-Pfalz


Contact
APS.MI@deutschebahn.com

Access road
A61, L121, ca. 22 km

Total area of loading point [m²]
2640

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2

"Fuer diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV. Insbesondere das Umschlagen von Abfaellen im Sinne von Nr. 8.15 der 4. BImSchV (Anhang 1) sowie das Be- und Entladen von Schuettguetern im Sinne von Nr. 9.11.1 der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	236	0	single	4,28	4,71	loading track 1	L	251	ELEK (2)

Aschaffenburg Hbf

region centre

63741 Aschaffenburg Hbf
Bayern

Contact

APS.MI@deutschebahn.com


Access road

A3, B26, ca. 2 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15L	205	0	single	3,24	3,56	loading track 2	L	160	

Battenberg

region centre

35088 Battenberg
Hessen

Contact

APS.MI@deutschebahn.com

Access road

A46, B480, B236 ca. 58 km


Total area of loading point [m²]

no information

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	188	0	single	3,24	3,56	loading track 2	L	106	

Darmstadt Hbf

region centre




Bismarckstraße
64293 Darmstadt Hbf
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A672, B26, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	3
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
309	155	0	single	2,16	2,38	loading track 3	K	3	
308	396	95	single	3,24	3,56	loading track 2	S	140	
311	40	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	K	3	

Darmstadt Hbf

region centre




Bismarckstraße
64293 Darmstadt Hbf
Hessen

Contact
 APS.MI@deutschebahn.com

Access road
 A672, B26, ca. 5 km

Total area of loading point [m²]
 4210

Loading lane Nr.:	2 of 2
Number of loading tracks:	5
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
307	226	150	single	3,24	3,56	loading track 2	L	148	TA (1)
303	282	0	single	2,16	2,38	loading track 2 - ou -	K	140	TA (1)
306	29	0	single	3,24	3,56	construction logistics, short-term	L	3	
305	13	13	single	2,16	2,38	loading track 3	K	3	
304	43	43	single	2,16	2,38	loading track 3	K	3	

Dillenburg

region centre


Am Güterbahnhof
35683 Dillenburg
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A45, B277, ca. 2 km

Total area of loading point [m²]
1610

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
26	104	0	single	3,24	3,56	loading track 2	L	104	


Servaisstraße
54293 Ehrang
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A602, B56, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
61	103	0	single	3,24	3,56	loading track 2	S	103	TA (1)
59	517	0	double sided	3,24	3,56	loading track 2	S	146	

Ehrang

region centre




Servaisstraße
54293 Ehrang
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A602, B56, ca. 4 km

Total area of loading point [m²]
2890

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
63	236	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	146	

Ehrang

region centre




Servaisstraße
54293 Ehrang
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A602, B56, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
60	15	0	single	3,24	3,56	loading track 2	KS	91	

Frankenberg (Eder)

region centre




Friedrichstraße
35066 Frankenberg (Eder)
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A49, B3, ca. 42 km

Total area of loading point [m²]
3039

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	212	0	single	3,24	3,56	loading track 2	L	110	

Frankfurt (Main) Ost

region centre



Leibbrandstrasse
60314 Frankfurt (Main) Ost
Hessen


Contact
APS.MI@deutschebahn.com

Access road

A661, Abf. Anschlußst. Ffm Ost, ca. 3 km

Total area of loading point [m²]
3850

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
257	242	0	single	3,24	3,56	loading track 2	L	117	

Frankfurt-Höchst

region centre



65929 Frankfurt-Höchst
Hessen

Contact

APS.MI@deutschebahn.com


Access road

A66, L3018, ca. 5 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
241	90	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	70	

Frankfurt-Höchst

region centre



65929 Frankfurt-Höchst
Hessen

Contact

APS.MI@deutschebahn.com


Access road

A66, L3018, ca. 5 km

Total area of loading point [m²]

23974

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
250	150	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	145	

Friedberg (Hess)

region centre



61169 Friedberg (Hess)
Hessen

Contact

APS.MI@deutschebahn.com


Access road

A5, B275, ca. 9 km

Total area of loading point [m²]

904

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
85	300	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	3	

Fulda

region centre




36037 Fulda
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A7, B27, ca. 5 km

Total area of loading point [m²]
1857

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
227	225	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	145	

Fulda

region centre




36037 Fulda
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A7, B27, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
226	263	0	single	2,16	2,38	loading track 3 - ou -	S	25	
227	225	0	single	3,24	3,56	construction logistics, short-term loading track 2 - ou - construction logistics, long-term	L	145	

Gießen

region centre


Am Güterbahnhof
35398 Gießen
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A485, L3146, ca. 6 km

Total area of loading point [m²]
1348

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
81	95	0	single	2,16	2,38	loading track 3	L, KS	75	

Goldhausen

region centre


Hauptstrasse
56411 Goldhausen
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, L318, ca. 39 km

Total area of loading point [m²]
2310

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	215	0	single	2,16	2,38	loading track 3		0	

Groß-Gerau-Dornberg

region centre




64521 Groß Gerau-Dornberg
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A67, B42, ca. 3 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	4
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	165	0	single	2,16	2,38	loading track 3 - ou -	K	42	
9 A	169	0	single	2,16	2,38	securing regular operation	K	42	
37	249	0	single	2,16	2,38	loading track 3 - ou -	S	42	
9	202	0	single	2,16	2,38	securing regular operation	K	42	
						loading track 3 - ou -			
						securing regular operation			
						loading track 3 - ou -			
						securing regular operation			

Hanau Hbf

region centre

63450 Hanau Hbf
Hessen

Contact

APS.MI@deutschebahn.com

Access road

A66, B8, ca. 5 km


Total area of loading point [m²]

1932

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
302	95	0	single	2,16	2,38	loading track 3	L	79	

Kassel-Bettenhausen

region centre




Söhrestrasse
34123 Kassel-Bettenhausen
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A7, L3237, ca. 2 km

Total area of loading point [m²]
4070

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	309	0	single	3,24	3,56	loading track 2	L	179	
15	189	0	single	3,24	3,56	loading track 2	L	160	

Limburg (Lahn)

region centre




Am Stephanshügel
65549 Limburg (Lahn)
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A3, B54, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
029	135	0	single	2,16	2,38	loading track 3	S	90	

Löhnberg

region centre




Seltersweg
35792 Löhnberg
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A3, B49, ca. 24 km

Total area of loading point [m²]
5427

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 14.04.2022 5232-52og/268-1111#004

Eine Nutzung der Ladestelle zum Umschlag von Abfällen und staubenden Schüttgütern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	225	0	single	2,16	2,38	loading track 3	S	55	

Meudt (Westerw)

region centre




56414 Meudt (Westerw)
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, B255, ca. 10 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	257	0	single	3,24	3,56	loading track 2	L	172	

Miltenberg

region centre


Bahnhofstrasse
63897 Miltenberg
Bayern

Contact
APS.MI@deutschebahn.com

Access road
A3, L508, ca. 38 km

Total area of loading point [m²]
2309

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	208	0	single	3,24	3,56	loading track 2	L	200	ELEK (2)

Montabaur (Regio)

region centre


Staudter Straße
56410 Montabaur(Regio)
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, K82, ca. 3 km

Total area of loading point [m²]
600

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
112	174	0	single	2,16	2,38	loading track 3	L	62	ELEK (1)

Neuwied

region centre




Am Güterbahnhof
56564 Neuwied
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A48, B9, ca. 20 km

Total area of loading point [m²]
7698

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
086	157	0	double sided	3,24	3,56	loading track 2	L	157	ELEK (2)
011	180	180	double sided	3,24	3,56	loading track 2 - ou - securing regular operation	L	157	

Niederjossa

region centre


36272 Niederjossa
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A7, B62, ca. 3 km

Total area of loading point [m²]
3000

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	211	0	single	3,24	3,56	loading track 2	S	145	

Niederjossa

region centre


Jossastraße
36272 Niederjossa
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A7, B62, ca. 3 km

Total area of loading point [m²]
3000

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	211	0	single	3,24	3,56	loading track 2	S	145	

Obernburg-Elsfeld

region centre




Bahnhofstrasse
63785 Obernburg-Elsfeld
Bayern

Contact
APS.MI@deutschebahn.com

Access road
B469

Total area of loading point [m²]
620

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	131	0	single	2,16	2,38	loading track 3	L	100	

Siershahn

region centre



Adolfstrasse
56427 Siershahn
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, L313, ca. 3 km

Total area of loading point [m²]
4680

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
17	163	0	single	3,24	3,56	loading track 2	S	163	

Siershahn

region centre

Adolfstrasse
56427 Siershahn
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, L313, ca. 3 km

Total area of loading point [m²]
4680

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
20	113	0	single	3,24	3,56	loading track 2	L	113	

Sontra

region centre

36205 Sontra
Hessen

Contact

APS.MI@deutschebahn.com

Access road

A4, L3250, ca. 23 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
805	334	334	double sided	4,28	4,71	loading track 1 - ou - construction logistics, short-term	KS	30	

Steinefrenz

region centre


Am Bahnhof
56413 Steinefrenz
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, L318, ca. 8 km

Total area of loading point [m²]
3927

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	145	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	108	

Steinefrenz

region centre


Am Bahnhof
56413 Steinefrenz
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, L318, ca. 8 km

Total area of loading point [m²]
3927

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	145	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	108	

Treysa

region centre



34613 Treysa
Hessen

Contact

APS.MI@deutschebahn.com


Access road

A5, B62, ca. 25 km

Total area of loading point [m²]

12000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
30	207	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	147	

Wabern (Bz Kassel)

region centre



34590 Wabern (Bz Kassel)
Hessen

Contact

APS.MI@deutschebahn.com


Access road

A49, B253, ca. 11 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
20	467	0	single	4,28	4,71	loading track 1	L	283	

Wabern (Bz Kassel)

region centre




Tannenbergstraße
34590 Wabern (Bz Kassel)
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A49, B253, ca. 11 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
32	75	0	single	2,16	2,38	loading track 3	KS	70	ELEK (2); TAM (1)

Wallmerod (Westerw)

region centre

Hauptstraße
56414 Wallmerod (Westerw)
Rheinland-Pfalz


Contact
APS.MI@deutschebahn.com

Access road
A3, L318, ca. 10 km

Total area of loading point [m²]
1339

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 100 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
3	203	0	single	3,24	3,56	loading track 2	L	114	

Wiesbaden Ost

region centre



Wiesbadener Landstraße
65197 Wiesbaden Ost
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A66, B262, ca. 5 km

Total area of loading point [m²]
1372

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Untersagt sind:
Offener Umschlag ungefährlicher Abfälle, Güter und Stoffe
Der Umschlag oder sonstiger Umgang mit wassergefährdenden Stoffen ist untersagt
Eine Nutzung der Ladestelle zum Umschlag von Abfällen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
570	270	0	single	4,28	4,71	loading track 1	L	226	

Aalen Hbf

region southwest




Schleifbrückstraße
73430 Aalen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A7, L1084, ca. 12 km

Total area of loading point [m²]
280

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
211	179	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	40	

Albbruck

region southwest



Eisenbahnstraße
79774 Albbruck
Baden-Württemberg


Contact
APS.SW@deutschebahn.com

Access road
A81, B34, ca. 62 km

Total area of loading point [m²]
1300

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 60 m



Bescheid Eisenbahn-Bundesamt Bonn vom 02.01.2019 3354-33hug/014-1111#004

Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	51	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	37	

Bad Friedrichshall Hbf

region southwest



Zum Hauptbahnhof
74177 Bad Friedrichshall-Jagstfeld
Baden-Württemberg

Contact

APS.SW@deutschebahn.com

Access road


A6, B27, ca. 8 km

Total area of loading point [m²]

1715

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 140 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
116	470	140	single	3,24	3,56	loading track 2	L	100	ELEK (2)

Bad Friedrichshall Hbf

region southwest



74177 Bad Friedrichshall-Jagstfeld
Baden-Württemberg

Contact

APS.SW@deutschebahn.com


Access road

A6, B27, ca. 8 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	109	0	single	2,16	2,38	loading track 3	K	3	

Biberach (Riß)

region southwest




Freiburger Strasse
88400 Biberach (Riß)
Baden-Württemberg

Contact
 APS.SW@deutschebahn.com

Access road
 A5, B36, ca. 22 km

Total area of loading point [m²]
 2400

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
105	169	0	single	2,16	2,38	loading track 3	S	80	

Breisach

region southwest




79206 Breisach
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, L120, ca. 12 km

Total area of loading point [m²]
2005

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	300	0	single	2,16	2,38	loading track 3	L	76	

Bruchsal

region southwest




Industriestrasse
76646 Bruchsal
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B35, ca. 7 km

Total area of loading point [m²]
1800

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 02.01.2019 3354-33hug/064-1111#004

Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
65	227	0	single	3,24	3,56	loading track 2 - ou -	S	160	ELEK (1)
64	199	0	single	3,24	3,56	construction logistics, short-term loading track 2 - ou - construction logistics, short-term	KS	137	

Crailsheim

region southwest


Alter Postweg
74564 Crailsheim
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A6, B290, ca. 7 km

Total area of loading point [m²]
3200

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
27	132	0	single	3,24	3,56	loading track 2 - ou -	L	174	
28	207	0	single	3,24	3,56	construction logistics, short-term	S	174	
						loading track 2 - ou -			
						construction logistics, short-term			

Crailsheim

region southwest




Alter Postweg
74564 Crailsheim
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A6, B290, ca. 7 km

Total area of loading point [m²]
1037

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
25	91	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	KS	132	

Donaueschingen

region southwest



78166 Donaueschingen
Baden-Württemberg

Contact

APS.SW@deutschebahn.com

Access road

A864, B33, ca. 6 km

Total area of loading point [m²]

2000


Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1

Bescheid Eisenbahn-Bundesamt Bonn vom 11.01.2019 3354-33hug/084-1111#004

Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	559	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	55	

Ehingen (Donau)

region southwest




89584 Ehingen (Donau)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A8, L1230, ca. 38 km

Total area of loading point [m²]
2360

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	185	0	single	3,24	3,56	loading track 2	L	113	

Einsiedlerhof

region southwest




Kaiserstrasse
67661 Einsiedlerhof
Rheinland-Pfalz

Contact
APS.SW@deutschebahn.com

Access road
A8, L1230, ca. 38 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
18 L	466	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	418	

Fichtenberg

region southwest




Bahnhofstraße
74427 Fichtenberg
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A6, B14, ca. 31 km

Total area of loading point [m²]
960

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 11.01.2019 3354-33hug/117-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	198	0	single	3,24	3,56	loading track 2	L	175	

Gaildorf West

region southwest

74705 Gaildorf West
Baden-Württemberg

Contact

APS.SW@deutschebahn.com


Access road

A6, B14, ca. 27 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
506	265	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	261	

Giengen (Brenz)

region southwest




Bahnhofstraße
89537 Giengen (Brenz)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A7, B492, ca. 4 km

Total area of loading point [m²]
1650

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
687	48	0	double sided	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	59	

Hausach

region southwest




Hinterer Bahnhof
77756 Hausach
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B36, ca. 36 km

Total area of loading point [m²]
1853

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 11.01.2019 3354-33hug/187-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfällen und staubenden Schüttgütern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	178	0	single	3,24	3,56	loading track 2	L	100	
13	225	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	125	

Heilbronn Gbf

region southwest



Rangierbahnhof 1/2
74080 Heilbronn
Baden-Württemberg


Contact
APS.SW@deutschebahn.com

Access road
A6, B27, ca. 5 km

Total area of loading point [m²]
652

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Bescheid Eisenbahn-Bundesamt Bonn vom
11.01.2019 3354-33hug/188-1111#004
Eine Nutzung der Ladestelle zum Umschlag
von Abfaellen und staubenden
Schuettguetern ist in der Zeit von 22.00 bis
06.00 Uhr untersagt



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
441	48	0	single	2,16	2,38	loading track 3	KS	20	

Heilbronn Hbf

region southwest



74076 Heilbronn Hbf
Baden-Württemberg

Contact

APS.SW@deutschebahn.com


Access road

A6, B27, ca. 5 km

Total area of loading point [m²]

652

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
514	280	0	single	3,24	3,56	loading track 2	KS	200	

Immendingen

region southwest




Güterbahnhofstraße
78194 Immendingen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B311, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	700	0	single	2,16	2,38	loading track 3	L	56	


Wolfratsweierer Straße
76137 Karlsruhe Gbf
Baden-Württemberg

Contact
 APS.SW@deutschebahn.com

Access road
 A5, B10, ca. 8 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Wasserschutzgebiet: ja

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
683	165	0	single	2,16	2,38	loading track 3	K	6	ELEK (1)
682	54	0	single	2,16	2,38	loading track 3	S	54	

Kehl

region southwest



Carl-Benz-Straße
77694 Kehl
Baden-Württemberg


Contact
APS.SW@deutschebahn.com

Access road
A5, B28, ca. 11 km

Total area of loading point [m²]
1210

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 160 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
73	77	0	single	2,16	2,38	loading track 3	KS	70	
60	312	0	single	5,47	3,56	loading track 2		0	

Kornwestheim Rbf

region southwest




Rangierbahnhof 60
70806 Kornwestheim Rbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B10, ca. 8 km

Total area of loading point [m²]
200

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
40	217	0	double sided	2,16	2,38	loading track 3	KS	10	

Kornwestheim Rbf

region southwest




Rangierbahnhof 60
70806 Kornwestheim Rbf
Baden-Württemberg

Contact
 APS.SW@deutschebahn.com

Access road
 A81, B10, ca. 8 km

Total area of loading point [m²]
 1317

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
041	176	0	double sided	3,24	3,56	loading track 2	L, KS	133	ELEK (1)

Kornwestheim Rbf

region southwest




Rangierbahnhof 60
70806 Kornwestheim Rbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B10, ca. 8 km

Total area of loading point [m²]
1600

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
049	480	0	single	4,28	4,71	loading track 1	L	250	

Lahr (Schwarzw)

region southwest



Güterhallenstrasse
77933 Lahr (Schwarzw)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A8. L355, ca. 2 km

Total area of loading point [m²]
3130

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



"Für diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV.
Insbesondere das Umschlagen von Abfällen im Sinne von Nr. 8.15 der 4. BImSchV
(Anhang 1) sowie das Be- und Entladen von Schuttgütern im Sinne von Nr. 9.11.1
der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
615	217	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short- term	L, KS	35	

Landau (Pfalz) Hbf

region southwest



Ernst-Gerhard-Weg
76829 Landau (Pfalz)
Rheinland-Pfalz

Contact

APS.SW@deutschebahn.com

Access road

A65, L509, ca. 3 km

Total area of loading point [m²]

1740

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
104	312	0	double sided	3,24	3,56	loading track 2	L	199	

Lauchringen

region southwest

79787 Lauchringen
Baden-Württemberg

Contact

APS.SW@deutschebahn.com


Access road

A98, B314, ca. 1 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9 A	134	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	60	

Lörrach Hbf

region southwest




Bahnhofstraße
79539 Lörrach
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A98, B317, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
11	288	0	single	3,24	3,56	loading track 2	L	110	

Mengen

Bahnhofstr.
88512 Mengen
Baden-Württemberg

Access road

A8, B492, ca. 80 km

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

region southwest



Contact

APS.SW@deutschebahn.com


Total area of loading point [m²]

2200

Nachtschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags gantzätig

(EBA-Bescheid vom 14.10.2024 5232-52og/285-1111 #005 gem. nachtraeglicher Anordnung nach §17 BImSchG)

Wasserschutzgebiet: nein
 Wohnbebauung: 45 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	64	0	single	3,24	3,56	loading track 2	L	145	

Merzig (Saar)

region southwest



Rieffstraße
66663 Merzig
Saarland


Contact
APS.SW@deutschebahn.com

Access road
A8, L173, ca. 2 km

Total area of loading point [m²]
1800

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 90 m



Bescheid Eisenbahn-
Bundesamt Bonn vom
22.12.2022 5232-52eg/
243-1111#004
Eine Nutzung der
Ladestelle zum
Umschlag von Abfällen
und staubenden
Schüttgütern ist in der
Zeit von 22.00 bis 06.00
Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
30A	350	0	single	3,24	3,56	loading track 2	L, KS	100	

Murg (Baden)

region southwest




Bahnhofstr.
79730 Murg (Baden)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A861, B316, ca. 25 km

Total area of loading point [m²]
3450

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	100	0	single	3,24	3,56	loading track 2	S	100	

Nagold

region southwest




Bahnhofstraße
72202 Nagold
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B28, ca. 17 km

Total area of loading point [m²]
2740

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	272	0	single	3,24	3,56	loading track 2	L	130	

Neuenburg (Baden)

region southwest



79395 Neuenburg (Baden)
Baden-Württemberg

Contact

APS.SW@deutschebahn.com


Access road

A5, B378, ca. 2km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Wasserschutzgebiet: ja
Wohnbebauung: 40 m

Bescheid Eisenbahn-Bundesamt
Bonn vom 08.11.2019 3333-33hug/
303-1111#004

Eine Nutzung der Ladestelle zum
Umschlag von Abfaellen und
staubenden Schuettguetern ist in
der Zeit von 22.00 bis 06.00 Uhr
untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
3	485	0	double sided	4,28	4,71	loading track 1	L	220	
12	304	0	single	4,28	4,71	loading track 1	L	220	

Neustadt (Weinstr) Hbf

region southwest



Landauer Straße
67434 Neustadt (Weinstr)
Rheinland-Pfalz

Contact
APS.SW@deutschebahn.com

Access road
A65, B39, ca. 4 km

Total area of loading point [m²]
3000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Wasserschutzgebiet: nein
Wohnbebauung: 70 m

Bescheid Eisenbahn-Bundesamt Bonn vom 19.11.2018 3354-33hug/310-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
47	200	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	149	

Niederbiegen

region southwest




Bucherweg
88255 Niederbiegen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A96, L314, 23,5 km

Total area of loading point [m²]
2702

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	325	0	single	4,28	4,71	loading track 1	L	133	
6	136	0	double sided	3,24	3,56	loading track 2	L	133	

Offenburg Gbf

region southwest




Am Güterbahnhof
77652 Offenburg Gbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B33a, ca. 6 km

Total area of loading point [m²]
2257

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
67	130	0	single	3,24	3,56	loading track 2	L	102	

Pforzheim Hbf

region southwest




Blücherstraße
75177 Pforzheim Hbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A8, B294, ca. 4 km

Total area of loading point [m²]
2860

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
252	500	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	109	

Plochingen

region southwest


Schlierbachwiesen
73207 Plochingen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A8, B313, ca. 8 km

Total area of loading point [m²]
2115

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
726	244	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	170	

Rastatt

region southwest

Rauentaler Strasse
76437 Rastatt
Baden-Württemberg


Contact
APS.SW@deutschebahn.com

Access road
A5, B462, ca. 5 km

Total area of loading point [m²]
1950

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 110 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	237	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	156	
17	238	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	156	

Rheinfelden (Baden)

region southwest




Güterstraße
79618 Rheinfelden (Baden)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A861, B34, ca. 4 km

Total area of loading point [m²]
1040

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8 a	143	0	single	2,16	2,38	loading track 3	L	90	

Rottweil

region southwest




Bahnhofstrasse 1
78628 Rottweil
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road

Total area of loading point [m²]
3720

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig

EBA-Bescheid vom 02.12.2024 5232-520gf235-1111 #005 gem. nachträglichler Anordnung nach §17 BImSchG

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
152	200	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term		0	

Singen (Hohentwiel)

region southwest




Güterstraße
78224 Singen (Hohentwiel)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B314, ca. 7 km

Total area of loading point [m²]
4470

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
80	366	0	single	3,24	3,56	loading track 2	L	110	

Singen (Hohentwiel)

region southwest




Güterstraße
78224 Singen (Hohentwiel)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B314, ca. 7 km

Total area of loading point [m²]
1231

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
94	314	0	single	3,24	3,56	loading track 2	S	110	

Singen (Hohentwiel)

region southwest




Güterstraße
78224 Singen (Hohentwiel)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B314, ca. 7 km

Total area of loading point [m²]
1820

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
82	363	0	single	3,24	3,56	loading track 2	L	110	

Speyer Hbf

region southwest




Burgstraße
67346 Speyer
Rheinland-Pfalz

Contact
APS.SW@deutschebahn.com

Access road
A61, B9, ca. 7 km

Total area of loading point [m²]
2070

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	297	0	double sided	3,24	3,56	loading track 2 - ou - construction logistics, short-term		0	

Speyer Hbf

region southwest



Burgstraße
67346 Speyer
Rheinland-Pfalz

Contact

APS.SW@deutschebahn.com


Access road

A61, B9, ca. 7 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9a	136	0	single	3,24	3,56	loading track 2	S	0	

Storzinger

region southwest




Bahnhofstraße
72510 Storzinger
Baden-Württemberg

Contact
 APS.SW@deutschebahn.com

Access road
 A81, B462, ca. 56 km

Total area of loading point [m²]
 329

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	138	0	single	2,16	2,38	loading track 3	L	5	
6	101	0	single	2,16	2,38	loading track 3	K	5	

Storzinger

region southwest




Bahnhofstraße
72510 Storzinger
Baden-Württemberg

Contact
 APS.SW@deutschebahn.com

Access road
 A81, B462, ca. 56 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	138	0	single	2,16	2,38	loading track 3	L	5	
4	210	0	single	3,24	3,56	loading track 2	L	210	

Tübingen Hbf

region southwest



Eisenbahnstraße
72072 Tübingen
Baden-Württemberg

Contact

APS.SW@deutschebahn.com

Access road

A81, B28, ca. 20 km


Total area of loading point [m²]

2632

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
106	470	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	140	

Villingen (Schwarzw)

region southwest


78048 Villingen (Schwarzw)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A864, B33, ca. 12 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 14.04.2022 5232-52og/150-1111#012

Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	139	0	single	3,24	3,56	loading track 2	L	110	OLI (1)
14	158	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	100	

Villingen (Schwarzw)

region southwest




78048 Villingen (Schwarzw)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A864, B33, ca. 12 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Bescheid Eisenbahn-Bundesamt Bonn vom 14.04.2022 5232-52og/150-1111#012

Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13a	117	0	single	2,16	2,38	loading track 3	K	4	
14A	118	0	single	3,24	3,56	loading track 2	K, S	100	

Welschingen-Neuhausen

region southwest




Am Bahnhof
78234 Welschingen Neuhausen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B491, ca. 6 km

Total area of loading point [m²]
2350

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 21.06.2022 5232-52og/139-1111#005

Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Wasserschutzgebiet: ja
Wohnbebauung: 30 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
45	210	0	single	2,16	2,38	loading track 3	S	65	

Worms Hbf

region southwest



Bahnhofstraße 7/11
67547 Worms
Rheinland-Pfalz

Contact


APS.SW@deutschebahn.com

Access road

Total area of loading point [m²]

420

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom
07.03.2019 3354-33hug/131-1111#004
Eine Nutzung der Ladestelle zum Umschlag von
Abfällen und staubenden Schüttgütern ist in
der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	95	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	L	30	

Ansbach

region south




91522 Ansbach
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A6, B13, ca. 6 km

Total area of loading point [m²]
 1500

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
18	200	0	single	3,24	3,56	loading track 2	S	95	

Ansbach

region south


91522 Ansbach
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A6, B13, ca. 6 km

Total area of loading point [m²]
 1600

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
58	41	0	single	2,16	2,38	loading track 3		40	
19	125	0	single	3,24	3,56	loading track 2		125	

Asch-Leeder

region south


86925 Asch-Leeder
Bayern

Contact
APS.S@deutschebahn.com

Access road
A96, B17, ca. 18 km

Total area of loading point [m²]
740

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1	144	0	single	2,16	2,38	loading track 3	S	90	

Augsburg-Oberhausen

region south


Oberer Schleißweg
86156 Augsburg-Oberhausen
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A8, B17, ca. 3 km

Total area of loading point [m²]
 2277

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
32	204	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	K	3	
31	450	0	double sided	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	150	

Bad Neustadt (Saale)

region south




Siemensstrasse
97616 Bad Neustadt (Saale)
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A71, B279, ca. 7 km

Total area of loading point [m²]
 1375

Loading lane Nr.:	1 of 1
Number of loading tracks:	3
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
211	195	0	single	3,24	3,56	loading track 2	L	110	
220	178	0	single	3,24	3,56	loading track 2	L	110	
222	113	0	single	2,16	2,38	loading track 3	S	40	

Bad Reichenhall

region south


Bahnhofstr.
83435 Bad Reichenhall
Bayern

Contact
APS.S@deutschebahn.com

Access road
A8, B20, ca. 6 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
17	234	0	single	2,16	2,38	loading track 3	KS	65	

Bamberg

region south




Nürnberger Strasse
96050 Bamberg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A70, B4, ca. 4 km

Total area of loading point [m²]
5280

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
077	225	0	single	3,24	3,56	loading track 2 - ou -	L	210	ELEK (3)
078	169	0	single	3,24	3,56	construction logistics, short-term loading track 2	L, KS	160	

Bamberg

region south




Nürnberger Strasse
96050 Bamberg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A70, B4, ca. 4 km

Total area of loading point [m²]
5280

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
078	169	0	single	3,24	3,56	loading track 2	L, KS	160	

Bayreuth Hbf

region south



95444 Bayreuth Hbf
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A9, B85, ca. 4 km

Total area of loading point [m²]
 1890

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
072	244	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	K, S	91	
071	214	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	K, S	145	

Bayreuth Hbf

region south



95444 Bayreuth Hbf
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A9, B85, ca. 4 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
075	139	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	L, KS	32	
076	84	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	S	3	

Bobingen

region south




Am Wasserturm
86399 Bobingen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A8, B17, ca. 18 km

Total area of loading point [m²]
3290

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	169	0	double sided	3,24	3,56	loading track 2	L	104	

Bodenwöhr Nord

region south


92439 Bodenwöhr Nord
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B85, ca. 14 km

Total area of loading point [m²]
1160

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
306	333	0	single	3,24	3,56	loading track 2	S	150	

Bodenwöhr Nord

region south


92439 Bodenwöhr Nord
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B85, ca. 14 km

Total area of loading point [m²]
1200

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
306	333	0	single	3,24	3,56	loading track 2	S	150	

Buchloe

region south

86807 Buchloe
Bayern

Contact

APS.S@deutschebahn.com

Access road

A96, ca. 2 km


Total area of loading point [m²]

730

Loading lane Nr.: 1 of 2

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
402	208	0	single	2,16	2,38	loading track 3	S	85	ELEK (4)

Buchloe

region south


86807 Buchloe
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A96, ca. 2 km

Total area of loading point [m²]
 2327

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
402	208	0	single	2,16	2,38	loading track 3	S	85	ELEK (4)

Burgsinn

region south


97775 Burgsinn
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A66 oder A 7, ca. 33 km

Total area of loading point [m²]
 885

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
606	360	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	60	ELEK (2)

Denklingen (Schwab)

region south


.....
86920 Denklingen (Schwab)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A96, B17, ca. 18 km

Total area of loading point [m²]
440

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1	96	0	single	2,16	2,38	loading track 3	L	67	

Dillingen (Donau)

region south


89407 Dillingen (Donau)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A7, B492, ca. 27 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	88	0	single	2,16	2,38	loading track 3		3	ELEK (1)
15	150	0	single	2,16	2,38	loading track 3		35	

Donauwörth

region south




.....
86609 Donauwörth
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A9, B16, ca. 59 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	3
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
Kopfr	158	0	single	2,16	2,38	loading track 3	K	3	ELEK (1)
Ladeg	32	0	single	2,16	2,38	loading track 3	S	3	
015b	108	108	single	3,24	3,56	loading track 2	S	103	

Donauwörth

region south

86609 Donauwörth
Bayern

Contact

APS.S@deutschebahn.com


Access road

A9, B16, ca. 59 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
26d	214	0	single	3,24	3,56	loading track 2	S	140	

Ebelsbach-Eltmann

region south


97500 Ebelsbach-Eltmann
Bayern

Contact
APS.S@deutschebahn.com

Access road
A70, B26, ca. 5 km

Total area of loading point [m²]
1854

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
107	333	0	single	3,24	3,56	loading track 2	S	184	

Erlangen

region south


Hilpertstrasse
91052 Erlangen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A73

Total area of loading point [m²]
1536

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
2727	449	0	double sided	3,24	3,56	loading track 2 - ou - securing regular operation		0	

Feucht

region south


90537 Feucht
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A73 / A3 / A6 / A9, B8, ca. 2 km

Total area of loading point [m²]
 1230

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
109	141	0	single	3,24	3,56	loading track 2		109	

Furth im Wald

region south


93437 Furth im Wald
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B20, ca. 53 km

Total area of loading point [m²]
2820

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
30	218	0	single	3,24	3,56	loading track 2	L	130	
29	239	0	single	3,24	3,56	loading track 2	L	130	

Gunzenhausen

region south


91710 Gunzenhausen
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A6, B13, ca. 23 km

Total area of loading point [m²]
 1500

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
21	300	0	single	3,24	3,56	loading track 1 - ou -	L	181	ELEK (1)
22	314	0	single	4,28	4,71	securing regular operation loading track 2	L	262	

Hammelburg

region south




.....
97762 Hammelburg
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A7, B287, ca. 8 km

Total area of loading point [m²]
 1685

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Nachtschlagverbot zwischen 22:00 und 06:00 Uhr
 fuer Abfaelle sowie fuer die Be- und Entladung von staubenden Schuettguetern
 (EBA-Bescheid vom 24.07.2019 3354-33hug/184-1111#004
 Gem. nachtraeglicher Anordnung nach §17 BImSchG

Umschlagverbot fuer wassergefaehrliche Stoffe
 (Sachverstaendigengutachten
 aus 2021/2022)

Wasserschutzgebiet: nein
 Wohnbebauung: 50 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	400	0	single	3,24	3,56	loading track 2	L	200	

Hammelburg

region south




.....
97762 Hammelburg
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A7, B287, ca. 8 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Nachtschlagverbot zwischen 22:00 und 06:00 Uhr
 fuer Abfaelle sowie fuer die Be- und Entladung von staubenden Schuettguetern
 (EBA-Bescheid vom 24.07.2019 3354-33hug/184-1111#004
 Gem. nachtraeglicher Anordnung nach §17 BImSchG

Umschlagverbot fuer wassergefaehrdende Stoffe
 (Sachverstaendigengutachten
 aus 2021/2022)

Wasserschutzgebiet: nein
 Wohnbebauung: 50 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	400	0	single	3,24	3,56	loading track 2	L	200	

Hof Hbf

region south


95028 Hof Hbf
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A9, B15, ca. 4 km

Total area of loading point [m²]
 726

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
173	207	0	single	3,24	3,56	loading track 2		185	

Hof Hbf

region south


95028 Hof Hbf
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A9, B15, ca. 4 km

Total area of loading point [m²]
 2953

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
177	120	0	single	2,16	2,38	loading track 3		87	

Hof Hbf

region south


95028 Hof Hbf
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A9, B15, ca. 4 km

Total area of loading point [m²]
 1275

Loading lane Nr.:	3 of 3
Number of loading tracks:	2
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
174	167	0	single	3,24	3,56	loading track 2		140	
175	203	0	single	3,24	3,56	loading track 2		190	

Ingolstadt Hbf

region south




Elisabethstraße
85051 Ingolstadt Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B13, ca. 4 km

Total area of loading point [m²]
3733

Loading lane Nr.:	1 of 3
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
39	574	0	single	4,28	4,71	loading track 1	L	270	ELEK (1)
38	80	0	single	2,16	2,38	loading track 3	L	80	

Ingolstadt Hbf

region south




Elisabethstraße
85051 Ingolstadt Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B13, ca. 4 km

Total area of loading point [m²]
3601

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
38	80	0	single	2,16	2,38	loading track 3	L	80	

Ingolstadt Hbf

region south




Elisabethstraße
85051 Ingolstadt Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B13, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	2
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
35	113	0	single	2,16	2,38	loading track 3 - ou -	K	3	ELEK (1)
34	350	0	single	4,28	4,71	construction logistics, short-term loading track 1	S	237	

Kempton (Allgäu) Hbf

region south

.....
87435 Kempton (Allgäu) Hbf
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A7, B12, ca. 4 km

Total area of loading point [m²]
 2310

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
Kopf	107	0	single	2,16	2,38	loading track 3	K	107	

Kempton (Allgäu) Hbf

region south



....
87435 Kempton (Allgäu) Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A7, B12, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
Seite	179	0	single	2,16	2,38	loading track 3	S	79	ELEK (1)

Kronach

region south




....
96317 Kronach
Bayern

Contact
APS.S@deutschebahn.com

Access road
A73, B303, ca. 23 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	434	0	single	3,24	3,56	loading track 2	L	120	ELEK (2)

Kronach

region south



....
96317 Kronach
Bayern


Contact
APS.S@deutschebahn.com

Access road

A73, B303, ca. 23 km

Total area of loading point [m²]
2310

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
133	104	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	L	85	ELEK (1)
153	85	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	L	85	

Landshut (Bay) Hbf

region south

84032 Landshut (Bay) Hbf
Bayern

Contact

APS.S@deutschebahn.com


Access road

A92, B299, ca. 5 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	4
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
20	100	0	single	3,24	3,56	loading track 2	L	1	
19	50	0	single	2,16	2,38	loading track 3 - ou -		0	
18	60	0	single	2,16	2,38	securing regular operation		3	
17	163	0	single	2,16	2,38	loading track 3 loading track 3		90	

Landshut (Bay) Hbf

region south


.....
84032 Landshut (Bay) Hbf
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A92, B299, ca. 5 km

Total area of loading point [m²]
 1170

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	180	0	single	3,24	3,56	loading track 2	S	108	ELEK (1)

Lichtenfels

region south



96215 Lichtenfels
Bayern

Contact

APS.S@deutschebahn.com

Access road

A70, B173, ca. 20 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
125	111	0	single	3,24	3,56	loading track 2	K	110	

Lichtenfels

region south

96215 Lichtenfels
Bayern

Contact

APS.S@deutschebahn.com


Access road

A70, B173, ca. 20 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
121	148	0	single	3,24	3,56	loading track 2	L	145	ELEK (1)

Lohr Bahnhof

region south




Bahnhofsstraße
97816 Lohr Bahnhof
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B26, ca. 26 km

Total area of loading point [m²]
523

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt
Bonn vom 12.11.2018
3354-33hug/269-1111#004
Eine Nutzung der Ladestelle zum
Umschlag von Abfällen und
staubenden Schüttgütern ist in
der Zeit von 22.00 bis 06.00 Uhr
untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
98	144	0	single	3,24	3,56	loading track 2	L	101	

Lohr Bahnhof

region south



Bahnhofsstraße
97816 Lohr Bahnhof
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B26, ca. 26 km

Total area of loading point [m²]
400

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Bescheid Eisenbahn-Bundesamt
Bonn vom 12.11.2018
3354-33hug/269-1111#004
Eine Nutzung der Ladestelle zum
Umschlag von Abfaellen und
staubenden Schuetterguetern ist in
der Zeit von 22.00 bis 06.00 Uhr
untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
95	39	0	single	2,16	2,38	loading track 3	L	40	

Ludwigsstadt

region south


....
96337 Ludwigsstadt
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B90, ca. 39 km

Total area of loading point [m²]
500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	186	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	L	106	ELEK (1)

Marktrechwitz

region south

95615 Marktrechwitz
Bayern

Contact

APS.S@deutschebahn.com


Access road

A93, ca. 2 km

Total area of loading point [m²]

2387

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
134	140	0	single	2,16	2,38	loading track 3	S	17	

Marktrechwitz

region south

95615 Marktrechwitz
Bayern

Contact

APS.S@deutschebahn.com


Access road

A93, ca. 2 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
135	125	0	single	2,16	2,38	loading track 3	S	3	

Memmingen

region south

87700 Memmingen
Bayern

Contact

APS.S@deutschebahn.com


Access road

A7 / A96, B300, ca. 3 km

Total area of loading point [m²]

no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
48	269	0	single	3,24	3,56	loading track 2	L	209	

Mittenwald

region south


....
82481 Mittenwald
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A95, B2, ca. 30 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	13	0	single	2,16	2,38	loading track 3	S	77	

Moosburg

region south


Bahnhofstrasse
85368 Moosburg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A92, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
18	81	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	56	

Mühldorf (Oberbay)

region south

.....
84453 Mühldorf (Oberbay)
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A94, B12, ca. 7 km

Total area of loading point [m²]
 3597

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
411	322	0	single	3,24	3,56	loading track 2	K	150	

Mühdorf (Oberbay)

region south

84453 Mühdorf (Oberbay)
Bayern

Contact

APS.S@deutschebahn.com

Access road

A94, B12, ca. 7 km


Total area of loading point [m²]

no information

Loading lane Nr.: 2 of 2

Number of loading tracks: 1

Loading point Nr.: 2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
413	125	0	single	4,28	4,71	loading track 1	KS	35	

München-Milbertshofen

region south



80809 München-Milbertshofen
Bayern

Contact

APS.S@deutschebahn.com

Access road

A9, B13, ca. 3 km


Total area of loading point [m²]

1710

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	220	0	single	3,24	3,56	loading track 2	L	153	

München-Mittersending

region south

**81369 München-Mittersending
Bayern**

Contact

APS.S@deutschebahn.com

Access road

A9, B11, ca. 3 km


Total area of loading point [m²]

2704

Loading lane Nr.: 1 of 1

Number of loading tracks: 1

Loading point Nr.: 1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	166	0	single	3,24	3,56	loading track 2	L	212	

München-Riem

region south


Frobenstrasse
81929 München-Riem Pbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A94, ca. 1 km

Total area of loading point [m²]
2475

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	325	0	single	3,24	3,56	loading track 2	L	207	

Nabburg

region south




....
92507 Nabburg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, ca. 2 km

Total area of loading point [m²]
2415

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7a	267	0	double sided	3,24	3,56	loading track 2	K	174	

Nabburg

region south




.....
92507 Nabburg
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A93, ca. 2 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7b	75	0	single	2,16	2,38	loading track 3	L	3	

Neuenmarkt-Wirsberg

region south


....
95339 Neuenmarkt-Wirsberg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B303, ca. 9 km

Total area of loading point [m²]
2246

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
43	257	0	double sided	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	90	

Neumarkt (Oberpf)

region south


Ingolstätter Strasse
92318 Neumarkt (Oberpf)
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A3, B299a, ca. 5 km

Total area of loading point [m²]
 1730

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	166	0	single	2,16	2,38	loading track 3	L	84	
13	93	0	single	2,16	2,38	loading track 3	L	30	

Neustadt (Aisch) Bahnhof

region south




.....
91413 Neustadt (Aisch)
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A3, B470 / B 8, ca. 27 km

Total area of loading point [m²]
 3800

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
029	166	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	L	155	

Neustadt (Donau)

region south

....
93333 Neustadt (Donau)
Bayern


Contact
APS.S@deutschebahn.com

Access road

A93, B299, ca. 12 km

Total area of loading point [m²]
1406

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom
24.04.2019 3354-33hug/309-1111#004
Eine Nutzung der Ladestelle zum Umschlag von
Abfällen und staubenden Schüttgütern ist in
der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
70	274	274	single	3,24	3,56	loading track 2	L, KS	163	ELEK (2)

Neustadt (Donau)

region south

...
93333 Neustadt (Donau)
Bayern

Contact
 APS.S@deutschebahn.com


Access road

A93, B299, ca. 12 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	160	0	single	3,24	3,56	loading track 2	L	132	ELEK (1)

Nürnberg Rbf

region south




Katzwangerstrasse
90461 Nürnberg Rbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A73, B8, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 4
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
11	350	0	single	4,28	4,71	loading track 1	KS	300	OLI (1)
10	300	0	single	2,16	2,38	loading track 3		3	

Nürnberg Rbf

region south




Katzwangerstrasse
90461 Nürnberg Rbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A73, B8, ca. 2 km

Total area of loading point [m²]
3200

Loading lane Nr.:	2 of 4
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	397	0	single	4,28	4,71	loading track 1 - ou - construction logistics, long-term loading track 1	L	304	300
11	350	0	single	4,28	4,71				

Parkstein-Hütten

region south


....
92720 Parkstein-Hütten
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B470, ca. 9 km

Total area of loading point [m²]
6598

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	316	0	single	3,24	3,56	loading track 2	S	195	

Parsberg

region south

92331 Parsberg
Bayern

Contact

APS.S@deutschebahn.com


Access road

A3, ca. 3 km

Total area of loading point [m²]

3755

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	242	0	single	4,28	4,71	loading track 1	L	237	


92331 Parsberg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, ca. 3 km

Total area of loading point [m²]
1,13

Loading lane Nr.:	2 of 2
Number of loading tracks:	3
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	133	0	single	3,24	3,56	loading track 2	K	215	ELEK (1)
14	132	0	single	3,24	3,56	loading track 2	K	126	
12	159	0	single	3,24	3,56	loading track 2	L	153	

Passau Hbf

region south

....
94032 Passau Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B12, ca. 6 km

Total area of loading point [m²]
1104

Loading lane Nr.:	1 of 1
Number of loading tracks:	3
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 200 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
521	221	0	single	3,24	3,56	loading track 2		210	
523	115	0	single	2,16	2,38	loading track 1		322	
524	390	0	single	4,28	4,71	loading track 3		82	

Plattling

region south


94447 Plattling
Bayern

Contact
APS.S@deutschebahn.com

Access road
A92, B8, ca. 4 km

Total area of loading point [m²]
800

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
426	312	0	single	4,28	4,71	loading track 1	L	295	

Regen

region south

....
94209 Regen
Bayern

Contact
APS.S@deutschebahn.com


Access road

A3 / 92, B11 / 85, ca. 26 km

Total area of loading point [m²]

826

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
43	184	0	single	2,16	2,38	loading track 3	L	3	

Schirnding

region south


....
95706 Schirnding
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B303, ca. 12 km

Total area of loading point [m²]
1763

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
029	248	0	single	3,24	3,56	loading track 2	L	166	


....
86956 Schongau
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A96, B472, ca. 29 km

Total area of loading point [m²]
 1641

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	153	0	single	3,24	3,56	loading track 2	S	98	
14	116	0	single	3,24	3,56	loading track 2	S	98	

Schwandorf

region south


....
92421 Schwandorf
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A93, B85, ca. 5 km

Total area of loading point [m²]
 3300

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
53	400	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term		267	

Schwandorf

region south




.....
92421 Schwandorf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B85, ca. 5 km

Total area of loading point [m²]
780

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Bescheid Eisenbahn-Bundesamt Bonn vom 24.10.2022, 5232-52og/244-1111#006. Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettkuuetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Wasserschutzgebiet: nein
Wohnbebauung: 40 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
31	100	0	single	2,16	2,38	loading track 3	L	79	

Schwarzenfeld (Oberpf)

region south


.....
92521 Schwarzenfeld (Oberpf)
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A93, ca. 1 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	466	0	double sided	4,28	4,71	loading track 1	S	289	

Simbach (Inn)

region south




...
84359 Simbach (Inn)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A94, B12, ca. 19 km

Total area of loading point [m²]
3895

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14 La	267	0	single	3,24	3,56	loading track 2	K, S	158	
15	114	0	single	3,24	3,56	loading track 2	S	114	


...
94315 Straubing
Bayern

Contact
 APS.S@deutschebahn.com

Access road
 A3, B 20 / B8, ca. 10 km

Total area of loading point [m²]
 no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
36	181	0	single	2,16	2,38	loading track 3 - ou -	L, KS	82	
38	60	0	single	2,16	2,38	construction logistics, short-term loading track 3	K	3	

Treuchtlingen

region south


....
91757 Treuchtlingen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B2, ca. 46 km

Total area of loading point [m²]
1121

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
59	88	0	single	2,16	2,38	loading track 3	L	33	

Vilseck

region south


Bahnhofstrasse
92249 Vilseck
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B299, ca. 28 km

Total area of loading point [m²]
1050

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	218	0	single	3,24	3,56	loading track 2	L	140	

Waldershof

region south


....
95679 Waldershof
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B303, ca. 6 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4/4a	45	0	double sided	2,16	2,38	loading track 3	L	16	

Weiden (Oberpf)

region south

...
92637 Weiden (Oberpf)
Bayern

Contact
 APS.S@deutschebahn.com


Access road

A93, B470, ca. 3 km

Total area of loading point [m²]

3500

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
34	128	0	single	3,24	3,56	loading track 2		110	
36	183	0	single	3,24	3,56	loading track 2		110	

Weiden (Oberpf)

region south

...
92637 Weiden (Oberpf)
Bayern

Contact
 APS.S@deutschebahn.com


Access road

A93, B470, ca. 3 km

Total area of loading point [m²]

no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
39	68	0	single	2,16	2,38	loading track 3		41	

Wolfratshausen

region south


...
82515 Wolfratshausen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A95, B11a, ca. 4 km

Total area of loading point [m²]
623

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
42	184	0	single	3,24	3,56	loading track 2	L	106	OLI (1)

Wolnzach Markt

region south




Schloss -Straße
85283 Wolnzach Markt
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, ca. 1 km

Total area of loading point [m²]
1864

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn
vom 06.03.2019 3354-33hug/132-1111#004
Eine Nutzung der Ladestelle zum
Umschlag von Abfällen und staubenden
Schuettguetern ist in der Zeit von 22.00
bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
3	142	0	double sided	3,24	3,56	loading track 2	L	91	ELEK (1)

Würzburg Rbf

region south




**97080 Würzburg Rbf Bft Umspanngruppe
Bayern**

Contact
APS.S@deutschebahn.com

Access road
A3, B19 / B27, ca. 6 km

Total area of loading point [m²]
2645

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
220	46	0	single	2,16	2,38	loading track 3	L	69	

Imprint

DB InfraGO AG

Product- and Pricemanagement

Adam-Riese-Straße 11-13

D-60327 Frankfurt am Main

Subject to change

No responsibility accepted for the
correctness of any item of information

Last updated: 1 June 2026

www.dbinfrago.com/anlagenprodukte