DB InfraGO



Loading points

Timetable 2027

Last updated: 1 October 2026

DB InfraGO AG

Headquarters

Index

1. Introduction

2. Legend of additional facilities

3. List of loading points

1. Introduction

Rail freight transport is growing at an encouraging rate. Driven by the effects of global flows of goods, the demand for rail freight transport is rising. Yet the destinations of shipments are not al-ways accessible by rail. In such cases, transshipment from rail to road, or vice versa, offers a suitable alternative. Alongside intermodal terminals, loading points are of particular significance in this regard. DB InfraGO AG therefore offers its customers a Germany-wide network of loading points.

It currently operates around 400 loading points. The loading points operated by DB InfraGO AG ena-ble access parties to transship their goods from road to rail and vice versa. The configuration of the loading point can consist of various components depending on the local circumstances. Load-ing points are variously configured:

- End-loading platform (goods transshipped at the same level),
- Side-loading platform (goods transshipped at the same level),
- Loading lane/loading track

Loading points are augmented, where necessary, by additional facilities (e.g. power connection), lighting or access roads. How these components combine to form a loading point is presented in the detailed infrastructure description on the Network portal (search for Service Facility – Product Category Loading/Unloading) and in this brochure.

This brochure provides you with a summary, broken down by region, of the loading points we of-fer. For each loading point, there is an overview of the infrastructure and the current charges. In addition, there are sketches of each locality along with special environmental aspects affecting each loading point. The same information is contained on the Network portal (Service Facility – Detailed Infrastructure Description of Product Category Loading/Unloading).

The sketches are schematic representations and contain only an excerpt of the actual loading point. The sketches do not relieve you of your duty to obtain specific local knowledge of the ser-vice facility/loading point.

The prices given on the following pages are annual net prices with no deductions. The price per track includes the points connection, track length and overhead line (where applicable). The price does not include additional facilities (e.g. electricity supply) or incidental/consumption costs.

Detailed information on the use of loading points as well as a binding price for your specific needs can be found on the Network portal when you register your needs.

Environmental legislation for loading points

A loading point is a facility used for the loading/unloading of rail and road vehicles as well as for the transshipment of cargo between the two means of transport. The access party or rail operator must observe all the relevant statutory and administrative public-law provisions as well as all offi-cial regulations and requirements concerning the use of the particular facility.

Which environmental requirements apply in each individual case depends on the type and extent of the intended use as well as on the location and configuration of the particular loading point. For your information, the sketches in the descriptions of the loading points also contain information on environmental legislation. This relates to the location of the loading point in a water conservation area and/or to the distance of the loading point from residential areas as well as to any official re-quirements applicable in the individual case.

The following contains general information on environmental requirements in relation to the use of loading points operated by DB InfraGO AG. This in some cases gives further details of the environ-mental regulations of the terms of use for service facilities of DB InfraGO AG (Sections 3.3.4.8 and Section 7.3.1.5.2 INB).

Information on possible formal approval requirements

Depending on quantity and material parameters, goods for transshipment are of varying relevance for the environment. Uses with a particular potential for harmful environmental impacts may require a formal approval (see 4th German Federal Pollution Control Ordinance).

Loading points operated by DB InfraGO AG are generally approved for:

a) the loading/unloading of bulk materials (4th German Federal Pollution Control Ordinance, No. 9.11)
b) the transshipment of the following wastes (see also 4th German Federal Pollution Control Ordinance, No. 8.15),
   - non-hazardous wastes
   - hazardous wastes in closed containers or packages
   - hazardous wastes on the so-called positive list (see drop-down menu when registering your needs).

The approval does not cover the transshipment of liquid hazardous wastes.

Where a loading point does not have approval under pollution control legislation, this is identified with the following text in the graphical

representation in the description of the facility: "This loading point is not approved under the 4th German Federal Pollution Control Ordinance. More particularly, this loading point is not authorised for the transshipment of wastes within the meaning of No. 8.15 of the 4th German Federal Pollution Control Ordinance or for the loading/unloading of bulk materials within the meaning of No. 9.11.1 of the 4th German Federal Pollution Control Ordinance."

Where a loading point has a different or additional approval, this is also shown in the graphical representation in the description of the facility. Oil transfer stations identified as such in the list of service facilities have the approval (if required) for the transshipment of waste oil.

If intending to use the loading point for a use that requires approval, yet the required approval is not available, the access party can contact DB InfraGO AG, which will check whether and how the statutory requirements for the intended use can be met.

Information on substantive-legal environmental requirements

Irrespective of formal approval requirements, the operation and use of the loading point must also comply with the environmental regulations under public law and with any existing official requirements (substantive legality). Note the following:

Noise protection

The transshipment of goods at loading points can result in noise emissions. The generation of noise can be expected with almost all solid materials, especially timber, rocks, scrap and sleepers. Noise is also generated by the machines and transport equipment used at the facility (e.g. excavator, wheel loader, truck, etc.).

The use and operation of the facility must not result in any harmful environmental impacts. In this respect, loading points operated by DB InfraGO AG are subject to the German Federal Pollution Control Act (BImSchG) in combination with the Technical Instructions on Noise Control (TA-Lärm). These requirements must be met. Based on these regulations, there may be restrictions on when and for how long a loading point can be used, in particular if there is a residential area close to the loading point. With respect to certain loading points, the Federal Railway Authority has imposed requirements and bans on night-time transshipment operations. These must be complied with. In such cases, transshipment is not allowed between 10 pm and 6 am; the ban does not apply if it can be proved that the noise emissions from the transshipment operations are below 45 dbA. For loading points subject to such bans on noise protection grounds, the restrictions are shown in the graphical representation and in the detailed infrastructure description. The specific requirements can be requested from the competent regional Sales team.

If a noise-intensive use is envisaged, get advice ahead of time from your Sales team member or choose a loading point at a greater distance from residential areas on our Network portal.

If no alternative is available, there are additional ways to mitigate noise (e.g. reducing the drop height, transshipping the goods only by day, temporary noise protection measures).

Air pollution control

With regard to the possible generation of dust, it is necessary to comply with the German Federal Pollution Control Act (BImSchG) in combination

with the Technical Instructions on Air Pollution Control (TA Luft) and, where applicable, the 39th German Federal Pollution Control Ordinance. Especially where dust-producing goods are openly transshipped in close proximity to a residential area, dust-reducing measures may be necessary in order to meet the requirements of the Technical Instructions on Air Pollution Control. Dust-producing goods means all substances and materials capable of producing dust when in a dry state (such as sand, grain, gravel, soil and crushed stone).

If you plan to use the loading point for the transshipment of dust-producing goods, get advice from your Sales team member or choose a loading point at a greater distance from residential areas (e.g. including gardens) on our Network portal.

If no alternative is available, there are additional ways to mitigate the production of dust (e.g. sprinkling, reducing the drop height, regular cleaning of surfaces).

Water pollution control

Goods transshipped at loading points can pose a water pollution hazard. A water pollution hazard is posed by any substances, materials and mixtures, i.e. including wastes, that have the potential to cause permanent or significant detrimental changes to the water quality and which, according to the Ordinance on Installations for the Handling of Substances Hazardous to Water (AwSV), are classified as water-polluting or are generally considered to be water-polluting.

Where a loading point is used for the transshipment of water-polluting substances or materials, it is necessary to comply with the Water Resources Act (WHG) and AwSV. Users must behave in such a way that there is no risk of detrimental changes to water quality and the general rules of good practice are complied with (Section 62 WHG) during operations. Further details are provided by the extensive regulations set out in AwSV, e.g. in the event of an operational disruption (Section 24 AwSV).

The loading points operated by DB InfraGO AG do not normally meet the standards for new installations for the transshipment of liquid water-polluting substances according to the Ordinance on the Handling of Substances Hazardous to Water (AwSV). Therefore, the transshipment of liquid water-polluting substances is not allowed at the loading points operated by DB InfraGO AG (INB Section 3.3.4.8). The ban on the transshipment of water-polluting liquid substances does not include the waste oil transfer stations operated by DB InfraGO AG. If you plan to transship liquid water-polluting wastes, it will be necessary to obtain a formal approval from the Federal Railway Authority. This cannot be done until the loading point has been upgraded to meet the requirements set out in AwSV. According to Section 7.3.1.4.6 INB, the investment necessary for this purpose must be requested by the access party as a customer-requested investment.

Summary of transshipment bans and usage restrictions at loading points:

Presented below are the main transshipment bans and usage restrictions:

- Due to lack of the necessary approval, loading points must not be used for the transshipment of hazardous liquid wastes. This does not apply to oil transfer stations that are identified as such in the list of service facilities.
- Loading points may not normally be used for waste storage where an approval is required under the 4th German Federal Pollution Control Ordinance Section 8.12.
- Loading points in close proximity to residential areas may be subject to a night-time transshipment ban; loading points subject to such a ban are identified in this graphical overview and in the detailed infrastructure description when you register your needs on the APN.

The transshipment of liquid water-polluting substances is not allowed at loading sites operated by DB InfraGO AG. This does not apply to oil transfer stations that are identified as such in the list of service facilities.


Registering your Needs and Using Loading Points

Register your needs for the use of a loading point on the Network portal (APN). When registering for the product category Loading/Unloading, you will see under each service facility the same information on the loading point as in this brochure.


When registering, you will be asked for the cargo type, transshipment method and, where applicable, waste code number as per the Ordinance on the List of Wastes. Where hazardous wastes are openly transshipped, select the code number for the Ordinance on the List of Wastes from the drop-down menu on the APN.

Before using a loading point, get information on the locality and operational conditions at the loading point (Section 7.3.1.2.6 INB). Make a record of any contamination, damage, etc. and inform the regional Sales team (Section 7.3.1.2.1.2 c INB). After using the loading point, either clean up any contamination yourself or get DB Track Services to do it (Section 7.3.1.2.1.2 c INB). Please note the described official instructions that apply to the loading point. If you have any questions on environmental legislation in connection with our loading points and their use for transshipment, our environmental protection officers will be pleased to help you with their expertise.

Examples of the graphical representation of a loading point with formal and substantive information on use of the loading point







Information on the cleaning up of loading lanes – Section 7.3.1.2.1.2 c INB

The operational readiness of a loading lane is dependent mainly on how it is used. For example, contamination caused by transshipment operations from road to rail or vice versa can affect the operational and traffic safety of the loading lane and loading track. This is then bound to have an impact on the next use/user if the technical or operational availability of loading lane or loading track has been impaired by previous loading activities.

Special attention must be paid to the loading of timber, since such loading operations routinely lead to heavy contamination of loading lane and loading track. To guarantee the safety and operational readiness of loading lane and loading track, a clean-up is required

starting from a certain level of contamination. Depending on the surface of the particular loading lane, starting from an average, extensive layer of waste of the below-stated depths, a clean-up must either be carried out by the user (rail operator, access party) themselves or contracted out to DB Track Services. The depth of waste can be determined by DB Fahrwegdienste GmbH (DB Track Services) or by Facility Management at DB InfraGO AG, especially in the case of frequent or long-term use. Upon the below-stated average depths of waste being reached, DB InfraGO AG will request the user either to contract out the clean-up or to carry it out themselves:

Surface	Clean-up required from depth of waste
Asphalt, concrete or similar	3 cm
Cobbles	5 cm
Unpaved gravel, wet mix aggregate or similar	6 cm

To help tenants meet their obligations under Sections 7.3.1.2.1.2 c and 7.3.1.4.1.4 of the terms of use for service facilities so that the loading lane/loading track is handed over in a tidy state after use, DB Fahrwegdienst GmbH offers users the following services for the clean-up of loading lanes:

Service:

- Basic clean-up: Average 2-4 days per loading lane, but can be more due to the level of contamination
- Standard clean-up: Average 1-2 days per loading lane
- Operationally safe clean-up of loading track (closure)
- Provision of safety supervisor
- Clean-up of loading lane
- Separation of wastes depending on extent (high, medium, none)
- Taking-away and proper disposal of wastes
- Weighing and disposal certificates

Costs (all prices plus VAT):

1. Basic flat rate (safety supervisor, wheel loader, truck, staff)	1940 to 2800 €/day*
2. Disposal costs	€/m³ or €/t**
2.1 Bark waste with high earth and stone content as well as other wastes	€/m³ or €/t**
2.2. Bark waste with low earth and stone content	€/m³ or €/t**
2.3. Bark waste with timber	€/m³ or €/t**

* The guide prices differ due to regional/local differences in conditions.
** Billed based on weighing certificate.

The following contacts are available at DB Fahrwegdienste GmbH:

First name, surname	Region	E-mail	Telephone
Nikolai Pille	North	Nikolai.Pille@deutschebahn.com	+495112863546
Sascha Krautz	East	Sascha.Krautz@deutschebahn.com	+493029725923
Steve Lindner	Southeast	Steve.Lindner@deutschebahn.com	+493419686083
Thorsten Kohlmann	West	Thorsten.Kohlmann@deutschebahn.com	+4920330173853
Rudolf Meuth	Central	Rudolf.Meuth@deutschebahn.com	+49926514064
Pavel Trestianu	Southwest	Pavel.Trestianu@deutschebahn.com	+4916097400444
Johannes Wenninger	South	Johannes.Wenninger@deutschebahn.com	+4989130823813

Where the clean-up is carried out by DB Fahrwegdienste GmbH, the services will be billed by DB Fahrwegdienste. Where, prior to clean-up, the loading lane was used by two or more tenants (rail operators, access parties), the costs will be apportioned to the tenants in the ratio of their respective periods of use and billed proportionately by DB Fahrwegdienste GmbH.

Where there is no or insufficient clean-up of the loading lane/loading platform by the tenant, DB InfraGO AG will, as per Sections 7.3.1.2.1.2 c and 7.3.1.4.1.4 of the terms of use for service facilities, contract out the clean-up of the loading lane and disposal of the wastes, as offered above, at the tenant's expense.

2. Legend of additional facilities

Abbreviation	Description
BPG	stationary brake testing
DKLS	system compressed air unit
DKLSS	compressed air unit, 230 V
ELEK	shore power supply
ELS	smart shore power supply
INRA	interior cleaning facility
WVS/WVD	weighbridge
WAFS	water filling facility
WCEA	toilet effluent disposal unit
ESTH	ancilla
DRSH	turntable
MEDI	media locker
OLI	oil transfer facility
ZV50	electric train preheating system 50 Hz
ZV16	electric train preheating system 16 2/3 Hz
BESA	sand filling system
BUEH	work and cleaning stage
TAM	containment sump / cushion system
TAW	containment sump
KOMB	combined module of waterfilling and disposal facility

The value in brackets indicates the number of peripheral facilities available on the track.

3. List of loading points

Region: east, operating location: Angermünde - WA, loading point Nr. 1 of 1, track no. 151, 152 33
Region: east, operating location: Beeskow - BBES, loading point Nr. 1 of 1, track no. 10, 8 34
Region: east, operating location: Bergen auf Rügen - WBG, loading point Nr. 1 of 1, track no. 10 35
Region: east, operating location: Berlin Nordost - BNO, loading point Nr. 1 of 1, track no. 243, 244 36
Region: east, operating location: Berlin-Grünau - BGA, loading point Nr. 1 of 1, track no. 107L 37
Region: east, operating location: Birkenwerder (b Berlin) - BBI, loading point Nr. 1 of 1, track no. 19 38
Region: east, operating location: Brahlstorf - WBRH, loading point Nr. 1 of 1, track no. 5705, 5707 39
Region: east, operating location: Brück (Mark) - BBRK, loading point Nr. 1 of 1, track no. 5 40
Region: east, operating location: Bützow - WB, loading point Nr. 1 of 1, track no. 53, 55 41
Region: east, operating location: Eberswalde Hbf - WE, loading point Nr. 1 of 3, track no. 124 42
Region: east, operating location: Eberswalde Hbf - WE, loading point Nr. 2 of 3, track no. 131 43
Region: east, operating location: Eberswalde Hbf - WE, loading point Nr. 3 of 3, track no. 236 44
Region: east, operating location: Forst (Lausitz) - BFO, loading point Nr. 1 of 1, track no. 19 45
Region: east, operating location: Frankfurt (Oder) Pbf - BFP, loading point Nr. 1 of 1, track no. 197E 46
Region: east, operating location: Fürstenwalde (Spree) - BFUW, loading point Nr. 1 of 2, track no. 19, 20 47
Region: east, operating location: Fürstenwalde (Spree) - BFUW, loading point Nr. 2 of 2, track no. 21, 22 48
Region: east, operating location: Glöwen - WGF, loading point Nr. 1 of 1, track no. 8, 8a 49
Region: east, operating location: Gransee - WGRA, loading point Nr. 1 of 1, track no. 5 50

Region: east, operating location: Hennigsdorf (b Berlin) - BHND, loading point Nr. 1 of 1, track no. 14 51
Region: east, operating location: Kleeth - WKLE, loading point Nr. 1 of 1, track no. 5 52
Region: east, operating location: Laage (Meckl) - WLA, loading point Nr. 1 of 1, track no. 16 53
Region: east, operating location: Nauen - BNAU, loading point Nr. 1 of 1, track no. 54 54
Region: east, operating location: Neubrandenburg - WN, loading point Nr. 1 of 1, track no. 218 55
Region: east, operating location: Oranienburg - BOR, loading point Nr. 1 of 1, track no. 39, 43 56
Region: east, operating location: Parchim - WPM, loading point Nr. 1 of 1, track no. 13 57
Region: east, operating location: Potsdam-Rehbrücke - BRC, loading point Nr. 1 of 1, track no. 975 58
Region: east, operating location: Prenzlau - WPL, loading point Nr. 1 of 1, track no. 25 59
Region: east, operating location: Pritzier - WPRZ, loading point Nr. 1 of 1, track no. 7 60
Region: east, operating location: Rostock Seehafen - WRS, loading point Nr. 1 of 1, track no. 148 61
Region: east, operating location: Schwedt (Oder) - WSC, loading point Nr. 1 of 1, track no. 9 62
Region: east, operating location: Seddin Süd - BSS, loading point Nr. 1 of 1, track no. 589 63
Region: east, operating location: Stralsund Hbf - WSR, loading point Nr. 1 of 1, track no. 16 64
Region: east, operating location: Templin - WT, loading point Nr. 1 of 1, track no. 14, 15 65
Region: east, operating location: Torgelow - WTO, loading point Nr. 1 of 1, track no. 7, 8 66
Region: east, operating location: Velgast - WV, loading point Nr. 1 of 1, track no. 9 67
Region: east, operating location: Waren (Müritz) - WWR, loading point Nr. 1 of 1, track no. 32, 33 68
Region: east, operating location: Wittstock (Dosse) - WWK, loading point Nr. 1 of 1, track no. 26, 27 69

Region: north, operating location: Alfeld (Leine) - HALF, loading point Nr. 1 of 1, track no. 15 70
Region: north, operating location: Bad Fallingbostel - HFAL, loading point Nr. 1 of 1, track no. 5 71
Region: north, operating location: Bad Segeberg - ASB, loading point Nr. 1 of 1, track no. 6 72
Region: north, operating location: Braunschweig Rbf - HBSR, loading point Nr. 1 of 1, track no. 386, 387, 389, 390 73
Region: north, operating location: Braunschweig Rbf - HBSR, loading point Nr. 2 of 2, track no. 384A 74
Region: north, operating location: Bremen-Sebaldsbrück - HBSB, loading point Nr. 1 of 1, track no. 4, 5, 6 75
Region: north, operating location: Brunsbüttel - ABK, loading point Nr. 1 of 1, track no. 9 76
Region: north, operating location: Dollbergen - HDOG, loading point Nr. 1 of 1, track no. 706 77
Region: north, operating location: Fallersleben - HF, loading point Nr. 1 of 1, track no. 350 78
Region: north, operating location: Hameln - HHM, loading point Nr. 1 of 1, track no. 114, 115, 116 79
Region: north, operating location: Hannover-Linden - HLI, loading point Nr. 1 of 1, track no. 265 80
Region: north, operating location: Hildesheim Hbf - HHI, loading point Nr. 1 of 1, track no. 51 81
Region: north, operating location: Holzminden - HHZM, loading point Nr. 1 of 1, track no. 17, 17A 82
Region: north, operating location: Jübek - AJ, loading point Nr. 1 of 1, track no. 704 83
Region: north, operating location: Kreiensen - HK, loading point Nr. 1 of 1, track no. 92 84
Region: north, operating location: Maschen Rbf - AM, loading point Nr. 1 of 1, track no. 1810, 1811 85
Region: north, operating location: Münchehof (Harz) - HMHZ, loading point Nr. 1 of 1, track no. 11 86
Region: north, operating location: Niebüll - ANB, loading point Nr. 1 of 1, track no. 15, 17 87
Region: north, operating location: Northeim (Han) - HN, loading point Nr. 1 of 1, track no. 200 88

Region: north, operating location: Oker - HOK, loading point Nr. 1 of 2, track no. 13, 15 89
Region: north, operating location: Oker - HOK, loading point Nr. 2 of 2, track no. 15 90
Region: north, operating location: Oldenburg (Holst) - AOL, loading point Nr. 1 of 1, track no. 3, 4 91
Region: north, operating location: Oldenburg (Oldb) Hbf - HOLD, loading point Nr. 1 of 1, track no. 85 92
Region: north, operating location: Osnabrück Hbf - HO, loading point Nr. 1 of 1, track no. 425 93
Region: north, operating location: Springe - HSPR, loading point Nr. 1 of 1, track no. 104 94
Region: north, operating location: Stade - AST, loading point Nr. 1 of 2, track no. 13 95
Region: north, operating location: Stade - AST, loading point Nr. 2 of 2, track no. 30 96
Region: north, operating location: Wunstorf - HWUN, loading point Nr. 1 of 1, track no. 25, 26 97
Region: west, operating location: Brackwede - EBWE, loading point Nr. 1 of 1, track no. 34A 98
Region: west, operating location: Dülmen - EDUL, loading point Nr. 1 of 2, track no. 7 99
Region: west, operating location: Dülmen - EDUL, loading point Nr. 2 of 2, track no. 25 100
Region: west, operating location: Erndtebrück - EEK, loading point Nr. 1 of 1, track no. 13 101
Region: west, operating location: Euskirchen - KEU, loading point Nr. 1 of 1, track no. 20, 21, 22, 23 102
Region: west, operating location: Gütersloh Hbf - EGLO, loading point Nr. 1 of 1, track no. 215, 217 103
Region: west, operating location: Hagen Gbf - EHGG, loading point Nr. 1 of 2, track no. 146 104
Region: west, operating location: Hagen Gbf - EHGG, loading point Nr. 2 of 2, track no. 127, 137 105
Region: west, operating location: Hagen-Vorhalle - EHGV, loading point Nr. 1 of 1, track no. 1023 106
Region: west, operating location: Herford - EHFD, loading point Nr. 1 of 1, track no. 53, 59 107

Region: west, operating location: Iserlohn-Letmathe - ELE, loading point Nr. 1 of 2, track no. 115, 116 108
Region: west, operating location: Iserlohn-Letmathe - ELE, loading point Nr. 2 of 2, track no. 115 109
Region: west, operating location: Köln Eifeltor - KKE, loading point Nr. 1 of 1, track no. 154, 155 110
Region: west, operating location: Lennestadt-Grevenbrück - EGVB, loading point Nr. 1 of 1, track no. 6 111
Region: west, operating location: Paderborn Hbf - EPD, loading point Nr. 1 of 1, track no. 574 112
Region: west, operating location: Remscheid-Lüttringhausen - KRLU, loading point Nr. 1 of 1, track no. 5 113
Region: west, operating location: Schwerte (Ruhr) - ESRT, loading point Nr. 1 of 1, track no. 85 114
Region: west, operating location: Sennelager - ESEL, loading point Nr. 2 of 2, track no. 14, 15, 16 115
Region: west, operating location: Unna - EUN, loading point Nr. 1 of 1, track no. 10 116
Region: west, operating location: Wanne-Eickel Hbf - EWAN, loading point Nr. 1 of 1, track no. 35A 117
Region: southeast, operating location: Arnstadt Hbf - UA, loading point Nr. 1 of 1, track no. 22, 23 118
Region: southeast, operating location: Bad Salzungen - USZ, loading point Nr. 1 of 1, track no. 21 119
Region: southeast, operating location: Bautzen - DBZ, loading point Nr. 1 of 3, track no. 46 120
Region: southeast, operating location: Bautzen - DBZ, loading point Nr. 2 of 3, track no. 40 121
Region: southeast, operating location: Bautzen - DBZ, loading point Nr. 3 of 3, track no. 31 122
Region: southeast, operating location: Bischofswerda - DBW, loading point Nr. 1 of 1, track no. 15 123
Region: southeast, operating location: Blankenburg (Harz) - LBK, loading point Nr. 1 of 2, track no. 6 124
Region: southeast, operating location: Blankenburg (Harz) - LBK, loading point Nr. 2 of 2, track no. 18, 19 125
Region: southeast, operating location: Brandenburg Hbf - LB, loading point Nr. 1 of 1, track no. 33, 34 126

Region: southeast, operating location: Dessau Hbf - LD, loading point Nr. 1 of 3, track no. 63 127
Region: southeast, operating location: Dessau Hbf - LD, loading point Nr. 2 of 3, track no. 64 128
Region: southeast, operating location: Dessau Hbf - LD, loading point Nr. 3 of 3, track no. 65 129
Region: southeast, operating location: Dresden-Friedrichstadt - DF, loading point Nr. 1 of 3, track no. 478, 479 130
Region: southeast, operating location: Dresden-Friedrichstadt - DF, loading point Nr. 2 of 3, track no. 476, 477 131
Region: southeast, operating location: Dresden-Friedrichstadt - DF, loading point Nr. 3 of 3, track no. 470 132
Region: southeast, operating location: Eilenburg - LEG, loading point Nr. 1 of 1, track no. 34 133
Region: southeast, operating location: Eisenach - UEI, loading point Nr. 1 of 1, track no. 055, 056 134
Region: southeast, operating location: Erfurt Gbf - UE G, loading point Nr. 1 of 2, track no. 165, 167 135
Region: southeast, operating location: Falkenberg (Elster) - LF, loading point Nr. 1 of 1, track no. 42N, 70A 136
Region: southeast, operating location: Fermerswalde - LFMW, loading point Nr. 1 of 1, track no. 5 137
Region: southeast, operating location: Freiberg (Sachs) - DFR, loading point Nr. 1 of 3, track no. 27 138
Region: southeast, operating location: Freiberg (Sachs) - DFR, loading point Nr. 2 of 3, track no. 37 139
Region: southeast, operating location: Freital-Hainsberg - DHG, loading point Nr. 1 of 1, track no. 34 140
Region: southeast, operating location: Gardelegen - LGA, loading point Nr. 1 of 1, track no. 1807 141
Region: southeast, operating location: Gera Hbf - UG, loading point Nr. 1 of 2, track no. 75, 78 142
Region: southeast, operating location: Grünstädtel - DGS, loading point Nr. 1 of 1, track no. 1 143
Region: southeast, operating location: Haldensleben - LHL, loading point Nr. 1 of 1, track no. 10 144
Region: southeast, operating location: Heimboldshausen - FHBH, loading point Nr. 1 of 1, track no. 7 145

Region: southeast, operating location: Horka Gbf - BHG, loading point Nr. 1 of 1, track no. 1 146
Region: southeast, operating location: Hosena - BHC, loading point Nr. 1 of 1, track no. 12 147
Region: southeast, operating location: Immelborn - UIM, loading point Nr. 1 of 1, track no. 5 148
Region: southeast, operating location: Könnern - LKO, loading point Nr. 1 of 2, track no. 8 149
Region: southeast, operating location: Leinefelde - UL, loading point Nr. 1 of 1, track no. 217 150
Region: southeast, operating location: Leipzig-Engelsdorf - LE, loading point Nr. 1 of 1, track no. 132, 133 151
Region: southeast, operating location: Löbau (Sachs) - DL, loading point Nr. 1 of 1, track no. 56 152
Region: southeast, operating location: Lobenstein (Thür) - ULB, loading point Nr. 1 of 1, track no. 11 153
Region: southeast, operating location: Marienberg (Sachs) - DMG, loading point Nr. 2 of 2, track no. 6, 7 154
Region: southeast, operating location: Merseburg Gbf - LMG G, loading point Nr. 1 of 2, track no. 740, 741 155
Region: southeast, operating location: Neumark (Sachs) - DNM, loading point Nr. 1 of 1, track no. 9 156
Region: southeast, operating location: Niemberg - LNM, loading point Nr. 1 of 1, track no. 4 157
Region: southeast, operating location: Niesky - BNY, loading point Nr. 1 of 1, track no. 23 158
Region: southeast, operating location: Nordhausen - UN, loading point Nr. 1 of 3, track no. 28N 159
Region: southeast, operating location: Nordhausen - UN, loading point Nr. 2 of 3, track no. 29N 160
Region: southeast, operating location: Nordhausen - UN, loading point Nr. 3 of 3, track no. 30N, 31N 161
Region: southeast, operating location: Oelsnitz (Vogtl) - DOV, loading point Nr. 1 of 2, track no. 9 162
Region: southeast, operating location: Oelsnitz (Vogtl) - DOV, loading point Nr. 2 of 2, track no. 6 163
Region: southeast, operating location: Oschatz - DOT, loading point Nr. 1 of 1, track no. 9 164

Region: southeast, operating location: Plauen (Vogtl) ob Bf - DP, loading point Nr. 1 of 2, track no. 28, 29 165
Region: southeast, operating location: Plauen (Vogtl) ob Bf - DP, loading point Nr. 2 of 2, track no. 28 166
Region: southeast, operating location: Plauen (Vogtl) unt Bf - DPU, loading point Nr. 1 of 1, track no. 6T1 167
Region: southeast, operating location: Pockau-Lengefeld - DPF, loading point Nr. 1 of 1, track no. 5 168
Region: southeast, operating location: Radeberg - DRAG, loading point Nr. 1 of 1, track no. 14, 15 169
Region: southeast, operating location: Ruhland - BRU, loading point Nr. 1 of 1, track no. 43 170
Region: southeast, operating location: Saalfeld (Saale) - US, loading point Nr. 1 of 3, track no. 75, 76 171
Region: southeast, operating location: Saalfeld (Saale) - US, loading point Nr. 2 of 3, track no. 42 172
Region: southeast, operating location: Saalfeld (Saale) - US, loading point Nr. 3 of 3, track no. 72A, 73 173
Region: southeast, operating location: Schkeuditz Luftfrachtumschlagbahnhof - LSD L, loading point Nr. 1 of 1, track no. 24 174
Region: southeast, operating location: Schmalkalden - USM, loading point Nr. 1 of 1, track no. 6s 175
Region: southeast, operating location: Schönhauser Damm - LSM, loading point Nr. 1 of 1, track no. 1109, 1110 176
Region: southeast, operating location: Senftenberg - BSN, loading point Nr. 1 of 2, track no. 156, 157 177
Region: southeast, operating location: Senftenberg - BSN, loading point Nr. 2 of 2, track no. 158 178
Region: southeast, operating location: Sondershausen - USH, loading point Nr. 1 of 1, track no. 15, 16, 17 179
Region: southeast, operating location: Staßfurt - LSF, loading point Nr. 1 of 1, track no. 9 180
Region: southeast, operating location: Stendal Hauptbahnhof - LS, loading point Nr. 1 of 1, track no. 333 181
Region: southeast, operating location: Straßgräbchen-Bernsdorf (Oberlausitz) - DSTR, loading point Nr. 1 of 1, track no. 8 182

Region: southeast, operating location: Teuchern - UTEU, loading point Nr. 1 of 1, track no. 12 183
Region: southeast, operating location: Themar - UTH, loading point Nr. 1 of 2, track no. 7 184
Region: southeast, operating location: Torgau - LTG, loading point Nr. 1 of 2, track no. 10 185
Region: southeast, operating location: Torgau - LTG, loading point Nr. 2 of 2, track no. 7, 8 186
Region: southeast, operating location: Walldorf (Werra) - UWD, loading point Nr. 1 of 2, track no. 5 187
Region: southeast, operating location: Walldorf (Werra) - UWD, loading point Nr. 2 of 2, track no. 5 188
Region: southeast, operating location: Zeitz - LZ, loading point Nr. 1 of 1, track no. 81 189
Region: southeast, operating location: Zwickau (Sachs) Hbf - DZW, loading point Nr. 1 of 4, track no. N26, N27 190
Region: southeast, operating location: Zwickau (Sachs) Hbf - DZW, loading point Nr. 2 of 4, track no. 134 191
Region: southeast, operating location: Zwickau (Sachs) Hbf - DZW, loading point Nr. 3 of 4, track no. 137, 140 192
Region: southeast, operating location: Zwickau (Sachs) Hbf - DZW, loading point Nr. 4 of 4, track no. 151 193
Region: centre, operating location: Andernach - KAND, loading point Nr. 1 of 2, track no. 23 194
Region: centre, operating location: Andernach - KAND, loading point Nr. 2 of 2, track no. 16 195
Region: centre, operating location: Aschaffenburg Hbf - NAH, loading point Nr. 1 of 1, track no. 15L 196
Region: centre, operating location: Battenberg - FBTG, loading point Nr. 1 of 1, track no. 4 197
Region: centre, operating location: Darmstadt Hbf - FD, loading point Nr. 1 of 2, track no. 308, 309, 311 198
Region: centre, operating location: Darmstadt Hbf - FD, loading point Nr. 2 of 2, track no. 303, 304, 305, 306, 307 199
Region: centre, operating location: Dillenburg - FDIL, loading point Nr. 1 of 2, track no. 26 200
Region: centre, operating location: Ehrang - SEG, loading point Nr. 1 of 3, track no. 59, 61 201

Region: centre, operating location: Ehrang - SEG, loading point Nr. 2 of 3, track no. 63 202
Region: centre, operating location: Ehrang - SEG, loading point Nr. 3 of 3, track no. 60 203
Region: centre, operating location: Frankenberg (Eder) - FFRK, loading point Nr. 1 of 1, track no. 12 204
Region: centre, operating location: Frankfurt (Main) Ost - FFO, loading point Nr. 1 of 1, track no. 257 205
Region: centre, operating location: Frankfurt-Höchst - FHOE, loading point Nr. 1 of 2, track no. 241 206
Region: centre, operating location: Frankfurt-Höchst - FHOE, loading point Nr. 2 of 2, track no. 250 207
Region: centre, operating location: Friedberg (Hess) - FFG, loading point Nr. 1 of 2, track no. 85 208
Region: centre, operating location: Friedberg (Hess) - FFG, loading point Nr. 2 of 2, track no. 101 209
Region: centre, operating location: Fulda - FFU, loading point Nr. 1 of 2, track no. 227 210
Region: centre, operating location: Fulda - FFU, loading point Nr. 2 of 2, track no. 226, 227 211
Region: centre, operating location: Gießen - FG, loading point Nr. 2 of 2, track no. 81 212
Region: centre, operating location: Goldhausen - FGDH, loading point Nr. 1 of 1, track no. 5 213
Region: centre, operating location: Groß-Gerau-Dornberg - FDG, loading point Nr. 1 of 1, track no. 37, 8, 9, 9 A 214
Region: centre, operating location: Hanau Hbf - FH, loading point Nr. 1 of 1, track no. 302 215
Region: centre, operating location: Kassel-Bettenhausen - FKBH, loading point Nr. 1 of 1, track no. 15, 16 216
Region: centre, operating location: Kirchhain (Bz Kassel) - FKIH, loading point Nr. 1 of 1, track no. 819 217
Region: centre, operating location: Limburg (Lahn) - FL, loading point Nr. 2 of 2, track no. 029 218
Region: centre, operating location: Löhnberg - FLOE, loading point Nr. 1 of 1, track no. 4 219
Region: centre, operating location: Meudt (Westerw) - FMEU, loading point Nr. 1 of 1, track no. 4 220

Region: centre, operating location: Miltenberg - NM, loading point Nr. 1 of 1, track no. 10 221
Region: centre, operating location: Montabaur (Regio) - FMTN, loading point Nr. 1 of 1, track no. 112 222
Region: centre, operating location: Neuwied - KNE, loading point Nr. 1 of 1, track no. 011, 086 223
Region: centre, operating location: Niederjossa - FNIJ, loading point Nr. 1 of 2, track no. 5 224
Region: centre, operating location: Niederjossa - FNIJ, loading point Nr. 2 of 2, track no. 5 225
Region: centre, operating location: Obernburg-Elsenfeld - NOE, loading point Nr. 1 of 1, track no. 4 226
Region: centre, operating location: Siershahn - KSIH, loading point Nr. 1 of 2, track no. 17 227
Region: centre, operating location: Siershahn - KSIH, loading point Nr. 2 of 2, track no. 20 228
Region: centre, operating location: Sontra - FSON, loading point Nr. 1 of 1, track no. 805 229
Region: centre, operating location: Steinefrenz - FSFZ, loading point Nr. 1 of 2, track no. 8 230
Region: centre, operating location: Steinefrenz - FSFZ, loading point Nr. 2 of 2, track no. 8 231
Region: centre, operating location: Treysa - FTS, loading point Nr. 1 of 1, track no. 30 232
Region: centre, operating location: Wabern (Bz Kassel) - FWAB, loading point Nr. 1 of 2, track no. 16 233
Region: centre, operating location: Wabern (Bz Kassel) - FWAB, loading point Nr. 2 of 2, track no. 32 234
Region: centre, operating location: Wallmerod (Westerw) - FWMD, loading point Nr. 1 of 1, track no. 3 235
Region: centre, operating location: Wiesbaden Ost - FWO, loading point Nr. 1 of 1, track no. 570 236
Region: southwest, operating location: Aalen Hbf - TA, loading point Nr. 1 of 1, track no. 211 237
Region: southwest, operating location: Albbruck - RAL, loading point Nr. 1 of 1, track no. 7 238
Region: southwest, operating location: Bad Friedrichshall Hbf - TBF, loading point Nr. 1 of 2, track no. 116 239

Region: southwest, operating location: Bad Friedrichshall Hbf - TBF, loading point Nr. 2 of 2, track no. 15 240
Region: southwest, operating location: Biberach (Riß) - TBI, loading point Nr. 1 of 1, track no. 105 241
Region: southwest, operating location: Breisach - RBRS, loading point Nr. 1 of 1, track no. 7 242
Region: southwest, operating location: Bruchsal - RBR, loading point Nr. 1 of 1, track no. 64, 65 243
Region: southwest, operating location: Crailsheim - TC, loading point Nr. 1 of 2, track no. 27, 28 244
Region: southwest, operating location: Crailsheim - TC, loading point Nr. 2 of 2, track no. 25 245
Region: southwest, operating location: Donaueschingen - RDO, loading point Nr. 1 of 1, track no. 16 246
Region: southwest, operating location: Ehingen (Donau) - TEH, loading point Nr. 1 of 1, track no. 9 247
Region: southwest, operating location: Einsiedlerhof - SEF, loading point Nr. 1 of 1, track no. 18 L 248
Region: southwest, operating location: Fichtenberg - TFI, loading point Nr. 1 of 1, track no. 4 249
Region: southwest, operating location: Gaildorf West - TGAW, loading point Nr. 1 of 1, track no. 506 250
Region: southwest, operating location: Giengen (Brenz) - TGB, loading point Nr. 1 of 2, track no. 687 251
Region: southwest, operating location: Giengen (Brenz) - TGB, loading point Nr. 2 of 2, track no. 686 252
Region: southwest, operating location: Hausach - RHA, loading point Nr. 1 of 1, track no. 13, 14 253
Region: southwest, operating location: Heilbronn Gbf - TH G, loading point Nr. 1 of 1, track no. 441 254
Region: southwest, operating location: Heilbronn Hbf - TH, loading point Nr. 1 of 1, track no. 514 255
Region: southwest, operating location: Immendingen - RIM, loading point Nr. 1 of 1, track no. 12 256
Region: southwest, operating location: Karlsruhe Gbf - RKR, loading point Nr. 1 of 1, track no. 682, 683 257
Region: southwest, operating location: Kehl - RKL, loading point Nr. 1 of 1, track no. 60, 73 258

Region: southwest, operating location: Kornwestheim Rbf - TK, loading point Nr. 1 of 3, track no. 40 259
Region: southwest, operating location: Kornwestheim Rbf - TK, loading point Nr. 2 of 3, track no. 041 260
Region: southwest, operating location: Kornwestheim Rbf - TK, loading point Nr. 3 of 3, track no. 049 261
Region: southwest, operating location: Lahr (Schwarzw) - RLSW, loading point Nr. 1 of 1, track no. 615 262
Region: southwest, operating location: Landau (Pfalz) Hbf - RLA, loading point Nr. 1 of 1, track no. 104 263
Region: southwest, operating location: Lauchringen - RLAU, loading point Nr. 1 of 1, track no. 9 A 264
Region: southwest, operating location: Lörrach Hbf - RLR, loading point Nr. 1 of 1, track no. 11 265
Region: southwest, operating location: Mengen - TMG, loading point Nr. 1 of 1, track no. 15 266
Region: southwest, operating location: Merzig (Saar) - SMZG, loading point Nr. 1 of 1, track no. 30A 267
Region: southwest, operating location: Murg (Baden) - RMRG, loading point Nr. 1 of 1, track no. 5 268
Region: southwest, operating location: Nagold - TNA, loading point Nr. 1 of 1, track no. 9 269
Region: southwest, operating location: Neuenburg (Baden) - RNBG, loading point Nr. 1 of 1, track no. 12, 3 270
Region: southwest, operating location: Neunkirchen (Saar) Hbf - SNK, loading point Nr. 1 of 1, track no. 86 271
Region: southwest, operating location: Neustadt (Weinstr) Hbf - RN, loading point Nr. 1 of 1, track no. 47 272
Region: southwest, operating location: Niederbiegen - TNB, loading point Nr. 1 of 1, track no. 6, 7 273
Region: southwest, operating location: Offenburg Gbf - ROG, loading point Nr. 1 of 1, track no. 67 274
Region: southwest, operating location: Pforzheim Hbf - TPH, loading point Nr. 1 of 1, track no. 252 275
Region: southwest, operating location: Plochingen - TP, loading point Nr. 1 of 1, track no. 726 276
Region: southwest, operating location: Rastatt - RRA, loading point Nr. 1 of 1, track no. 15, 17 277

Region: southwest, operating location: Rheinfelden (Baden) - RRH, loading point Nr. 1 of 1, track no. 8 a 278
Region: southwest, operating location: Rottweil - TR, loading point Nr. 1 of 1, track no. 152 279
Region: southwest, operating location: Singen (Hohentwiel) - RSI, loading point Nr. 1 of 3, track no. 80 280
Region: southwest, operating location: Singen (Hohentwiel) - RSI, loading point Nr. 2 of 3, track no. 94 281
Region: southwest, operating location: Singen (Hohentwiel) - RSI, loading point Nr. 3 of 3, track no. 82 282
Region: southwest, operating location: Speyer Hbf - RSP, loading point Nr. 1 of 1, track no. 9 283
Region: southwest, operating location: Speyer Hbf - RSP, loading point Nr. 2 of 2, track no. 9a 284
Region: southwest, operating location: Storzingen - TSGZ, loading point Nr. 1 of 2, track no. 5, 6 285
Region: southwest, operating location: Storzingen - TSGZ, loading point Nr. 2 of 2, track no. 4, 5 286
Region: southwest, operating location: Tübingen Hbf - TT, loading point Nr. 1 of 1, track no. 106 287
Region: southwest, operating location: Villingen (Schwarzw) - RVL, loading point Nr. 1 of 2, track no. 13, 14 288
Region: southwest, operating location: Villingen (Schwarzw) - RVL, loading point Nr. 2 of 2, track no. 13a, 14A 289
Region: southwest, operating location: Welschingen-Neuhausen - RWEL, loading point Nr. 1 of 1, track no. 45 290
Region: southwest, operating location: Worms Hbf - FWOR, loading point Nr. 1 of 1, track no. 19 291
Region: south, operating location: Ansbach - NAN, loading point Nr. 1 of 2, track no. 18 292
Region: south, operating location: Ansbach - NAN, loading point Nr. 2 of 2, track no. 19, 58 293
Region: south, operating location: Asch-Leeder - MASL, loading point Nr. 1 of 1, track no. 1 294
Region: south, operating location: Augsburg-Oberhausen - MAOB, loading point Nr. 1 of 1, track no. 31, 32 295
Region: south, operating location: Bad Neustadt (Saale) - NBNE, loading point Nr. 1 of 1, track no. 211, 220, 222 296

Region: south, operating location: Bad Reichenhall - MBRL, loading point Nr. 1 of 1, track no. 17 297
Region: south, operating location: Bamberg - NBA, loading point Nr. 1 of 1, track no. 077, 078 298
Region: south, operating location: Bamberg - NBA, loading point Nr. 2 of 2, track no. 078 299
Region: south, operating location: Bayreuth Hbf - NBY, loading point Nr. 1 of 2, track no. 071, 072 300
Region: south, operating location: Bayreuth Hbf - NBY, loading point Nr. 2 of 2, track no. 075, 076 301
Region: south, operating location: Bobingen - MBOB, loading point Nr. 1 of 1, track no. 13 302
Region: south, operating location: Bodenwöhr Nord - NBOE, loading point Nr. 1 of 2, track no. 306 303
Region: south, operating location: Bodenwöhr Nord - NBOE, loading point Nr. 2 of 2, track no. 306 304
Region: south, operating location: Buchloe - MBU, loading point Nr. 1 of 2, track no. 402 305
Region: south, operating location: Buchloe - MBU, loading point Nr. 2 of 2, track no. 402 306
Region: south, operating location: Burgsinn - NBN, loading point Nr. 1 of 1, track no. 606 307
Region: south, operating location: Denklingen (Schwab) - MDKL, loading point Nr. 1 of 1, track no. 1 308
Region: south, operating location: Dillingen (Donau) - MDIL, loading point Nr. 1 of 1, track no. 15, 16 309
Region: south, operating location: Donauwörth - MDT, loading point Nr. 1 of 2, track no. 015b, Kopfr, Ladeg 310
Region: south, operating location: Donauwörth - MDT, loading point Nr. 2 of 2, track no. 26d 311
Region: south, operating location: Ebelsbach-Eltmann - NEE, loading point Nr. 1 of 1, track no. 107 312
Region: south, operating location: Erlangen - NER, loading point Nr. 1 of 1, track no. 2727 313
Region: south, operating location: Feucht - NFT, loading point Nr. 1 of 1, track no. 109 314
Region: south, operating location: Furth im Wald - NFW, loading point Nr. 1 of 1, track no. 29, 30 315

Region: south, operating location: Gunzenhausen - NGUN, loading point Nr. 1 of 1, track no. 21, 22 316
Region: south, operating location: Hammelburg - NHG, loading point Nr. 1 of 2, track no. 7 317
Region: south, operating location: Hammelburg - NHG, loading point Nr. 2 of 2, track no. 7 318
Region: south, operating location: Hof Hbf - NHO, loading point Nr. 1 of 3, track no. 173 319
Region: south, operating location: Hof Hbf - NHO, loading point Nr. 2 of 3, track no. 177 320
Region: south, operating location: Hof Hbf - NHO, loading point Nr. 3 of 3, track no. 174, 175 321
Region: south, operating location: Ingolstadt Hbf - MIH, loading point Nr. 1 of 3, track no. 38, 39 322
Region: south, operating location: Ingolstadt Hbf - MIH, loading point Nr. 2 of 3, track no. 38 323
Region: south, operating location: Ingolstadt Hbf - MIH, loading point Nr. 3 of 3, track no. 34, 35 324
Region: south, operating location: Kempten (Allgäu) Hbf - MKP, loading point Nr. 1 of 2, track no. Kopf 325
Region: south, operating location: Kempten (Allgäu) Hbf - MKP, loading point Nr. 2 of 2, track no. Seite 326
Region: south, operating location: Kronach - NK, loading point Nr. 1 of 2, track no. 6 327
Region: south, operating location: Kronach - NK, loading point Nr. 2 of 2, track no. 133, 153 328
Region: south, operating location: Landshut (Bay) Hbf - MLA, loading point Nr. 1 of 2, track no. 17, 18, 19, 20 329
Region: south, operating location: Landshut (Bay) Hbf - MLA, loading point Nr. 2 of 2, track no. 14 330
Region: south, operating location: Lichtenfels - NLF, loading point Nr. 1 of 2, track no. 125 331
Region: south, operating location: Lichtenfels - NLF, loading point Nr. 2 of 2, track no. 121 332
Region: south, operating location: Lohr Bahnhof - NLO, loading point Nr. 1 of 2, track no. 98 333
Region: south, operating location: Lohr Bahnhof - NLO, loading point Nr. 2 of 2, track no. 95 334

Region: south, operating location: Ludwigsstadt - NLUS, loading point Nr. 1 of 1, track no. 8 335
Region: south, operating location: Marktredwitz - NMR, loading point Nr. 1 of 2, track no. 134 336
Region: south, operating location: Marktredwitz - NMR, loading point Nr. 2 of 2, track no. 135 337
Region: south, operating location: Memmingen - MM, loading point Nr. 1 of 1, track no. 48 338
Region: south, operating location: Mittenwald - MMW, loading point Nr. 1 of 1, track no. 12 339
Region: south, operating location: Moosburg - MMB, loading point Nr. 1 of 1, track no. 18 340
Region: south, operating location: Mühldorf (Oberbay) - MMF, loading point Nr. 1 of 2, track no. 411 341
Region: south, operating location: Mühldorf (Oberbay) - MMF, loading point Nr. 2 of 2, track no. 413 342
Region: south, operating location: München-Milbertshofen - MMBH, loading point Nr. 1 of 1, track no. 19 343
Region: south, operating location: München-Mittersendling - MMT, loading point Nr. 1 of 1, track no. 5 344
Region: south, operating location: München-Riem - MRI, loading point Nr. 1 of 1, track no. 14 345
Region: south, operating location: Nabburg - NNAB, loading point Nr. 1 of 2, track no. 7a 346
Region: south, operating location: Nabburg - NNAB, loading point Nr. 2 of 2, track no. 7b 347
Region: south, operating location: Neuenmarkt-Wirsberg - NNE, loading point Nr. 1 of 1, track no. 43 348
Region: south, operating location: Neumarkt (Oberpf) - NNT, loading point Nr. 1 of 1, track no. 13, 14 349
Region: south, operating location: Neustadt (Aisch) Bahnhof - NNA, loading point Nr. 1 of 1, track no. 029 350
Region: south, operating location: Neustadt (Donau) - MND, loading point Nr. 1 of 2, track no. 7o 351
Region: south, operating location: Neustadt (Donau) - MND, loading point Nr. 2 of 2, track no. 12 352
Region: south, operating location: Nürnberg Rbf - NNR, loading point Nr. 1 of 4, track no. 10, 11 353

Region: south, operating location: Nürnberg Rbf - NNR, loading point Nr. 2 of 4, track no. 11, 14 354
Region: south, operating location: Parkstein-Hütten - NPUE, loading point Nr. 1 of 1, track no. 4 355
Region: south, operating location: Parsberg - NPB, loading point Nr. 1 of 2, track no. 15 356
Region: south, operating location: Parsberg - NPB, loading point Nr. 2 of 2, track no. 12, 13, 14 357
Region: south, operating location: Passau Hbf - NPA, loading point Nr. 1 of 1, track no. 521, 523, 524 358
Region: south, operating location: Plattling - NPL, loading point Nr. 1 of 1, track no. 426 359
Region: south, operating location: Regen - NREG, loading point Nr. 1 of 1, track no. 43 360
Region: south, operating location: Schirnding - NSG, loading point Nr. 1 of 1, track no. 029 361
Region: south, operating location: Schongau - MSGU, loading point Nr. 1 of 1, track no. 13, 14 362
Region: south, operating location: Schwandorf - NSCH, loading point Nr. 1 of 2, track no. 53 363
Region: south, operating location: Schwandorf - NSCH, loading point Nr. 2 of 2, track no. 31 364
Region: south, operating location: Schwarzenfeld (Oberpf) - NSDO, loading point Nr. 1 of 1, track no. 6 365
Region: south, operating location: Simbach (Inn) - MSBI, loading point Nr. 1 of 1, track no. 14 La, 15 366
Region: south, operating location: Straubing - NST, loading point Nr. 2 of 2, track no. 36, 38 367
Region: south, operating location: Treuchtlingen - MTL, loading point Nr. 1 of 1, track no. 59 368
Region: south, operating location: Vilseck - NVK, loading point Nr. 1 of 1, track no. 8 369
Region: south, operating location: Waldershof - NWDH, loading point Nr. 1 of 1, track no. 4/4a 370
Region: south, operating location: Weiden (Oberpf) - NWDO, loading point Nr. 1 of 2, track no. 34, 36 371
Region: south, operating location: Weiden (Oberpf) - NWDO, loading point Nr. 2 of 2, track no. 39 372

Region: south, operating location: Wolfratshausen - MWO, loading point Nr. 1 of 1, track no. 42 373
Region: south, operating location: Wolnzach Markt - MWBM, loading point Nr. 1 of 1, track no. 3 374
Region: south, operating location: Würzburg Rbf - NWR, loading point Nr. 1 of 1, track no. 220 375

Angermünde

region east

DB InfraGO


Templinerstrasse
16278 Angermünde
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A11, B198, ca. 17 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
151	167	0	single	2,16	2,38	loading track 3	KS	74	
152	93	0	single	2,16	2,38	loading track 3	KS	49	

Beeskow

region east


15848 Beeskow
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A12, L41, ca. 23 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	220	0	single	3,24	3,56	loading track 2	L	100	
8	241	0	single	3,24	3,56	loading track 2	L	150	

Bergen auf Rügen

region east

DB InfraGO

18528 Bergen auf Rügen
Mecklenburg-Vorpommern


Contact
APS.OST@deutschebahn.com

Access road
A20, B96, ca. 56 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	385	0	double sided	4,28	4,71	loading track 1	S	385	


Ladestelle 13053
13053 Berlin Nordost
Berlin

Contact
APS.OST@deutschebahn.com

Access road
A114, B109, ca. 8 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
244	292	0	double sided	2,16	2,38	loading track 3 - ou -	K	140	
243	290	0	double sided	3,24	3,56	construction logistics, short-term loading track 2	K	177	

Berlin-Grünau

region east

DB InfraGO


.
12527 Berlin-Grünau
Berlin

Contact
APS.OST@deutschebahn.com

Access road
A113, B96a, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
107L	258	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	150	

Birkenwerder (b Berlin)

region east


Unter den Ulmen
16547 Birkenwerder (b.Berlin)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road

Total area of loading point [m²]
6300

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	350	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	290	

Brahlstorf

region east

Neuhauser Str.4 B
19273 Brahlstorf
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com


Access road

Total area of loading point [m²]
2250

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1

Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
EBA-Bescheid vom 06.02.2019
3354-33hug/058-1111#004

Der offene Umschlag fester wassergefährdender Stoffe ist nicht erlaubt
EBA-Bescheid vom 15.02.2023
5274-576ww/003-1114#026



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5705	149	0	double sided	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	90	
5707	93	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	40	

Brück (Mark)

region east

DB InfraGO


Bahnhofstr.
14822 Brück (Mark)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A9, B246, ca. 10 km

Total area of loading point [m²]
2950

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	401	0	single	2,16	2,38	loading track 3	L	255	

Bützow

region east

DB InfraGO


Bahnhofstrasse 46
18246 Bützow
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A20, L11, ca. 15 km

Total area of loading point [m²]
12390

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
55	152	0	single	3,24	3,56	loading track 2	L	129	
53	111	0	single	3,24	3,56	loading track 2	L	70	

Eberswalde Hbf

region east

DB InfraGO


16225 Eberswalde Hbf
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A11, B167, ca. 10 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
124	285	0	single	3,24	3,56	loading track 2		198	

Eberswalde Hbf

region east


16225 Eberswalde Hbf
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A11, B167, ca. 10 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
131	587	0	single	4,28	4,71	loading track 1	S	405	

Eberswalde Hbf

region east


16225 Eberswalde Hbf
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A11, B167, ca. 10 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
236	415	0	double sided	4,28	4,71	loading track 1	K	295	

Forst (Lausitz)

region east

DB InfraGO


Sorauer Straße
3149 Forst (Lausitz)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A15, B122, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	284	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	180	ELEK (1)

Frankfurt (Oder) Pbf

region east


Bahnhofstr.
15230 Frankfurt (Oder)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A 12, ca. 4 km

Total area of loading point [m²]
3,5

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
197E	310	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	190	

Fürstenwalde (Spree)

region east


Bahnhofstr.
15517 Fürstenwalde (Spree)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A12, L35, ca. 4 km

Total area of loading point [m²]
6650

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
20	294	0	single	4,28	4,71	loading track 1	L	216	
19	246	0	single	4,28	4,71	loading track 1	L	216	

Fürstenwalde (Spree)

region east


Bahnhofstr.
15517 Fürstenwalde (Spree)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A12, L35, ca. 4 km

Total area of loading point [m²]
4100

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
22	432	0	single	4,28	4,71	loading track 1 - ou -	L	240	
21	322	0	single	4,28	4,71	construction logistics, short-term loading track 1	L	240	

Glöwen

region east

DB InfraGO


19339 Glöwen
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A24, B 107, ca. 47 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	559	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	450	
8a	89	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	50	

Gransee

region east


Am Güterbahnhof
16775 Gransee
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A24, B167, ca. 15 km

Total area of loading point [m²]
2160

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 11.03.2019 3354-33hug/174-1111#004. Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	204	0	single	3,24	3,56	loading track 2	L	170	

Hennigsdorf (b Berlin)

region east

DB InfraGO


16761 Hennigsdorf (b Berlin)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A111, L171, ca. 4 km

Total area of loading point [m²]
1250

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	317	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	182	

Kleeth

region east

DB InfraGO


17091 Kleeth
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A20, L273, ca. 25 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	439	0	double sided	4,28	4,71	loading track 1	L	200	

Laage (Meckl)

region east


18299 Laage (Meckl)
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A19, B103, ca. 13 km; Zufahrt über B108

Total area of loading point [m²]
4500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	437	0	single	3,24	3,56	loading track 2	L, KS	125	

Nauen

region east


zum Güterbahnhof
14641 Nauen
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A10, B26, ca. 10 km

Total area of loading point [m²]
3125

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
54	457	0	single	2,16	3,56	loading track 2 - ou - construction logistics, short-term	L	165	ELEK (2)

Neubrandenburg

region east


Johannesstrasse
17034 Neubrandenburg
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A20, B197, ca. 11 km

Total area of loading point [m²]
2800

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
EBA-Bescheid vom 02.01.2019 3354-33hug/302-1111#004

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
218	396	16	double sided	4,28	4,71	loading track 1	L	330	

Oranienburg

region east


Bahnhofstr.
16515 Oranienburg
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A111, B96n, ca. 9 km

Total area of loading point [m²]
7500

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
43	250	0	single	3,24	3,56	loading track 2 - ou -	L	171	
39	288	0	single	3,24	3,56	construction logistics, short-term loading track 2	L	200	

Parchim

region east


Ludwigsluster Chaussee 29
19370 Parchim
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A24, B191, ca. 15 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	466	0	double sided	3,24	3,56	loading track 2	L	140	

Potsdam-Rehbrücke

region east


Arthur-Scheunert-Allee
14558 Nuthetal, OT Bergholz-Rehbrücke
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A115, L79, ca. 5 km

Total area of loading point [m²]
24000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
975	508	0	double sided	4,28	4,71	loading track 1	L	350	

Prenzlau

region east


Brüssower Strasse
17291 Prenzlau
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A20, L26, ca. 10 km

Total area of loading point [m²]
8380

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
25	808	0	single	4,28	4,71	loading track 1	L	608	

Pritzier

region east


Am Bahnhof 5
19230 Pritzier
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A24, L4, B321, km 21,4

Total area of loading point [m²]
1200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	153	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	171	

Rostock Seehafen

region east

DB InfraGO


Petersdorfer Straße 38
18147 Rostock
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A19, L22, ca. 2 km

Total area of loading point [m²]
200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
148	115	39	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	65	

Schwedt (Oder)

region east

DB InfraGO


16303 Schwedt (Oder)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A11, A20, B166, ca. 31 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	253	0	single	3,24	3,56	loading track 2	L	130	

Seddin Süd

region east

DB InfraGO


14554 Seddin Süd
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A24, L13, ca. 19 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
589	170	0	single	2,16	2,38	loading track 3	L	63	

Stralsund Hbf

region east

DB InfraGO


18437 Stralsund
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
E22, L213, ca. 3 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	323	0	single	4,28	4,71	loading track 1	KS	323	ELEK (2)

Templin

region east


Bahnhofstr.
17268 Templin
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A11, B198, L23, L216, ca. 35

Total area of loading point [m²]
2610

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	233	0	single	3,24	3,56	loading track 2	L	200	ELEK (1)
14	248	0	single	3,24	3,56	loading track 2	L	200	

Torgelow

region east


Bahnhofstr.
17358 Torgelow
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A19, B192, ca. 38 km

Total area of loading point [m²]
2700

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	279	0	single	3,24	3,56	loading track 2	K	187	
8	252	0	single	3,24	3,56	loading track 2	S	151	

Velgast

region east


Straße der Einheit
18469 Velgast
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A20, L192, L212, ca. 28 km

Total area of loading point [m²]
1200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	372	0	single	3,24	3,56	loading track 2	L	205	

Waren (Müritz)

region east


Bahnhofstrasse
17192 Waren (Müritz)
Mecklenburg-Vorpommern

Contact
APS.OST@deutschebahn.com

Access road
A19, B192, ca. 25 km

Total area of loading point [m²]
3600

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
32	261	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	80	
33	272	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	80	

Wittstock (Dosse)

region east

DB InfraGO


Jabeler Chaussee
16909 Wittstock (Dosse)
Brandenburg

Contact
APS.OST@deutschebahn.com

Access road
A19, L14, ca. 3 km

Total area of loading point [m²]
7537

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
26	438	0	single	3,24	3,56	loading track 2	L	325	
27	333	0	single	3,24	3,56	loading track 2	L	400	

Alfeld (Leine)

region north


Am Bahnhof
31061 Alfeld (Leine)
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, K62, ca. 23 km

Total area of loading point [m²]
5932

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	272	0	single	2,16	2,38	loading track 3	L	60	

Bad Fallingbostel

region north


Vogteistraße
29683 Fallingbostel
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B209, ca. 3 km

Total area of loading point [m²]
5221

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	567	0	double sided	4,28	4,71	loading track 1	L	352	

Bad Segeberg

region north

DB InfraGO


Rosenstraße
23795 Bad Segeberg
Schleswig-Holstein

Contact
APS.N@deutschebahn.com

Access road
A21, B432, ca. 4 km

Total area of loading point [m²]
536

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	187	0	single	3,24	3,56	loading track 2	L	118	

Braunschweig Rbf

region north


Am Hauptgüterbahnhof
38126 Braunschweig Rbf
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B1, ca. 23 km

Total area of loading point [m²]
12893

Loading lane Nr.:	1 of 1
Number of loading tracks:	4
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
389	256	0	single	4,28	4,71	loading track 1	L	254	
386	450	0	single	4,28	4,71	loading track 1	L	254	
387	227	0	single	4,28	4,71	loading track 1	L	224	
390	400	0	single	4,28	4,71	loading track 1	L	254	

Braunschweig Rbf

region north


Am Hauptgüterbahnhof
38126 Braunschweig Rbf
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B1, ca. 23 km

Total area of loading point [m²]
120

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
384A	175	0	single	2,16	2,38	loading track 3	L	60	

Bremen-Sebaldsbrück

region north

DB InfraGO


Zum Sebaldsbrücker Bahnhof
28309 Bremen-Sebaldsbrück
Bremen

Contact
APS.N@deutschebahn.com

Access road
A27, B57, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	3
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	76	0	single	2,16	2,38	loading track 3	K	3	ELEK (1)
5	86	0	single	2,16	2,38	loading track 3	K	3	ELEK (2)
4	194	0	single	2,16	2,38	loading track 3	S	50	

Brunsbüttel

region north


Dithmarscher Ring
25541 Brunsbüttel
Schleswig-Holstein

Contact
APS.N@deutschebahn.com

Access road
A23, B5, ca. 28 km

Total area of loading point [m²]
2000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	271	0	single	3,24	3,56	loading track 2	L	178	

Dollbergen

region north

Eddesser Landstrasse
31311 Dollbergen
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A2, L413, ca. 8 km

Total area of loading point [m²]
1235

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
706	263	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	225	

Fallersleben

region north


Industriestrasse
38442 Fallersleben
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A39, L321, ca. 2 km

Total area of loading point [m²]
890

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
350	191	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	180	

Hameln

region north

Am Güterbahnhof
31785 Hameln
Niedersachsen

Contact
APS.N@deutschebahn.com


Access road
A2, B83, ca. 24 km

Total area of loading point [m²]
747

Loading lane Nr.:	1 of 1
Number of loading tracks:	3
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 80 m

Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
EBA-Bescheid vom 11.01.2019
3354-33hug/181-1111#004



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
116	40	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	KS	25	
115	45	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	KS	27	
114	45	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	K	3	

Hannover-Linden

region north

DB InfraGO


Fischerhof
30449 Hannover-Linden
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A2, B6, ca. 9 km

Total area of loading point [m²]
886

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
265	28	0	single	2,16	2,38	loading track 3	KS	27	

Hildesheim Hbf

region north


Bischoff-Janssen-Str.
31134 Hildesheim Hbf
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B1, ca. 4 km

Total area of loading point [m²]
2935

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
51	307	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	164	ELEK (1)

Holzminden

region north


Sparenbergstrasse
37603 Holzminden
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B241, ca. 47 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
17	11	0	single	1,58	2,38	loading track 3	K	3	
17A	112	0	single	2,16	2,38	loading track 3	S	81	

Jübek

region north


Große Straße
24855 Jübek
Schleswig-Holstein

Contact
APS.N@deutschebahn.com

Access road
A7, B201, ca. 11 km

Total area of loading point [m²]
4025

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
704	513	0	single	4,28	4,71	loading track 1	L	308	

Kreiensen

region north

DB InfraGO


Billerbecker Strasse
37547 Kreiensen
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B445, ca. 12 km

Total area of loading point [m²]
1248

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
92	256	0	single	3,24	3,56	loading track 2	L	168	

Maschen Rbf

region north

DB InfraGO


Hörstener Straße
21220 Maschen Rbf
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A39, ca. 3 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1811	210	0	double sided	2,16	2,38	loading track 3	S	25	
1810	52	0	single	2,16	2,38	loading track 3 - ou - emergency planning	K	3	

Münchehof (Harz)

region north

DB InfraGO


Am Sweenhof
38723 Münchehof (Harz)
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, K62, ca. 5 km

Total area of loading point [m²]
2550

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
11	213	0	single	3,24	3,56	loading track 2	L	143	

Niebüll

region north

DB InfraGO


Bahnhofsstraße
25899 Niebüll
Schleswig-Holstein

Contact
APS.N@deutschebahn.com

Access road
A7, B199, ca. 38 km

Total area of loading point [m²]
2500

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
17	230	0	single	3,24	3,56	loading track 2	L	157	ELEK (3)
15	256	0	single	3,24	3,56	loading track 2	L	157	ELEK (3)

Northeim (Han)

region north


Güterbahnhofstrasse
37154 Northeim (Han)
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B3, ca. 4 km

Total area of loading point [m²]
1000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
200	249	0	single	3,24	3,56	loading track 2	L	100	

Oker

region north


Stadtstieg
38640 Oker
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A395, B6, ca. 14 km

Total area of loading point [m²]
3100

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	230	0	single	3,24	3,56	loading track 2	L	146	
15	239	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	100	


Stadtstieg
38640 Oker
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A395, B6, ca. 14 km

Total area of loading point [m²]
3100

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	239	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	100	

Oldenburg (Holst)

region north

DB InfraGO


Bruchweg
23758 Oldenburg (Holst)
Schleswig-Holstein

Contact
APS.N@deutschebahn.com

Access road
A28, L866, ca. 5 km

Total area of loading point [m²]
2137

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
3	122	0	single	3,24	3,56	loading track 2	L	122	
4	122	0	single	3,24	3,56	loading track 2	L	122	

Oldenburg (Oldb) Hbf

region north

DB InfraGO

Güterstrasse 17
26122 Oldenburg (Oldb) Hbf
Niedersachsen


Contact
APS.N@deutschebahn.com

Access road
A28, L866, ca. 5 km

Total area of loading point [m²]
1080

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 150 m



Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
EBA-Bescheid vom 14.02.2018 3353-33hug/223-1111#004

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
85	216	0	single	4,28	4,71	loading track 1	L	216	OLI (1)

Osnabrück Hbf

region north

DB InfraGO


Frankenstraße
49082 Osnabrück
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A33, K53, ca. 3 km

Total area of loading point [m²]
1200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Wasserschutzgebiet: neir

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
425	180	0	single	2,16	2,38	loading track 3	L	140	OLI (1)

Springe

region north


Bahnhofstrasse
31832 Springe
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A2, B442, ca. 20 km

Total area of loading point [m²]
3713

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
104	404	0	single	3,24	3,56	loading track 2	L	197	

Stade

region north


Am Bahnhof
21680 Stade
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B431, ca. 45 km

Total area of loading point [m²]
2870

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	187	0	single	3,24	3,56	loading track 2	L	127	

Stade

region north


Am Bahnhof
21680 Stade
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A7, B431, ca. 45 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
30	51	0	single	2,16	2,38	loading track 3	K	3	

Wunstorf

region north

DB InfraGO


Bahnhofstrasse
31515 Wunstorf
Niedersachsen

Contact
APS.N@deutschebahn.com

Access road
A2, L392, ca. 6 km

Total area of loading point [m²]
580

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
26	215	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	S	132	ELEK (2)
25	198	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	KS	132	

Brackwede

region west

DB InfraGO


Stellwerksstrasse
33647 Brackwede
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A2, B68, ca. 7,5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
34A	177	0	single	2,16	2,38	loading track 3	S	177	

Dülmen

region west


Lüdinghauser Straße
48249 Dülmen
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A43, B474, ca. 4 km

Total area of loading point [m²]
1600

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	265	0	double sided	3,24	3,56	loading track 2	S	200	

Dülmen

region west

DB InfraGO


Lüdinghauser Straße
48249 Dülmen
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A43, B474, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
25	55	0	single	2,16	2,38	loading track 3	S	55	

Erndtebrück

region west

DB InfraGO


Bahnhofstrasse
57339 Erndtebrück
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A45, B62, ca. 35 km

Total area of loading point [m²]
3450

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	98	0	single	2,16	2,38	loading track 3	L	53	

Euskirchen

region west

DB InfraGO


Johannesbergstrasse
53879 Euskirchen
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A1, B51, ca. 5 km

Total area of loading point [m²]
2950

Loading lane Nr.:	1 of 1
Number of loading tracks:	4
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
21	111	0	single	3,24	3,56	loading track 2	L	100	ELEK (1)
22	127	0	single	3,24	3,56	loading track 2	S	112	ELEK (1)
23	238	0	single	3,24	3,56	loading track 2	S	119	ELEK (1)
20	339	0	double sided	3,24	3,56	loading track 2	S	119	

Gütersloh Hbf

region west


Langer Weg
33332 Gütersloh Hbf
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A2, L575, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
215	213	0	single	2,16	2,38	loading track 3	K	5	
217	93	0	single	2,16	2,38	loading track 3	S	65	

Hagen Gbf

region west

DB InfraGO


Brinkstrasse
58097 Hagen Gbf
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A46, L702, ca. 4 km

Total area of loading point [m²]
3840

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
146	177	0	single	3,24	3,56	loading track 2	L	123	

Hagen Gbf

region west


Brinkstrasse
58097 Hagen Gbf
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A46, L702, ca. 4 km

Total area of loading point [m²]
1260

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Wasserschutzgebiet: nein
Wohnbebauung: 30 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
127	288	0	double sided	3,24	3,56	loading track 2	S	200	
137	249	0	double sided	3,24	3,56	loading track 2	S	200	

Hagen-Vorhalle

region west

DB InfraGO


Brueninghausstrasse
58089 Hagen-Vorhalle
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A1, B226, ca. 1,5 km

Total area of loading point [m²]
2000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1023	189	0	single	3,24	3,56	loading track 2	L	134	

Herford

region west

DB InfraGO


Sophienstrasse
32052 Herford
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A2, L778, ca. 5 km

Total area of loading point [m²]
5062

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
59	364	0	single	4,28	4,71	loading track 1 - ou - construction logistics, long-term	S	151	
53	410	0	single	4,28	4,71	loading track 1 - ou - construction logistics, long-term	S	226	

Iserlohn-Letmathe

region west

DB InfraGO


Bahnhofstrasse
58642 Letmathe
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A46, ca. 2 km

Total area of loading point [m²]
2100

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
116	110	0	single	3,24	3,56	loading track 2	L	150	
115	190	0	single	3,24	3,56	loading track 2	L	166	

Iserlohn-Letmathe

region west

DB InfraGO


58642 Letmathe
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A46, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
115	190	0	single	3,24	3,56	loading track 2	L	166	

Köln Eifeltor

region west


Bernkasteler Strasse
50969 Köln Eifeltor
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A4, ca. 1 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
155	45	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	3	
154	425	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	82	

Lennestadt-Grevenbrück

region west


Koelner Strasse (B56)
57368 Grevenbrück (Westf)
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A45, B55, ca. 24 km

Total area of loading point [m²]
711

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	90	0	single	2,16	2,38	loading track 3		100	

Paderborn Hbf

region west

DB InfraGO


Kapellenstrasse
33102 Paderborn Hbf
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A33, B1, ca. 3 km

Total area of loading point [m²]
760

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
574	286	0	single	4,28	4,71	loading track 1	S	277	WVS (1)

Remscheid-Lüttringhausen

region west

DB InfraGO

Grunenplatz Strasse 1A
42899 Remscheid-Lüttringhausen
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A1, B51, ca. 1 km

Total area of loading point [m²]
3200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	234	0	single	3,24	3,56	loading track 2		0	

Schwerte (Ruhr)

region west

DB InfraGO


Am Kornhaus
58239 Schwerte (Ruhr)
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A1, B236, ca. 2 km

Total area of loading point [m²]
6500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
85	367	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	S	160	

Sennelager

region west


Bahnhofstrasse
33104 Sennelager
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A33, L756, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	3
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	80	0	single	2,16	2,38	loading track 3	K	5	
14	110	0	single	2,16	2,38	loading track 3	S	45	
16	81	0	single	2,16	2,38	loading track 3	S	80	

Unna

region west

Hellweg
59423 Unna
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com


Access road
A1, A44 ca. 3km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
(EBA-Bescheid vom 22.07.2024
5232-52og/152-1111#004
Gem. nachtraeglicher Anordnung
nach §17 BImSchG)

Wasserschutzgebiet: nein
Wohnbebauung: 90 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	205	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term		0	

Wanne-Eickel Hbf

region west


Ulmenstrasse
44649 Wanne-Eickel Hbf
Nordrhein-Westfalen

Contact
APS.W@deutschebahn.com

Access road
A42, B226, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
35A	140	0	single	2,16	2,38	loading track 3	S	140	

Arnstadt Hbf

region southeast


Reinstedter Straße
99310 Arnstadt Hbf
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A71, ca. 6 km

Total area of loading point [m²]
1680

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 08.02.2019 3354-33hug/022-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
23	380	0	single	3,24	3,56	loading track 2	L	170	
22	231	0	single	3,24	3,56	loading track 2	L	170	

Bad Salzungen

region southeast

DB InfraGO


Sandweg
36433 Bad Salzungen
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A4, B19, ca. 29 km

Total area of loading point [m²]
4410

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
21	677	0	single	4,28	4,71	loading track 1	L	350	

Bautzen

region southeast


Liselotte-Herrmann-Straße 13
2625 Bautzen
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, B96, ca 3 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
46	283	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	180	

Bautzen

region southeast

DB InfraGO


Liselotte-Herrmann-Straße 13
2625 Bautzen
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, B96, ca 3 km

Total area of loading point [m²]
2150

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
40	231	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	110	

Bautzen

region southeast

DB InfraGO


Liselotte-Herrmann-Straße 13
2625 Bautzen
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, B96, ca. 3 km

Total area of loading point [m²]
1520

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
31	191	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	130	

Bischofswerda

region southeast

DB InfraGO


Neustädter Straße
1877 Bischofswerda
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, S102, ca. 8 km

Total area of loading point [m²]
800

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	320	0	single	4,28	4,71	loading track 1	L	230	

Blankenburg (Harz)

region southeast


Alte Halberstädter Strasse
38886 Blankenburg (Harz)
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A395, B6, ca. 34 km

Total area of loading point [m²]
5124

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	380	0	single	4,28	4,71	loading track 1	L	265	

Blankenburg (Harz)

region southeast

DB InfraGO


Alte Halberstädter Strasse
38886 Blankenburg (Harz)
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A395, B6, ca. 34 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	153	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	S	150	
18	130	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	K	40	

Brandenburg Hbf

region southeast


Am Güterbahnhof
14776 Brandenburg
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A2, B1

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
34	281	0	single	3,24	3,56	loading track 2	L	200	
33	180	0	single	3,24	3,56	loading track 2	L	180	

Dessau Hbf

region southeast

DB InfraGO


6844 Dessau Hbf
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A9, B185, ca. 7 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
63	75	0	single	2,16	2,38	loading track 3	L	68	

Dessau Hbf

region southeast

DB InfraGO


6844 Dessau Hbf
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A9, B185, ca. 7 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
64	76	0	single	2,16	2,38	loading track 3	L	85	

Dessau Hbf

region southeast

DB InfraGO


6844 Dessau Hbf
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A9, B185, ca. 7 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
65	121	0	single	2,16	2,38	loading track 3	L, KS	80	

Dresden-Friedrichstadt

region southeast

DB InfraGO


1067 Dresden-Friedrichstadt
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, S73, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
479	175	0	double sided	3,24	3,56	loading track 2	L	127	
478	200	0	single	3,24	3,56	loading track 2	L	127	


1067 Dresden-Friedrichstadt
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, S73, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 3
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
476	200	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	160	
477	250	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	160	

1067 Dresden-Friedrichstadt
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, S73, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
470	305	0	single	3,24	3,56	loading track 2 - ou - emergency planning	L	198	

Eilenburg

region southeast

DB InfraGO


4838 Eilenburg
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A14, B87, ca. 17 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
34	386	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	260	

Eisenach

region southeast


Bahnhofstrasse
99817 Eisenach
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A4, B19, ca. 3 km

Total area of loading point [m²]
3300

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
056	222	0	single	3,24	3,56	loading track 2	L	163	
055	246	0	single	3,24	3,56	loading track 2	L	163	

Erfurt Gbf

region southeast

DB InfraGO


99085 Erfurt Gbf
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A71, B7, ca. 8 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
167	299	0	single	4,28	4,71	loading track 1 - ou -	S	176	
165	300	0	single	4,28	4,71	securing regular operation loading track 1	L	300	

Falkenberg (Elster)

region southeast

DB InfraGO


4895 Falkenberg (Elster)
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A94, AÖ22, ca. 33 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
42N	444	0	single	4,28	4,71	loading track 1 - ou - securing regular operation	L	283	
70A	210	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	L	180	

Fermerswalde

region southeast


Am Fermerswalder Bahnhof
4916 Fermerswalde
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A13, B87, ca. 57 km

Total area of loading point [m²]
1500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	460	0	single	4,28	4,71	loading track 1	L	300	

Freiberg (Sachs)

region southeast

DB InfraGO


9599 Freiberg (Sachs)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, B101, ca. 17 km

Total area of loading point [m²]
5360

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
27	399	0	single	4,28	4,71	loading track 1	L	375	

Freiberg (Sachs)

region southeast

DB InfraGO


9599 Freiberg (Sachs)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, B101, ca. 17 km

Total area of loading point [m²]
4100

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
37	374	0	single	4,28	4,71	loading track 1	L	310	


1705 Freital-Hainsberg
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A17, B170, ca. 10 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
34	553	0	single	2,16	2,38	loading track 3	L	130	

Gardelegen

region southeast

DB InfraGO


Bahnhofstraße
39638 Gardelegen
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A14, B71, ca. 44 km

Total area of loading point [m²]
6000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1807	302	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	195	


7545 Gera Hbf
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A4, B7, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
75	170	0	single	3,24	3,56	loading track 2	L	165	
78	308	0	single	3,24	3,56	loading track 2	L	165	

Grünstädtel

region southeast

DB InfraGO


Alte Bahnhofstraße
8340 Grünstädtel
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, B93, B101, ca 31 km

Total area of loading point [m²]
990

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1	240	0	single	3,24	3,56	loading track 2	L	156	

Haldensleben

region southeast

DB InfraGO

39340 Haldensleben
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A14, B71, ca. 15 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	238	0	double sided	3,24	3,56	loading track 2	L	158	

Heimboldshausen

region southeast

DB InfraGO

36269 Heimboldshausen
Hessen


Contact
APS.SO@deutschebahn.com

Access road
A4, B62, ca. 10 km

Total area of loading point [m²]
2238

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Bescheid Eisenbahn-Bundesamt Bonn vom 15.01.2019 3354-33hug/190-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	313	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	122	

Horka Gbf

region southeast


Am Güterbahnhof
2923 Horka
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4 (ca. 13km), B115

Total area of loading point [m²]
1302

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1	326	40	single	3,24	3,56	loading track 2	L	170	

Hosena

region southeast

DB InfraGO


Bahnhofstraße
1996 Hosena
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A13, B169, ca. 14 km

Total area of loading point [m²]
1680

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	240	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	153	

Immelborn

region southeast

DB InfraGO


36433 Immelborn
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A81, B311, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	189	0	double sided	3,24	3,56	loading track 2	S	160	

Könnern

region southeast


Bahnhofstraße
6420 Könnern
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A14, B71, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	212	0	single	3,24	3,56	loading track 2	L	180	

Leinefelde

region southeast

DB InfraGO


Breitenhölzerstrasse
37327 Leinefelde
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A38, B80, ca. 4 km

Total area of loading point [m²]
5000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
EBA-Bescheid vom 01.04.2019 3354-33hug/261-1111#004
Gem. nachtraeglicher Anordnung nach §17 BImSchG

Wasserschutzgebiet: nein
Wohnbebauung: 20 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
217	465	0	single	4,28	4,71	loading track 1	L, KS	353	

Leipzig-Engelsdorf

region southeast


Güterbahnhofstrasse
4319 Engelsdorf (b Leipzig)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A14, B6, ca. 4 km

Total area of loading point [m²]
600

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
132	95	0	single	2,16	2,38	loading track 3	L	20	
133	190	0	single	2,16	2,38	loading track 3	L	0	

Löbau (Sachs)

region southeast

DB InfraGO


Güterstraße
2708 Löbau (Sachs)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, S55, ca. 18 km

Total area of loading point [m²]
900

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
56	319	0	single	4,28	4,71	loading track 1	S	250	

Lobenstein (Thür)

region southeast

DB InfraGO

Poststraße
7356 Lobenstein (Thür)
Thüringen


Contact
APS.SO@deutschebahn.com

Access road
A9, B90, ca. 14 km

Total area of loading point [m²]
300

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
Bescheid Eisenbahn-Bundesamt Bonn vom 15.01.2019 3354-33hug/267-1111#004



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
11	191	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	169	

Marienberg (Sachs)

region southeast

DB InfraGO


Bahnhofstraße
9496 Marienberg (Sachs)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, B173, ca. 37 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	80	0	single	2,16	2,38	loading track 3	L	3	
7	100	0	single	2,16	2,38	loading track 3	L	6	

Merseburg Gbf

region southeast

DB InfraGO


Nulandtstraße
6217 Merseburg
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A38, B91, ca. 10 km

Total area of loading point [m²]
3000

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
740	353	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	L	310	ELEK (2)
741	353	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	L	300	

Neumark (Sachs)

region southeast

DB InfraGO


Am Bahnhof
8496 Neumark (Sachs)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, S293, ca. 11 km

Total area of loading point [m²]
200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
EBA-Bescheid vom 15.01.2019 3354-33hug/305-1111#004

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	255	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	170	

Niemberg

region southeast

DB InfraGO


Bahnhofstr.
6188 Niemberg
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road

Total area of loading point [m²]
2464

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	470	0	single	4,28	4,71	loading track 1 - ou - construction logistics, long-term	L	341	

Niesky

region southeast


Am Bahnhof
2906 Niesky
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, S122, ca. 13 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
23	73	0	single	2,16	2,38	loading track 3	L	56	

Nordhausen

region southeast

DB InfraGO

Bahnhofsplatz
99734 Nordhausen
Thüringen


Contact
APS.SO@deutschebahn.com

Access road
A38, B243, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: ja
Wohnbebauung: 100 m



Nachtumschlagverbot
Mo-Sa 22:00-06:00 Uhr
und sonntags ganztägig
EBA-Bescheid vom 11.11.2019
Az.: 3333-33hug/317-1111#004
Gem. nachtraeglicher Anordnung nach §17 BImSchG

Wasserschutzgebiet: ja
Wohnbebauung: 90 m

Wasserschutzgebiet: ja
Wohnbebauung: 80 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
28N	58	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L, KS	59	

Nordhausen

region southeast

DB InfraGO

Bahnhofsplatz
99734 Nordhausen
Thüringen


Contact
APS.SO@deutschebahn.com

Access road
A38, B243, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2

Wasserschutzgebiet: ja
Wohnbebauung: 100 m



Nachtumschlagverbot
Mo-Sa 22:00-06:00 Uhr
und sonntags ganztägig
EBA-Bescheid vom 11.11.2019
Az.: 3333-33hug/317-1111#004
Gem. nachtraeglicher Anordnung nach §17 BImSchG

Wasserschutzgebiet: ja
Wohnbebauung: 90 m

Wasserschutzgebiet: ja
Wohnbebauung: 80 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
29N	52	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	59	

Nordhausen

region southeast

DB InfraGO

Bahnhofsplatz
99734 Nordhausen
Thüringen

Contact
APS.SO@deutschebahn.com


Access road
A38, B243, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	2
Loading point Nr.:	3

Wasserschutzgebiet: ja
Wohnbebauung: 100 m

Wasserschutzgebiet: ja
Wohnbebauung: 90 m



Nachtumschlagverbot
Mo-Sa 22:00-06:00 Uhr
und sonntags ganztägig
EBA-Bescheid vom 11.11.2019
Az.: 3333-33hug/317-1111#004
Gem. nachtraeglicher Anordnung nach §17 BImSchG

Wasserschutzgebiet: ja
Wohnbebauung: 80 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
30N	45	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	KS	45	
31N	46	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	46	

Oelsnitz (Vogtl)

region southeast

DB InfraGO


8606 Oelsnitz (Vogtl)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, B92, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	220	0	single	3,24	3,56	loading track 2	L	95	

Oelsnitz (Vogtl)

region southeast

DB InfraGO


8606 Oelsnitz (Vogtl)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, B92, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	275	0	single	2,16	2,38	loading track 3	L	90	

Oschatz

region southeast

DB InfraGO


4758 Oschatz
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A14, B169, ca. 19 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	152	0	single	3,24	3,56	loading track 2	L	152	

Plauen (Vogtl) ob Bf

region southeast

DB InfraGO


Pausaerstraße
8525 Plauen (Vogtl) ob Bf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, K173, ca. 6 km

Total area of loading point [m²]
2400

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
29	330	0	single	4,28	4,71	loading track 1	L	253	
28	390	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	253	

Plauen (Vogtl) ob Bf

region southeast

DB InfraGO


Pausaerstraße
8525 Plauen (Vogtl) ob Bf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, K173, ca. 6 km

Total area of loading point [m²]
4000

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
28	390	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	253	

Plauen (Vogtl) unt Bf

region southeast

DB InfraGO


Am Unteren Bahnhof
8527 Plauen (Vogtl) unt Bf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, B92, ca. 6,5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6T1	220	0	single	3,24	2,38	loading track 3	S	70	

Pockau-Lengefeld

region southeast

DB InfraGO


Güterbahnhofstraße
9509 Pockau-Lengefeld
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, B169, B174 ca. 40 km

Total area of loading point [m²]
960

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	250	0	single	3,24	3,56	loading track 2	L	160	ELEK (1)

Radeberg

region southeast

DB InfraGO


Güterbahnhofstraße
1454 Radeberg
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A13, K6211, ca. 15 km

Total area of loading point [m²]
1200

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	329	0	single	3,24	3,56	loading track 2 - ou -	L	200	
14	241	0	single	3,24	3,56	construction logistics, short-term loading track 2	L	200	

Ruhland

region southeast


.
1945 Ruhland
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A13, B169, ca. 2 km

Total area of loading point [m²]
1600

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
43	116	0	single	3,24	3,56	loading track 2	L	155	

Saalfeld (Saale)

region southeast

DB InfraGO


7318 Saalfeld (Saale)
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A4, L1060, ca. 42 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
75	355	0	single	4,28	4,71	loading track 1	L	230	
76	329	0	single	4,28	4,71	loading track 1	L	230	

Saalfeld (Saale)

region southeast

DB InfraGO


7318 Saalfeld (Saale)
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A4, L1060, ca. 42 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Wasserschutzgebiet: nein

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
42	138	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	L	103	

Saalfeld (Saale)

region southeast

DB InfraGO


7318 Saalfeld (Saale)
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A4, L1060, ca. 42 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	2
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
73	394	0	single	4,28	4,71	loading track 1	L	300	
72A	169	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	K	145	

Schkeuditz Luftfrachtumschlagbahnhof

region southeast

DB InfraGO


Gesnerstraße
4159 Schkeuditz
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A9, A14, B6

Total area of loading point [m²]
13500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
24	531	52	double sided	4,28	4,71	loading track 1	L	520	

Schmalkalden

region southeast

DB InfraGO


Auerweg
98574 Schmalkalden
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A71, B62, L1118, ca. 26 km

Total area of loading point [m²]
1400

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6s	226	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	L	140	

Schönhauser Damm

region southeast


Am Bahnhof
36524 Schönhauser Damm
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A2, L52, ca. 52 km

Total area of loading point [m²]
1100

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1110	227	0	single	2,16	2,38	loading track 3	K, S	45	
1109	225	0	single	2,16	2,38	loading track 3	L, KS	215	

Senftenberg

region southeast

DB InfraGO


1968 Senftenberg
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A13, L551, ca. 11 km

Total area of loading point [m²]
2468

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
156	238	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term loading track 2	L S	196 196	
157	278	0	single	3,24	3,56				

Senftenberg

region southeast

DB InfraGO


1968 Senftenberg
Brandenburg

Contact
APS.SO@deutschebahn.com

Access road
A13, L551, ca. 11 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
158	25	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	KS	30	

Sondershausen

region southeast

DB InfraGO

Am Petersschacht
99706 Sondershausen
Thüringen


Contact
APS.SO@deutschebahn.com

Access road
A38, B4. ca. 16 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	3
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 200 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	135	0	single	2,16	2,38	loading track 3	KS	30	
15	135	0	single	2,16	2,38	loading track 3	K	3	
17	135	0	single	2,16	2,38	loading track 3	K	3	

Staßfurt

region southeast

DB InfraGO


Gollnowstraße
39418 Staßfurt
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A14, L73, ca. 8 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	194	0	single	2,16	2,38	loading track 3	L	50	

Stendal Hauptbahnhof

region southeast

DB InfraGO


39576 Stendal
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A2, B189, ca. 54 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
333	300	0	single	3,24	3,56	loading track 2	L	105	

Straßgräbchen-Bernsdorf (Oberlausitz)

region southeast

DB InfraGO


Dresdner Straße
2994 Straßgräbchen-Bernsdorf (Oberlausitz)
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A4, B97, ca. 32 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	375	0	double sided	3,24	3,56	loading track 2	L	195	ELEK (1)

Teuchern

region southeast

DB InfraGO


6682 Teuchern
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A9, B91, ca. 7 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	197	0	single	3,24	3,56	loading track 2	L	95	

Themar

region southeast


Feldsteinstraße
98660 Themar
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A71, B89, ca. 14 km

Total area of loading point [m²]
2016

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	409	0	single	4,28	4,71	loading track 1	L	380	

Torgau

region southeast

DB InfraGO


Gueterbahnhofstraße
4860 Torgau
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A14, S38, ca. 41 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	147	0	single	2,16	2,38	loading track 3	KS	85	

Torgau

region southeast

DB InfraGO


Gueterbahnhofstraße
4860 Torgau
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A14, S38, ca. 41 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	164	0	single	3,24	3,56	loading track 2	L	110	
7	195	0	single	3,24	3,56	loading track 2	L	200	

Walldorf (Werra)

region southeast

DB InfraGO


98639 Walldorf (Werra)
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A5, B486, ca. 7 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	339	0	single	4,28	4,71	loading track 1	L	234	

Walldorf (Werra)

region southeast

DB InfraGO


98639 Walldorf (Werra)
Thüringen

Contact
APS.SO@deutschebahn.com

Access road
A5, B486, ca. 7 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	339	0	single	4,28	4,71	loading track 1	L	234	

Zeitz

region southeast

DB InfraGO


6712 Zeitz
Sachsen-Anhalt

Contact
APS.SO@deutschebahn.com

Access road
A9, B91, ca. 6 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
81	295	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	L	250	

Zwickau (Sachs) Hbf

region southeast


Gueterbahnhofstraße
8056 Zwickau (Sachs) Hbf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, S283, ca. 9 km

Total area of loading point [m²]
2700

Loading lane Nr.:	1 of 4
Number of loading tracks:	2
Loading point Nr.:	1



Wasserschutzgebiet: nein

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
N26	121	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	K	3	
N27	88	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	3	

Zwickau (Sachs) Hbf

region southeast

DB InfraGO


Gueterbahnhofstraße
8056 Zwickau (Sachs) Hbf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, S283, ca. 9 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 4
Number of loading tracks:	1
Loading point Nr.:	2



Wasserschutzgebiet: nein

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
134	390	0	single	4,28	4,71	loading track 1	L	260	

Zwickau (Sachs) Hbf

region southeast

DB InfraGO


Gueterbahnhofstraße
8056 Zwickau (Sachs) Hbf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, S283, ca. 9 km

Total area of loading point [m²]
2200

Loading lane Nr.:	3 of 4
Number of loading tracks:	2
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
140	174	0	single	3,24	3,56	loading track 2	L	111	
137	413	0	single	4,28	4,71	loading track 1	L	300	

Zwickau (Sachs) Hbf

region southeast

DB InfraGO


Gueterbahnhofstraße
8056 Zwickau (Sachs) Hbf
Sachsen

Contact
APS.SO@deutschebahn.com

Access road
A72, S283, ca. 9 km

Total area of loading point [m²]
no information

Loading lane Nr.:	4 of 4
Number of loading tracks:	1
Loading point Nr.:	4



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
151	279	0	single	4,28	4,71	loading track 1 - ou - construction logistics, long-term	S	280	ELEK (1)

Andernach

region centre

Bahnhofstraße
56626 Andernach
Rheinland-Pfalz


Contact
APS.MI@deutschebahn.com

Access road
A61, L121, ca. 22 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1

"Fuer diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV. Insbesondere das Umschlagen von Abfaellen im Sinne von Nr. 8.15 der 4. BImSchV (Anhang 1) sowie das Be- und Entladen von Schuettguetern im Sinne von Nr. 9.11.1 der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
23	27	0	single	2,16	2,38	loading track 3	K	6	

Andernach

region centre

DB InfraGO

Bahnhofstraße
56626 Andernach
Rheinland-Pfalz


Contact
APS.MI@deutschebahn.com

Access road
A61, L121, ca. 22 km

Total area of loading point [m²]
2640

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2

"Fuer diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV. Insbesondere das Umschlagen von Abfaellen im Sinne von Nr. 8.15 der 4. BImSchV (Anhang 1) sowie das Be- und Entladen von Schuettguetern im Sinne von Nr. 9.11.1 der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	236	0	single	4,28	4,71	loading track 1	L	251	ELEK (2)

Aschaffenburg Hbf

region centre

DB InfraGO


63741 Aschaffenburg Hbf
Bayern

Contact
APS.MI@deutschebahn.com

Access road
A3, B26, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15L	205	0	single	3,24	3,56	loading track 2	L	160	

Battenberg

region centre


35088 Battenberg
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A46, B480, B236 ca. 58 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	188	0	single	3,24	3,56	loading track 2	L	106	

Darmstadt Hbf

region centre

DB InfraGO

Bismarckstraße
64293 Darmstadt Hbf
Hessen


Contact
APS.MI@deutschebahn.com

Access road
A672, B26, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	3
Loading point Nr.:	1

Wasserschutzgebiet: nein



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
309	155	0	single	2,16	2,38	loading track 3	K	3	
308	396	95	single	3,24	3,56	loading track 2	S	140	
311	129	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	K	3	

Darmstadt Hbf

region centre

DB InfraGO

Bismarckstraße
64293 Darmstadt Hbf
Hessen


Contact
APS.MI@deutschebahn.com

Access road
A672, B26, ca. 5 km

Total area of loading point [m²]
4210

Loading lane Nr.:	2 of 2
Number of loading tracks:	5
Loading point Nr.:	2

Wasserschutzgebiet: nein



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
303	282	0	single	2,16	2,38	loading track 2 - ou -	K	140	TA (1)
306	29	0	single	3,24	3,56	construction logistics, short-	L	3	TA (1)
307	226	74	single	3,24	3,56	term	L	148	
304	43	0	single	2,16	2,38	loading track 3	K	3	
305	13	0	single	2,16	2,38	loading track 2 loading track 3 loading track 3	K	3	

Dillenburg

region centre


Am Güterbanhhof
35683 Dillenburg
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A45, B277, ca. 2 km

Total area of loading point [m²]
1610

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
26	100	0	single	3,24	3,56	loading track 2	L	104	

Ehrang

region centre

DB InfraGO


Servaisstraße
54293 Ehrang
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A602, B56, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 3
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
61	79	0	single	3,24	3,56	loading track 2	S	103	TA (1)
59	572	0	double sided	3,24	3,56	loading track 2	S	146	

Ehrang

region centre


Servaisstraße
54293 Ehrang
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A602, B56, ca. 4 km

Total area of loading point [m²]
2890

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
63	141	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	146	

Ehrang

region centre


Servaisstraße
54293 Ehrang
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A602, B56, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
60	16	0	single	3,24	3,56	loading track 2	KS	91	

Frankenberg (Eder)

region centre


Friedrichstraße
35066 Frankenberg (Eder)
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A49, B3, ca. 42 km

Total area of loading point [m²]
3039

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	212	0	single	3,24	3,56	loading track 2	L	110	

Frankfurt (Main) Ost

region centre

DB InfraGO


Leibbrandstrasse
60314 Frankfurt (Main) Ost
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A661, Abf. Anschlußst. Ffm Ost, ca. 3 km

Total area of loading point [m²]
3850

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
257	242	0	single	3,24	3,56	loading track 2	L	117	

Frankfurt-Höchst

region centre

DB InfraGO


.
65929 Frankfurt-Höchst
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A66, L3018, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
241	90	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	70	

Frankfurt-Höchst

region centre


.
65929 Frankfurt-Höchst
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A66, L3018, ca. 5 km

Total area of loading point [m²]
23974

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
250	150	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	145	

Friedberg (Hess)

region centre


.
61169 Friedberg (Hess)
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A5, B275, ca. 9 km

Total area of loading point [m²]
904

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
85	310	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	3	

Friedberg (Hess)

region centre


.
61169 Friedberg (Hess)
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A5, B275, ca. 9 km

Total area of loading point [m²]
3795

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
101	212	0	single	3,24	3,56	loading track 2	L	130	

Fulda

region centre


.
36037 Fulda
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A7, B27, ca. 5 km

Total area of loading point [m²]
1857

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
227	224	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	145	

Fulda

region centre


.
36037 Fulda
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A7, B27, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
226	263	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	25	
227	224	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	L	145	

Gießen

region centre


Am Güterbahnhof
35398 Gießen
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A485, L3146, ca. 6 km

Total area of loading point [m²]
1348

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
81	104	0	single	2,16	2,38	loading track 3	L, KS	75	

Goldhausen

region centre


Hauptstrasse
56411 Goldhausen
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, L318, ca. 39 km

Total area of loading point [m²]
2310

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	215	0	single	2,16	2,38	loading track 3		0	

Groß-Gerau-Dornberg

region centre


.
64521 Groß Gerau-Dornberg
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A67, B42, ca. 3 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	4
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9 A	165	0	single	2,16	2,38	loading track 3 - ou -	K	42	
9	206	0	single	2,16	2,38	securing regular operation	K	42	
37	367	0	single	2,16	2,38	loading track 3 - ou -	S	42	
8	234	0	single	2,16	2,38	securing regular operation loading track 3 - ou - securing regular operation loading track 3 - ou - securing regular operation	K	42	

Hanau Hbf

region centre


.
63450 Hanau Hbf
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A66, B8, ca. 5 km

Total area of loading point [m²]
1932

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
302	197	0	single	2,16	2,38	loading track 3	L	79	

Kassel-Bettenhausen

region centre

DB InfraGO


Söhrestrasse
34123 Kassel-Bettenhausen
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A7, L3237, ca. 2 km

Total area of loading point [m²]
4070

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	189	0	single	3,24	3,56	loading track 2	L	160	
16	309	0	single	3,24	3,56	loading track 2	L	179	

Kirchhain (Bz Kassel)

region centre

DB InfraGO


Am Feldweg
35274 Kirchhain
Hessen

Contact
APS.MI@deutschebahn.com

Access road

Total area of loading point [m²]
3500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
819	204	0	single	2,16	2,38	loading track 3	S	85	

Limburg (Lahn)

region centre


Am Stephanshügel
65549 Limburg (Lahn)
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A3, B54, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
029	135	0	single	2,16	2,38	loading track 3	S	90	

Löhnberg

region centre


Seltersweg
35792 Löhnberg
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A3, B49, ca. 24 km

Total area of loading point [m²]
5427

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 14.04.2022 5232-52og/268-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	225	0	single	2,16	2,38	loading track 3	S	55	OLI (1)

Meudt (Westerw)

region centre

DB InfraGO


56414 Meudt (Westerw)
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, B255, ca. 10 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	257	0	single	3,24	3,56	loading track 2	L	172	

Miltenberg

region centre

DB InfraGO


Bahnhofstrasse
63897 Miltenberg
Bayern

Contact
APS.MI@deutschebahn.com

Access road
A3, L508, ca. 38 km

Total area of loading point [m²]
2309

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
10	208	0	single	3,24	3,56	loading track 2	L	200	ELEK (2)

Montabaur (Regio)

region centre

DB InfraGO


Staudter Straße
56410 Montabaur(Regio)
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, K82, ca. 3 km

Total area of loading point [m²]
600

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
112	174	0	single	2,16	2,38	loading track 3	L	62	ELEK (1)

Neuwied

region centre

DB InfraGO


Am Güterbahnhof
56564 Neuwied
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A48, B9, ca. 20 km

Total area of loading point [m²]
7698

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



"Fuer diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV. Insbesondere das Umschlagen von Abfaellen im Sinne von Nr. 8.15 der 4. BImSchV (Anhang 1) sowie das Be- und Entladen von Schuettguetern im Sinne von Nr. 9.11.1 der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."

Wasserschutzgebiet: nein
Wohnbebauung: 80 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
011	185	0	double sided	3,24	3,56	loading track 2 - ou -	L	157	ELEK (2)
086	197	0	double sided	3,24	3,56	securing regular operation loading track 2	L	157	

Niederjossa

region centre

DB InfraGO


36272 Niederjossa
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A7, B62, ca. 3 km

Total area of loading point [m²]
3000

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	211	0	single	3,24	3,56	loading track 2	S	145	

Niederjossa

region centre


Jossastraße
36272 Niederjossa
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A7, B62, ca. 3 km

Total area of loading point [m²]
3000

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	211	0	single	3,24	3,56	loading track 2	S	145	

Obernburg-Elsenfeld

region centre


Bahnhofstrasse
63785 Obernburg-Elsenfeld
Bayern

Contact
APS.MI@deutschebahn.com

Access road
B469

Total area of loading point [m²]
620

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	131	0	single	2,16	2,38	loading track 3	L	100	

Siershahn

region centre

Adolfstrasse
56427 Siershahn
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, L313, ca. 3 km

Total area of loading point [m²]
4680

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
17	161	0	single	3,24	3,56	loading track 2	S	163	

Siershahn

region centre


Adolfstrasse
56427 Siershahn
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, L313, ca. 3 km

Total area of loading point [m²]
4680

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
20	106	0	single	3,24	3,56	loading track 2	L	113	

Sontra

region centre

DB InfraGO


.
36205 Sontra
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A4, L3250, ca. 23 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
805	334	334	double sided	4,28	4,71	loading track 1 - ou - construction logistics, short-term	KS	30	

Steinefrenz

region centre

DB InfraGO


Am Bahnhof
56413 Steinefrenz
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, L318, ca. 8 km

Total area of loading point [m²]
3927

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	145	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	108	

Steinefrenz

region centre

Am Bahnhof
56413 Steinefrenz
Rheinland-Pfalz


Contact
APS.MI@deutschebahn.com

Access road
A3, L318, ca. 8 km

Total area of loading point [m²]
3927

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2

EBA Bescheid vom 08.05.2023 5274-646ww/002-1114#038: Der offene Umschlag fester wassergefaehrdender Stoffe ist Untersagt.



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	145	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	108	

Treysa

region centre


.
34613 Treysa
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A5, B62, ca. 25 km

Total area of loading point [m²]
12000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
30	207	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	147	

Wabern (Bz Kassel)

region centre

DB InfraGO


Bahnhofstraße
34590 Wabern (Bz Kassel)
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A49, B253, ca. 11 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	467	0	single	4,28	4,71	loading track 1	L	283	

Wabern (Bz Kassel)

region centre


Tannenbergstraße
34590 Wabern (Bz Kassel)
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A49, B253, ca. 11 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
32	75	0	single	2,16	2,38	loading track 3	KS	70	ELEK (2); TAM (1)

Wallmerod (Westerw)

region centre


Hauptstraße
56414 Wallmerod (Westerw)
Rheinland-Pfalz

Contact
APS.MI@deutschebahn.com

Access road
A3, L318, ca. 10 km

Total area of loading point [m²]
1339

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
3	203	0	single	3,24	3,56	loading track 2	L	114	

Wiesbaden Ost

region centre

DB InfraGO


Wiesbadener Landstraße
65197 Wiesbaden Ost
Hessen

Contact
APS.MI@deutschebahn.com

Access road
A66, B262, ca. 5 km

Total area of loading point [m²]
1372

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Untersagt sind:
Offener Umschlag ungefährlicher Abfälle, Güter und Stoffe
Der Umschlag oder sonstiger Umgang mit wassergefährdenden Stoffen ist untersagt
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
570	332	0	single	4,28	4,71	loading track 1	L	226	

Aalen Hbf

region southwest

DB InfraGO


Schleifbrückstraße
73430 Aalen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A7, L1084, ca. 12 km

Total area of loading point [m²]
280

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
211	311	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	40	

Albbruck

region southwest

DB InfraGO

Eisenbahnstraße
79774 Albbruck
Baden-Württemberg


Contact
APS.SW@deutschebahn.com

Access road
A81, B34, ca. 62 km

Total area of loading point [m²]
1300

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 60 m



Bescheid Eisenbahn-Bundesamt Bonn vom 02.01.2019 3354-33hug/014-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	51	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	37	

Bad Friedrichshall Hbf

region southwest

DB InfraGO


Zum Hauptbahnhof
74177 Bad Friedrichshall-Jagstfeld
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A6, B27, ca. 8 km

Total area of loading point [m²]
1715

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
116	470	125	single	3,24	3,56	loading track 2	L	100	ELEK (2)

Bad Friedrichshall Hbf

region southwest

DB InfraGO


74177 Bad Friedrichshall-Jagstfeld
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A6, B27, ca. 8 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	109	0	single	2,16	2,38	loading track 3	K	3	

Biberach (Riß)

region southwest

DB InfraGO


Freiburger Strasse
88400 Biberach (Riß)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B36, ca. 22 km

Total area of loading point [m²]
2400

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
105	80	0	single	2,16	2,38	loading track 3	S	80	

Breisach

region southwest

DB InfraGO


79206 Breisach
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, L120, ca. 12 km

Total area of loading point [m²]
2005

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	258	0	single	2,16	2,38	loading track 3	L	76	

Bruchsal

region southwest

DB InfraGO

Industriestrasse
76646 Bruchsal
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B35, ca. 7 km

Total area of loading point [m²]
1800

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 02.01.2019 3354-33hug/064-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
65	227	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	160	ELEK (1)
64	199	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	KS	137	

Crailsheim

region southwest

DB InfraGO


Alter Postweg
74564 Crailsheim
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A6, B290, ca. 7 km

Total area of loading point [m²]
3200

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
28	211	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	174	
27	111	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	174	

Crailsheim

region southwest

DB InfraGO


Alter Postweg
74564 Crailsheim
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A6, B290, ca. 7 km

Total area of loading point [m²]
1037

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
25	91	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	KS	132	

Donaueschingen

region southwest

DB InfraGO

78166 Donaueschingen
Baden-Württemberg


Contact
APS.SW@deutschebahn.com

Access road
A864, B33, ca. 6 km

Total area of loading point [m²]
2000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Bescheid Eisenbahn-Bundesamt Bonn vom 11.01.2019 3354-33hug/084-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	559	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	55	

Ehingen (Donau)

region southwest

DB InfraGO


89584 Ehingen (Donau)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A8, L1230, ca. 38 km

Total area of loading point [m²]
2360

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	171	0	single	3,24	3,56	loading track 2	L	113	

Einsiedlerhof

region southwest

DB InfraGO


Kaiserstrasse
67661 Einsiedlerhof
Rheinland-Pfalz

Contact
APS.SW@deutschebahn.com

Access road
A8, L1230, ca. 38 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
18 L	466	0	single	4,28	4,71	loading track 1 - ou - construction logistics, short-term	L	418	

Fichtenberg

region southwest

DB InfraGO


Bahnhofstraße
74427 Fichtenberg
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A6, B14, ca. 31 km

Total area of loading point [m²]
960

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 11.01.2019 3354-33hug/117-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	198	0	single	3,24	3,56	loading track 2	L	175	

Gaildorf West

region southwest


74705 Gaildorf West
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A6, B14, ca. 27 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
506	242	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	261	

Giengen (Brenz)

region southwest


Bahnhofstraße
89537 Giengen (Brenz)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A7, B492, ca. 4 km

Total area of loading point [m²]
1650

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
687	30	0	double sided	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	59	

Giengen (Brenz)

region southwest


89537 Giengen (Brenz)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A7, B492, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
686	238	0	double sided	3,24	3,56	loading track 2	L	93	

Hausach

region southwest

DB InfraGO


Hinterer Bahnhof
77756 Hausach
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B36, ca. 36 km

Total area of loading point [m²]
1853

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 11.01.2019 3354-33hug/187-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	178	0	single	3,24	3,56	loading track 2	L	100	
13	225	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	125	

Heilbronn Gbf

region southwest

DB InfraGO

Rangierbahnhof 1/2
74080 Heilbronn
Baden-Württemberg

Contact
APS.SW@deutschebahn.com


Access road
A6, B27, ca. 5 km

Total area of loading point [m²]
652

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Bescheid Eisenbahn-Bundesamt Bonn
vom 11.01.2019 3354-33hug/188-1111#004
Eine Nutzung der Ladestelle zum
Umschlag von Abfaellen und
staubenden Schuettguetern ist in der
Zeit von 22.00 bis 06.00 Uhr untersagt

Wasserschutzgebiet: nein
Wohnbebauung: 30 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
441	46	0	single	2,16	2,38	loading track 3	KS	20	

Heilbronn Hbf

region southwest

DB InfraGO


74076 Heilbronn Hbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A6, B27, ca. 5 km

Total area of loading point [m²]
652

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
514	280	0	single	3,24	3,56	loading track 2	KS	200	

Immendingen

region southwest

DB InfraGO


Güterbahnhofstraße
78194 Immendingen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B311, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	700	0	single	2,16	2,38	loading track 3	L	56	

Karlsruhe Gbf

region southwest

DB InfraGO


Wolfratsweierer Straße
76137 Karlsruhe Gbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B10, ca. 8 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
683	169	0	single	2,16	2,38	loading track 3	K	6	ELEK (1)
682	100	0	single	2,16	2,38	loading track 3	S	54	

Kehl

region southwest


Carl-Benz-Straße
77694 Kehl
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B28, ca. 11 km

Total area of loading point [m²]
1210

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
73	77	0	single	2,16	2,38	loading track 3	KS	70	
60	312	0	single	5,47	3,56	loading track 2		0	

Kornwestheim Rbf

region southwest

DB InfraGO


Rangierbahnhof 60
70806 Kornwestheim Rbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B10, ca. 8 km

Total area of loading point [m²]
200

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
40	225	0	single	2,16	2,38	loading track 3	KS	10	

Kornwestheim Rbf

region southwest

DB InfraGO


Rangierbahnhof 60
70806 Kornwestheim Rbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B10, ca. 8 km

Total area of loading point [m²]
1317

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
041	212	0	double sided	3,24	3,56	loading track 2	L, KS	133	ELEK (1)

Kornwestheim Rbf

region southwest

DB InfraGO


Rangierbahnhof 60
70806 Kornwestheim Rbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B10, ca. 8 km

Total area of loading point [m²]
1600

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
049	488	0	single	4,28	4,71	loading track 1	L	250	

Lahr (Schwarzw)

region southwest


Güterhallenstrasse
77933 Lahr (Schwarzw)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A8. L355, ca. 2 km

Total area of loading point [m²]
3130

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



"Fuer diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV. Insbesondere das Umschlagen von Abfaellen im Sinne von Nr. 8.15 der 4. BImSchV (Anhang 1) sowie das Be- und Entladen von Schuettguetern im Sinne von Nr. 9.11.1 der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
615	217	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L, KS	35	

Landau (Pfalz) Hbf

region southwest

DB InfraGO


Ernst-Gerhard-Weg
76829 Landau (Pfalz)
Rheinland-Pfalz

Contact
APS.SW@deutschebahn.com

Access road
A65, L509, ca. 3 km

Total area of loading point [m²]
1740

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
104	312	0	double sided	3,24	3,56	loading track 2	L	199	

Lauchringen

region southwest

DB InfraGO


79787 Lauchringen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A98, B314, ca. 1 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9 A	134	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	60	

Lörrach Hbf

region southwest


Bahnhofstraße
79539 Lörrach
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A98, B317, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
11	288	0	single	3,24	3,56	loading track 2	L	110	

Mengen

region southwest


Bahnhofstr.
88512 Mengen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A8, B492, ca. 80 km

Total area of loading point [m²]
2200

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	265	0	single	3,24	3,56	loading track 2	L	145	

Merzig (Saar)

region southwest

DB InfraGO

Rieffstraße
66663 Merzig
Saarland


Contact
APS.SW@deutschebahn.com

Access road
A8, L173, ca. 2 km

Total area of loading point [m²]
1800

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 90 m



Bescheid Eisenbahn-Bundesamt Bonn vom 22.12.2022 5232-52og/243-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
30A	350	0	single	3,24	3,56	loading track 2	L, KS	100	

Murg (Baden)

region southwest

DB InfraGO


Bahnhofstr.
79730 Murg (Baden)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A861, B316, ca. 25 km

Total area of loading point [m²]
3450

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	100	0	single	3,24	3,56	loading track 2	S	100	

Nagold

region southwest


Bahnhofstraße
72202 Nagold
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B28, ca. 17 km

Total area of loading point [m²]
2740

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	272	0	single	3,24	3,56	loading track 2	L	130	

Neuenburg (Baden)

region southwest

DB InfraGO


79395 Neuenburg (Baden)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B378, ca. 2km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Wasserschutzgebiet: ja
Wohnbebauung: 40 m

Bescheid Eisenbahn-Bundesamt Bonn vom 08.11.2019 3333-33hug/303-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
3	485	0	double sided	4,28	4,71	loading track 1	L	220	
12	304	0	single	4,28	4,71	loading track 1	L	220	

Neunkirchen (Saar) Hbf

region southwest

DB InfraGO


Zum Güterbahnhof
66540 Neunkirchen (Saar) Hbf
Saarland

Contact
APS.SW@deutschebahn.com

Access road
A8, L114, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Wasserschutzgebiet: nein
Wohnbebauung: 90 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
86	164	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	KS	53	

Neustadt (Weinstr) Hbf

region southwest

DB InfraGO


Landauer Straße
67434 Neustadt (Weinstr)
Rheinland-Pfalz

Contact
APS.SW@deutschebahn.com

Access road
A65, B39, ca. 4 km

Total area of loading point [m²]
3000

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Wasserschutzgebiet: nein
Wohnbebauung: 70 m

Bescheid Eisenbahn-Bundesamt Bonn vom 19.11.2018 3354-33hug/310-1111#004 Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
47	200	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	149	

Niederbiegen

region southwest

DB InfraGO


Bucherweg
88255 Niederbiegen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A96, L314, 23,5 km

Total area of loading point [m²]
2702

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	218	0	double sided	3,24	3,56	loading track 2	L	133	
7	324	0	single	4,28	4,71	loading track 1	L	133	

Offenburg Gbf

region southwest

DB InfraGO


Am Güterbahnhof
77652 Offenburg Gbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B33a, ca. 6 km

Total area of loading point [m²]
2257

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
67	130	0	single	3,24	3,56	loading track 2	L	102	

Pforzheim Hbf

region southwest

DB InfraGO


Blücherstraße
75177 Pforzheim Hbf
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A8, B294, ca. 4 km

Total area of loading point [m²]
2860

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
252	516	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	109	

Plochingen

region southwest


Schlierbachwiesen
73207 Plochingen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A8, B313, ca. 8 km

Total area of loading point [m²]
2115

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
726	244	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	170	

Rastatt

region southwest

DB InfraGO


Rauentaler Strasse
76437 Rastatt
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A5, B462, ca. 5 km

Total area of loading point [m²]
1950

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
17	240	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	S	156	
15	244	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	156	

Rheinfelden (Baden)

region southwest

DB InfraGO


Güterstraße
79618 Rheinfelden (Baden)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A861, B34, ca. 4 km

Total area of loading point [m²]
1040

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8 a	143	0	single	2,16	2,38	loading track 3	L	90	

Rottweil

region southwest

DB InfraGO


Bahnhofstrasse 1
78628 Rottweil
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road

Total area of loading point [m²]
3720

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Nachtumschlagverbot Mo-Sa 22:00-06:00 Uhr und sonntags ganztägig
EBA-Bescheid vom 02.12.2024 5232-52ogf235-1111 #005 gem. nachtraeglicher Anordnung nach §17 BImSchG

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
152	70	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term		0	

Singen (Hohentwiel)

region southwest

DB InfraGO


Güterstraße
78224 Singen (Hohentwiel)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B314, ca. 7 km

Total area of loading point [m²]
4470

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
80	366	0	single	3,24	3,56	loading track 2	L	110	

Singen (Hohentwiel)

region southwest

DB InfraGO


Güterstraße
78224 Singen (Hohentwiel)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B314, ca. 7 km

Total area of loading point [m²]
1231

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
94	314	0	single	3,24	3,56	loading track 2	S	110	

Singen (Hohentwiel)

region southwest

DB InfraGO


Güterstraße
78224 Singen (Hohentwiel)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B314, ca. 7 km

Total area of loading point [m²]
1820

Loading lane Nr.:	3 of 3
Number of loading tracks:	1
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
82	363	0	single	3,24	3,56	loading track 2	L	110	

Speyer Hbf

region southwest

DB InfraGO


Burgstraße
67346 Speyer
Rheinland-Pfalz

Contact
APS.SW@deutschebahn.com

Access road
A61, B9, ca. 7 km

Total area of loading point [m²]
2070

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9	285	0	double sided	3,24	3,56	loading track 2 - ou - construction logistics, short-term		0	

Speyer Hbf

region southwest

DB InfraGO


Burgstraße
67346 Speyer
Rheinland-Pfalz

Contact
APS.SW@deutschebahn.com

Access road
A61, B9, ca. 7 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
9a	154	0	single	3,24	3,56	loading track 2	S	0	

Storzingen

region southwest


Bahnhofstraße
72510 Storzingen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B462, ca. 56 km

Total area of loading point [m²]
329

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	138	0	single	2,16	2,38	loading track 3	L	5	
6	101	0	single	2,16	2,38	loading track 3	K	5	

Storzingen

region southwest

DB InfraGO


Bahnhofstraße
72510 Storzingen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B462, ca. 56 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	138	0	single	2,16	2,38	loading track 3	L	5	
4	248	0	single	3,24	3,56	loading track 2	L	210	

Tübingen Hbf

region southwest

DB InfraGO


Eisenbahnstraße
72072 Tübingen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B28, ca. 20 km

Total area of loading point [m²]
2632

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
106	519	0	double sided	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	140	

Villingen (Schwarzw)

region southwest

DB InfraGO


78048 Villingen (Schwarzw)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A864, B33, ca. 12 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 14.04.2022 5232-52og/150-1111#012
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	139	0	single	3,24	3,56	loading track 2	L	110	OLI (1)
14	158	0	single	3,24	3,56	loading track 2 - ou - construction logistics, short-term	L	100	

Villingen (Schwarzw)

region southwest

DB InfraGO


78048 Villingen (Schwarzw)
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A864, B33, ca. 12 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Bescheid Eisenbahn-Bundesamt Bonn vom 14.04.2022 5232-52og/150-1111#012
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13a	117	0	single	2,16	2,38	loading track 3	K	4	
14A	118	0	single	3,24	3,56	loading track 2	K, S	100	

Welschingen-Neuhausen

region southwest

DB InfraGO


Am Bahnhof
78234 Welschingen Neuhausen
Baden-Württemberg

Contact
APS.SW@deutschebahn.com

Access road
A81, B491, ca. 6 km

Total area of loading point [m²]
2350

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Wasserschutzgebiet: ja
Wohnbebauung: 30 m

Bescheid Eisenbahn-Bundesamt Bonn vom 21.06.2022 5232-52og/139-1111#005
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
45	210	0	single	2,16	2,38	loading track 3	S	65	

Worms Hbf

region southwest

DB InfraGO


Bahnhofstraße 7/11
67547 Worms
Rheinland-Pfalz

Contact
APS.SW@deutschebahn.com

Access road

Total area of loading point [m²]
420

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 07.03.2019 3354-33hug/131-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	95	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	L	30	

Ansbach

region south

DB InfraGO


91522 Ansbach
Bayern

Contact
APS.S@deutschebahn.com

Access road
A6, B13, ca. 6 km

Total area of loading point [m²]
1500

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
18	200	0	single	3,24	3,56	loading track 2	S	95	

Ansbach

region south

DB InfraGO


91522 Ansbach
Bayern

Contact
APS.S@deutschebahn.com

Access road
A6, B13, ca. 6 km

Total area of loading point [m²]
1600

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
58	41	0	single	2,16	2,38	loading track 3		40	
19	125	0	single	3,24	3,56	loading track 2		125	

Asch-Leeder

region south

DB InfraGO


86925 Asch-Leeder
Bayern

Contact
APS.S@deutschebahn.com

Access road
A96, B17, ca. 18 km

Total area of loading point [m²]
740

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1	144	0	single	2,16	2,38	loading track 3	S	90	

Augsburg-Oberhausen

region south

DB InfraGO


Oberer Schleißweg
86156 Augsburg-Oberhausen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A8, B17, ca. 3 km

Total area of loading point [m²]
2277

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
32	204	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	K	3	
31	450	0	double sided	3,24	3,56	loading track 2	S	150	

Bad Neustadt (Saale)

region south

DB InfraGO


Siemensstrasse
97616 Bad Neustadt (Saale)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A71, B279, ca. 7 km

Total area of loading point [m²]
1375

Loading lane Nr.:	1 of 1
Number of loading tracks:	3
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
211	195	0	single	3,24	3,56	loading track 2	L	110	
220	178	0	single	3,24	3,56	loading track 2	L	110	
222	113	0	single	2,16	2,38	loading track 3	S	40	

Bad Reichenhall

region south


Bahnhofstr.
83435 Bad Reichenhall
Bayern

Contact
APS.S@deutschebahn.com

Access road
A8, B20, ca. 6 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
17	234	0	single	2,16	2,38	loading track 3	KS	65	

Bamberg

region south

DB InfraGO


Nürnberger Strasse
96050 Bamberg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A70, B4, ca. 4 km

Total area of loading point [m²]
5280

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
077	225	0	single	3,24	3,56	loading track 2	L	210	ELEK (3)
078	169	0	single	3,24	3,56	loading track 2	L, KS	160	

Bamberg

region south


Nürnberger Strasse
96050 Bamberg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A70, B4, ca. 4 km

Total area of loading point [m²]
5280

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
078	169	0	single	3,24	3,56	loading track 2	L, KS	160	

Bayreuth Hbf

region south

DB InfraGO

95444 Bayreuth Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B85, ca. 4 km

Total area of loading point [m²]
1890

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
072	244	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	K, S	91	
071	214	0	single	3,24	3,56	loading track 2 - ou - construction logistics, long-term	K, S	145	

Bayreuth Hbf

region south

DB InfraGO

95444 Bayreuth Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B85, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
075	139	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	L, KS	32	
076	84	0	single	2,16	2,38	loading track 3 - ou - construction logistics, long-term	S	3	

Bobingen

region south


Am Wasserturm
86399 Bobingen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A8, B17, ca. 18 km

Total area of loading point [m²]
3290

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	169	0	double sided	3,24	3,56	loading track 2	L	104	

Bodenwöhr Nord

region south

DB InfraGO


92439 Bodenwöhr Nord
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B85, ca. 14 km

Total area of loading point [m²]
1160

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
306	333	0	single	3,24	3,56	loading track 2	S	150	

Bodenwöhr Nord

region south

DB InfraGO


92439 Bodenwöhr Nord
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B85, ca. 14 km

Total area of loading point [m²]
1200

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
306	333	0	single	3,24	3,56	loading track 2	S	150	

Buchloe

region south

DB InfraGO

86807 Buchloe
Bayern

Contact
APS.S@deutschebahn.com

Access road
A96, ca. 2 km

Total area of loading point [m²]
730

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
402	208	0	single	2,16	2,38	loading track 3	S	85	ELEK (4)

Buchloe

region south

DB InfraGO

86807 Buchloe
Bayern

Contact
APS.S@deutschebahn.com

Access road
A96, ca. 2 km

Total area of loading point [m²]
2327

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
402	208	0	single	2,16	2,38	loading track 3	S	85	ELEK (4)

Burgsinn

region south

DB InfraGO


97775 Burgsinn
Bayern

Contact
APS.S@deutschebahn.com

Access road
A66 oder A 7, ca. 33 km

Total area of loading point [m²]
885

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
606	360	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	60	ELEK (2)

Denklingen (Schwab)

region south


.....
86920 Denklingen (Schwab)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A96, B17, ca. 18 km

Total area of loading point [m²]
440

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
1	84	0	single	2,16	2,38	loading track 3	L	67	

Dillingen (Donau)

region south

DB InfraGO


89407 Dillingen (Donau)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A7, B492, ca. 27 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
16	88	0	single	2,16	2,38	loading track 3		3	ELEK (1)
15	150	0	single	2,16	2,38	loading track 3		35	

Donauwörth

region south

DB InfraGO


.....
86609 Donauwörth
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B16, ca. 59 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	3
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
Kopfr	158	0	single	2,16	2,38	loading track 3	K	3	ELEK (1)
Ladeg	32	0	single	2,16	2,38	loading track 3	S	3	
015b	108	0	single	3,24	3,56	loading track 2	S	103	

Donauwörth

region south

DB InfraGO


86609 Donauwörth
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B16, ca. 59 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
26d	214	0	single	3,24	3,56	loading track 2	S	140	

Ebelsbach-Eltmann

region south

DB InfraGO


97500 Ebelsbach-Eltmann
Bayern

Contact
APS.S@deutschebahn.com

Access road
A70, B26, ca. 5 km

Total area of loading point [m²]
1854

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
107	333	0	single	3,24	3,56	loading track 2	S	184	

Erlangen

region south


Hilpertstrasse
91052 Erlangen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A73

Total area of loading point [m²]
1536

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
2727	449	0	double sided	3,24	3,56	loading track 2 - ou - securing regular operation		0	

Feucht

region south

DB InfraGO


90537 Feucht
Bayern

Contact
APS.S@deutschebahn.com

Access road
A73 / A3 / A6 / A9, B8, ca. 2 km

Total area of loading point [m²]
1230

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
109	141	0	single	3,24	3,56	loading track 2		109	

Furth im Wald

region south


93437 Furth im Wald
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B20, ca. 53 km

Total area of loading point [m²]
2820

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
30	218	0	single	3,24	3,56	loading track 2	L	130	
29	239	0	single	3,24	3,56	loading track 2	L	130	

Gunzenhausen

region south

DB InfraGO


91710 Gunzenhausen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A6, B13, ca. 23 km

Total area of loading point [m²]
1500

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
21	300	0	single	3,24	3,56	loading track 1 - ou -	L	181	ELEK (1)
22	314	0	single	4,28	4,71	securing regular operation loading track 2	L	262	

Hammelburg

region south

DB InfraGO


.....
97762 Hammelburg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A7, B287, ca. 8 km

Total area of loading point [m²]
1685

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	399	0	single	3,24	3,56	loading track 2	L	200	

Hammelburg

region south

DB InfraGO


.....
97762 Hammelburg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A7, B287, ca. 8 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7	399	0	single	3,24	3,56	loading track 2	L	200	

Hof Hbf

region south

DB InfraGO


95028 Hof Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B15, ca. 4 km

Total area of loading point [m²]
726

Loading lane Nr.:	1 of 3
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
173	207	0	single	3,24	3,56	loading track 2		185	

Hof Hbf

region south

DB InfraGO


95028 Hof Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B15, ca. 4 km

Total area of loading point [m²]
2953

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
177	120	0	single	2,16	2,38	loading track 3		87	

Hof Hbf

region south

DB InfraGO


95028 Hof Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B15, ca. 4 km

Total area of loading point [m²]
1275

Loading lane Nr.:	3 of 3
Number of loading tracks:	2
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
174	167	0	single	3,24	3,56	loading track 2		140	
175	203	0	single	3,24	3,56	loading track 2		190	

Ingolstadt Hbf

region south

DB InfraGO


Elisabethstraße
85051 Ingolstadt Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B13, ca. 4 km

Total area of loading point [m²]
3733

Loading lane Nr.:	1 of 3
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
38	87	0	single	2,16	2,38	loading track 3	L	87	ELEK (1)
39	594	0	single	4,28	4,71	loading track 1	L	270	

Ingolstadt Hbf

region south

DB InfraGO


Elisabethstraße
85051 Ingolstadt Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B13, ca. 4 km

Total area of loading point [m²]
3601

Loading lane Nr.:	2 of 3
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
38	87	0	single	2,16	2,38	loading track 3	L	87	

Ingolstadt Hbf

region south

DB InfraGO


Elisabethstraße
85051 Ingolstadt Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B13, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	3 of 3
Number of loading tracks:	2
Loading point Nr.:	3



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
35	89	0	single	2,16	2,38	loading track 3	K	3	ELEK (1)
34	356	0	single	4,28	4,71	loading track 1	S	237	

Kempten (Allgäu) Hbf

region south

DB InfraGO


.....
87435 Kempten (Allgäu) Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A7, B12, ca. 4 km

Total area of loading point [m²]
2310

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
Kopf	107	0	single	2,16	2,38	loading track 3	K	107	

Kempten (Allgäu) Hbf

region south

DB InfraGO


....
87435 Kempten (Allgäu) Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A7, B12, ca. 4 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
Seite	179	0	single	2,16	2,38	loading track 3	S	79	ELEK (1)

Kronach

region south


....
96317 Kronach
Bayern

Contact
APS.S@deutschebahn.com

Access road
A73, B303, ca. 23 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	434	0	single	3,24	3,56	loading track 2	L	120	ELEK (2)

Kronach

region south

DB InfraGO


....
96317 Kronach
Bayern

Contact
APS.S@deutschebahn.com

Access road
A73, B303, ca. 23 km

Total area of loading point [m²]
2310

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
133	104	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	L	85	ELEK (1)
153	85	0	single	2,16	2,38	loading track 3 - ou - securing regular operation	L	85	

Landshut (Bay) Hbf

region south

DB InfraGO


84032 Landshut (Bay) Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A92, B299, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	4
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
20	94	0	single	3,24	3,56	loading track 2	L	1	
19	66	0	single	2,16	2,38	loading track 3 - ou -	S	0	
17	164	0	single	2,16	2,38	securing regular operation	S	3	
18	73	0	single	2,16	2,38	loading track 3 loading track 3	S	90	

Landshut (Bay) Hbf

region south

DB InfraGO


.....
84032 Landshut (Bay) Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A92, B299, ca. 5 km

Total area of loading point [m²]
1170

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	193	0	single	3,24	3,56	loading track 2	S	108	ELEK (1)

Lichtenfels

region south

DB InfraGO

96215 Lichtenfels
Bayern

Contact
APS.S@deutschebahn.com

Access road
A70, B173, ca. 20 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
125	111	0	single	3,24	3,56	loading track 2	K	110	

Lichtenfels

region south

DB InfraGO

96215 Lichtenfels
Bayern

Contact
APS.S@deutschebahn.com

Access road
A70, B173, ca. 20 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
121	148	0	single	3,24	3,56	loading track 2	L	145	ELEK (1)

Lohr Bahnhof

region south

DB InfraGO


Bahnhofsstraße
97816 Lohr Bahnhof
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B26, ca. 26 km

Total area of loading point [m²]
523

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt
Bonn vom 12.11.2018
3354-33hug/269-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
98	144	0	single	3,24	3,56	loading track 2	L	101	

Lohr Bahnhof

region south

DB InfraGO


Bahnhofsstraße
97816 Lohr Bahnhof
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B26, ca. 26 km

Total area of loading point [m²]
400

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Bescheid Eisenbahn-Bundesamt Bonn vom 12.11.2018 3354-33hug/269-1111#004 Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
95	39	0	single	2,16	2,38	loading track 3	L	40	

Ludwigsstadt

region south

....
96337 Ludwigsstadt
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B90, ca. 39 km

Total area of loading point [m²]
500

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	186	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	L	106	ELEK (1)

Marktredwitz

region south

DB InfraGO


95615 Marktredwitz
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, ca. 2 km

Total area of loading point [m²]
2387

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
134	140	0	single	2,16	2,38	loading track 3	S	17	

Marktredwitz

region south

DB InfraGO


95615 Marktredwitz
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
135	125	0	single	2,16	2,38	loading track 3	S	3	

Memmingen

region south

87700 Memmingen
Bayern

Contact
APS.S@deutschebahn.com


Access road
A7 / A96, B300, ca. 3 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein

"Fuer diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV. Insbesondere das Umschlagen von Abfaellen im Sinne von Nr. 8.15 der 4. BImSchV (Anhang 1) sowie das Be- und Entladen von Schuettguetern im Sinne von Nr. 9.11.1 der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
48	269	0	single	3,24	3,56	loading track 2	L	209	

Mittenwald

region south


....
82481 Mittenwald
Bayern

Contact
APS.S@deutschebahn.com

Access road
A95, B2, ca. 30 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	13	0	single	2,16	2,38	loading track 3	S	77	

Moosburg

region south

DB InfraGO

Bahnhofstrasse
85368 Moosburg
Bayern

Contact
APS.S@deutschebahn.com


Access road
A92, ca. 5 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 100 m

"Fuer diese Ladestelle besteht keine Genehmigungen nach der 4. BImSchV. Insbesondere das Umschlagen von Abfaellen im Sinne von Nr. 8.15 der 4. BImSchV (Anhang 1) sowie das Be- und Entladen von Schuettguetern im Sinne von Nr. 9.11.1 der 4. BImSchV (Anhang 1) sind an dieser Ladestelle nicht erlaubt."



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
18	80	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term	S	56	

Mühldorf (Oberbay)

region south

DB InfraGO


.....
84453 Mühldorf (Oberbay)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A94, B12, ca. 7 km

Total area of loading point [m²]
3597

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
411	312	0	single	3,24	3,56	loading track 2	K	150	

Mühldorf (Oberbay)

region south

DB InfraGO

84453 Mühldorf (Oberbay)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A94, B12, ca. 7 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
413	142	0	single	4,28	2,38	loading track 3	KS	35	

München-Milbertshofen

region south

DB InfraGO


80809 München-Milbertshofen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B13, ca. 3 km

Total area of loading point [m²]
1710

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 29.06.2023, 5232-52og/294-1111#004 Nachtumschlagverbot für den Zeitraum zwischen 22:00 Uhr und 06:00 Uhr für jeglichen Umschlag in diesem Zeitraum, wenn nicht nachgewiesen werden kann, dass der nach TA Laerm vorgegebene Grenzwert -45 dB(A)- eingehalten wird.

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
19	218	0	single	3,24	3,56	loading track 2	L	153	

München-Mittersendling

region south

DB InfraGO


81369 München-Mittersendling
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B11, ca. 3 km

Total area of loading point [m²]
2704

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
5	166	0	single	3,24	3,56	loading track 2	L	212	

München-Riem

region south


Frobenstrasse
81929 München-Riem Pbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A94, ca. 1 km

Total area of loading point [m²]
2475

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	322	0	single	3,24	3,56	loading track 2	L	207	

Nabburg

region south

DB InfraGO


....
92507 Nabburg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, ca. 2 km

Total area of loading point [m²]
2415

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7a	267	0	double sided	3,24	3,56	loading track 2	K	174	

Nabburg

region south

DB InfraGO


.....
92507 Nabburg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7b	75	0	single	2,16	2,38	loading track 3	L	3	

Neuenmarkt-Wirsberg

region south


....
95339 Neuenmarkt-Wirsberg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B303, ca. 9 km

Total area of loading point [m²]
2246

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
43	257	0	double sided	2,16	2,38	loading track 3 - ou - construction logistics, short-term	L	90	

Neumarkt (Oberpf)

region south

DB InfraGO


Ingolstätter Strasse
92318 Neumarkt (Oberpf)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B299a, ca. 5 km

Total area of loading point [m²]
1730

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	166	0	single	2,16	2,38	loading track 3	L	84	
13	93	0	single	2,16	2,38	loading track 3	L	30	

Neustadt (Aisch) Bahnhof

region south


.....
91413 Neustadt (Aisch)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B470 / B 8, ca. 27 km

Total area of loading point [m²]
3800

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
029	166	0	single	3,24	3,56	loading track 2 - ou - securing regular operation	L	155	

Neustadt (Donau)

region south

DB InfraGO


....
93333 Neustadt (Donau)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B299, ca. 12 km

Total area of loading point [m²]
1406

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 24.04.2019 3354-33hug/309-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
7o	274	274	single	3,24	3,56	loading track 2	L, KS	163	ELEK (2)

Neustadt (Donau)

region south


...
93333 Neustadt (Donau)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B299, ca. 12 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
12	160	0	single	3,24	3,56	loading track 2	L	132	ELEK (1)

Nürnberg Rbf

region south

DB InfraGO


Katzwangerstrasse
90461 Nürnberg Rbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A73, B8, ca. 2 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 4
Number of loading tracks:	2
Loading point Nr.:	1



Wasserschutzgebiet: nein
Wohnbebauung: 300 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
11	350	0	single	4,28	4,71	loading track 1	KS	300	OLI (1)
10	300	0	single	2,16	2,38	loading track 3		3	

Nürnberg Rbf

region south

DB InfraGO


Katzwangerstrasse
90461 Nürnberg Rbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A73, B8, ca. 2 km

Total area of loading point [m²]
3200

Loading lane Nr.:	2 of 4
Number of loading tracks:	2
Loading point Nr.:	2



Wasserschutzgebiet: nein
Wohnbebauung: 300 m

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
14	397	0	single	4,28	4,71	loading track 1 - ou - construction logistics, long-term loading track 1	L	304	
11	350	0	single	4,28	4,71			300	

Parkstein-Hütten

region south

DB InfraGO


....
92720 Parkstein-Hütten
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B470, ca. 9 km

Total area of loading point [m²]
6598

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4	316	0	single	3,24	3,56	loading track 2	S	195	

Parsberg

region south


92331 Parsberg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, ca. 3 km

Total area of loading point [m²]
3755

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt
Bonn vom 30.07.2019
3354-33hug/327-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	242	0	single	4,28	4,71	loading track 1	L	237	

Parsberg

region south

DB InfraGO


92331 Parsberg
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, ca. 3 km

Total area of loading point [m²]
1,13

Loading lane Nr.:	2 of 2
Number of loading tracks:	3
Loading point Nr.:	2



Bescheid Eisenbahn-Bundesamt
Bonn vom 30.07.2019
3354-33hug/327-1111#004
Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	133	0	single	3,24	3,56	loading track 2	K	215	ELEK (1)
14	132	0	single	3,24	3,56	loading track 2	K	126	
12	159	0	single	3,24	3,56	loading track 2	L	153	

Passau Hbf

region south

....
94032 Passau Hbf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B12, ca. 6 km

Total area of loading point [m²]
1104

Loading lane Nr.:	1 of 1
Number of loading tracks:	3
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 200 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
524	404	0	single	4,28	4,71	loading track 1	S	322	
523	126	0	single	2,16	2,38	loading track 3	S	82	
521	207	0	single	3,24	3,56	loading track 2	S	207	

Plattling

region south

DB InfraGO


94447 Plattling
Bayern

Contact
APS.S@deutschebahn.com

Access road
A92, B8, ca. 4 km

Total area of loading point [m²]
800

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
426	312	0	single	4,28	4,71	loading track 1	L	295	ELEK (1)

Regen

region south


....
94209 Regen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3 / 92, B11 / 85, ca. 26 km

Total area of loading point [m²]
826

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
43	184	0	single	2,16	2,38	loading track 3	L	3	

Schirnding

region south

DB InfraGO


....
95706 Schirnding
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B303, ca. 12 km

Total area of loading point [m²]
1763

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
029	248	0	single	3,24	3,56	loading track 2	L	166	

Schongau

region south

DB InfraGO


....
86956 Schongau
Bayern

Contact
APS.S@deutschebahn.com

Access road
A96, B472, ca. 29 km

Total area of loading point [m²]
1641

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
13	153	0	single	3,24	3,56	loading track 2	S	98	
14	116	0	single	3,24	3,56	loading track 2	S	98	

Schwandorf

region south

DB InfraGO


....
92421 Schwandorf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B85, ca. 5 km

Total area of loading point [m²]
3300

Loading lane Nr.:	1 of 2
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
53	400	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term		267	

Schwandorf

region south

DB InfraGO

.....
92421 Schwandorf
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B85, ca. 5 km

Total area of loading point [m²]
780

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Bescheid Eisenbahn-Bundesamt Bonn vom 24.10.2022, 5232-52og/ 244-1111#006. Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
31	100	0	single	2,16	2,38	loading track 3	L	79	

Schwarzenfeld (Oberpf)

region south

DB InfraGO


.....
92521 Schwarzenfeld (Oberpf)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, ca. 1 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
6	466	0	double sided	4,28	4,71	loading track 1	S	289	

Simbach (Inn)

region south

DB InfraGO


...
84359 Simbach (Inn)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A94, B12, ca. 19 km

Total area of loading point [m²]
3895

Loading lane Nr.:	1 of 1
Number of loading tracks:	2
Loading point Nr.:	1



Wasserschutzgebiet: nein

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
15	139	0	single	3,24	3,56	loading track 2	S	139	
14 La	262	0	single	3,24	3,56	loading track 2	K, S	158	

Straubing

region south


...
94315 Straubing
Bayern

Contact
APS.S@deutschebahn.com

Access road
A3, B 20 / B8, ca. 10 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	2
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
36	181	0	single	2,16	2,38	loading track 3 - ou - construction logistics, short-term loading track 3	L, KS	82	
38	60	0	single	2,16	2,38		K	3	

Treuchtlingen

region south

DB InfraGO


....
91757 Treuchtlingen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A9, B2, ca. 46 km

Total area of loading point [m²]
1121

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
59	89	0	single	2,16	2,38	loading track 3	S	33	

Vilseck

region south


Bahnhofstrasse
92249 Vilseck
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B299, ca. 28 km

Total area of loading point [m²]
1050

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
8	217	0	single	3,24	3,56	loading track 2	L	140	

Waldershof

region south


....
95679 Waldershof
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B303, ca. 6 km

Total area of loading point [m²]
no information

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 12.12.2019 3333-33hug/146-1111#004 Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
4/4a	45	0	double sided	2,16	2,38	loading track 3	L	16	

Weiden (Oberpf)

region south


...
92637 Weiden (Oberpf)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B470, ca. 3 km

Total area of loading point [m²]
3500

Loading lane Nr.:	1 of 2
Number of loading tracks:	2
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
36	162	0	single	3,24	3,56	loading track 2	S	114	
34	114	0	single	3,24	3,56	loading track 2	S	114	

Weiden (Oberpf)

region south


...
92637 Weiden (Oberpf)
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, B470, ca. 3 km

Total area of loading point [m²]
no information

Loading lane Nr.:	2 of 2
Number of loading tracks:	1
Loading point Nr.:	2



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
39	56	0	single	2,16	2,38	loading track 3	S	41	

Wolfratshausen

region south

DB InfraGO


...
82515 Wolfratshausen
Bayern

Contact
APS.S@deutschebahn.com

Access road
A95, B11a, ca. 4 km

Total area of loading point [m²]
623

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
42	184	0	single	3,24	3,56	loading track 2	L	106	OLI (1)

Wolnzach Markt

region south

DB InfraGO


Schloss -Straße
85283 Wolnzach Markt
Bayern

Contact
APS.S@deutschebahn.com

Access road
A93, ca. 1 km

Total area of loading point [m²]
1864

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1



Bescheid Eisenbahn-Bundesamt Bonn vom 06.03.2019 3354-33hug/132-1111#004 Eine Nutzung der Ladestelle zum Umschlag von Abfaellen und staubenden Schuettguetern ist in der Zeit von 22.00 bis 06.00 Uhr untersagt

Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
3	142	0	double sided	3,24	3,56	loading track 2	L	91	ELEK (1)

Würzburg Rbf

region south

DB InfraGO

97080 Würzburg Rbf Bft Umspanngruppe Bayern


Contact
APS.S@deutschebahn.com

Access road
A3, B19 / B27, ca. 6 km

Total area of loading point [m²]
2645

Loading lane Nr.:	1 of 1
Number of loading tracks:	1
Loading point Nr.:	1

Wasserschutzgebiet: nein
Wohnbebauung: 200 m



Description of loading track

track no.	NL	OL [m]	type of connection (single/double sided)	hourly rate 2026	hourly rate 2027	type of track	loading via	NL loading edge [m]	peripheral facilities (Number)
220	115	115	single	2,16	2,38	loading track 3	L	69	

Imprint

DB InfraGO AG
Product- and Pricemanagement
Adam-Riese-Straße 11-13
D-60327 Frankfurt am Main

Subject to change
No responsibility accepted for the
correctness of any item of information

Last updated: 1 October 2026

www.dbinfrago.com/anlagenprodukte